

BRAIN RESEARCH

INTERNATIONAL MULTIDISCIPLINARY JOURNAL
DEVOTED TO FUNDAMENTAL RESEARCH IN THE
BRAIN SCIENCES

CUMULATIVE SUBJECT INDEX

Volumes 119 – 138 (1977)

ELSEVIER/NORTH-HOLLAND

EDITOR-IN-CHIEF – D.P. PURPURA

ISSN 0 006-8993

ODICAL
376
373
Subject Index
- 138

LIBRARY

NOW AVAILABLE!

Abstracts of the Second Annual Meeting of the Japan Neuroscience Society, Tokyo, Japan, January 28, 29, 1979

ORGANIZING COMMITTEE

Chairman: Masao Ito

Members: Katsumi Otani, Masanori Otsuka, Masazumi Kawakami, Hiroshi Shimazu, Hiroshi Kawamura, Jinichi Nagumo, Akira Watanabe, Haruo Matsuyama, Yoshiaki Iwamura, Kunihiko Obata, Akimichi Kaneko, Keisuke Toyama

(Neuroscience Letters Supplement 2, S1-S58, 1979)

1979 58 pages US \$7.50/Dfl. 15.00

Recording the proceedings of the Second Annual Meeting of the Japan Neuroscience Society held this year, this collection of abstracts reflects the rapid progress being achieved in Japanese neuroscience today. More than 100 papers on all aspects of the neurosciences are presented with particular emphasis on research relating to neuropeptides, hypothalamus, cerebellum and the visual system. The topics are approached from a variety of disciplinary viewpoints, thus rendering the collection invaluable as a comprehensive overview of the subject.

At a time when the frontiers of Japanese neuroscience are rapidly expanding, this collection should be welcomed as a pertinent and timely contribution to neuroscience research world-wide, and hence read with interest by anyone wishing to keep up with latest developments.

Contents

- | | |
|--|------------------------------------|
| I. Neurons and receptors | VIII. Cerebellum and basal ganglia |
| II. Synapses and transmitters | IX. Visual and auditory systems |
| III. Development and regeneration | X. Telencephalon |
| IV. Methods and theories | XI. Hypothalamus |
| V. Spinal cord | XII. Sleep |
| VI. Brainstem | |
| VII. Vestibular system and eye movements | |

To receive your copy of this unique publication, up till now only available to subscribers of NEUROSCIENCE LETTERS, send your order to:
Elsevier/North-Holland Scientific Publishers Ltd.
P.O. Box 85, Limerick, Ireland.

NEUROSCIENCE LETTERS

Publication Schedule and Subscription Information:

1980 Volumes 15 - 20 in 18 issues

Subscription Price: US \$ 348.00 including postage

Except in the U.S.A. and Canada orders should be sent to the above address.

In the U.S.A. and Canada orders should be sent to:

JOURNAL INFORMATION CENTER

Elsevier's Science Division

52 Vanderbilt Ave., New York NY 10017

ELSEVIER/NORTH-HOLLAND BIOMEDICAL PRESS

THE UNIVERSITY OF CHICAGO
DEPARTMENT OF CHEMISTRY
RECORDS OF THE DEPARTMENT OF CHEMISTRY
1892-1900

The following is a list of the names of the persons who have been members of the Department of Chemistry since its organization in 1892. The names are arranged in alphabetical order of their last names. The names of those who have died are marked with an asterisk.

1. ALUMNI
1892-1893: [illegible]
1893-1894: [illegible]
1894-1895: [illegible]
1895-1896: [illegible]
1896-1897: [illegible]
1897-1898: [illegible]
1898-1899: [illegible]
1899-1900: [illegible]

2. ASSISTANTS
1892-1893: [illegible]
1893-1894: [illegible]
1894-1895: [illegible]
1895-1896: [illegible]
1896-1897: [illegible]
1897-1898: [illegible]
1898-1899: [illegible]
1899-1900: [illegible]

3. ASSOCIATES
1892-1893: [illegible]
1893-1894: [illegible]
1894-1895: [illegible]
1895-1896: [illegible]
1896-1897: [illegible]
1897-1898: [illegible]
1898-1899: [illegible]
1899-1900: [illegible]

4. PROFESSORS
1892-1893: [illegible]
1893-1894: [illegible]
1894-1895: [illegible]
1895-1896: [illegible]
1896-1897: [illegible]
1897-1898: [illegible]
1898-1899: [illegible]
1899-1900: [illegible]

BRAIN RESEARCH

INTERNATIONAL MULTIDISCIPLINARY JOURNAL
DEVOTED TO FUNDAMENTAL RESEARCH IN THE BRAIN
SCIENCES

EDITORIAL BOARD

- | | |
|---------------------------------------|-------------------------------------|
| W. R. Adey (Loma Linda, Calif.) | S. Iversen (Cambridge) |
| G. K. Aghajanian (New Haven, Conn.) | E. Jankowska (Göteborg) |
| B. W. Agranoff (Ann Arbor, Mich.) | G. A. R. Johnston (Canberra City) |
| K. Akert (Zurich) | E. G. Jones (St. Louis, Mo.) |
| P. Andersen (Oslo) | P. Karli (Strasbourg) |
| R. Balázs (London) | R. Katzman (Bronx, N.Y.) |
| G. Bartholini (Paris) | J. S. Kelly (Cambridge) |
| M. V. L. Bennett (Bronx, N.Y.) | W. P. C. Koella (Basel) |
| A. Björklund (Lund) | H. G. J. M. Kuypers (Rotterdam) |
| T. W. Blackstad (Oslo) | J. LaVail (San Francisco, Calif.) |
| F. E. Bloom (San Diego, Calif.) | R. Levi-Montalcini (Rome, Italy) |
| M. Brightman (Bethesda, Md.) | J. Liebeskind (Los Angeles, Calif.) |
| J. Bureš (Prague) | H. D. Lux (Munich) |
| P. Buser (Paris) | B. S. McEwen (New York, N.Y.) |
| B. Cohen (New York, N.Y.) | J. L. McGaugh (Irvine, Calif.) |
| W. M. Cowan (St. Louis, Mo.) | E. G. McGeer (Vancouver, B.C.) |
| M. Cuénod (Zurich) | R. Y. Moore (La Jolla, Calif.) |
| J. E. Desmedt (Brussels) | P. Morell (Chapel Hill, N.C.) |
| J. J. Dreifuss (Geneva) | W. T. Norton (Bronx, N.Y.) |
| B. Droz (Gif-sur-Yvette) | K. H. Pfenninger (New York, N.Y.) |
| E. R. Einstein (Berkeley, Calif.) | T. P. S. Powell (Oxford) |
| F. Fonnum (Kjeller) | W. Precht (Frankfurt/Main) |
| L. B. Geffen (Bedford Park) | D. P. Purpura (Bronx, N.Y.) |
| H. M. Gerschenfeld (Paris) | G. Raisman (London) |
| J. Glowinski (Paris) | E. Roberts (Duarte, Calif.) |
| M. H. Goldstein Jr. (Baltimore, Md.) | R. W. Ryall (Cambridge) |
| S. Grillner (Stockholm) | A. Sato (Tokyo) |
| A. Hamberger (Göteborg) | R. F. Schmidt (Kiel) |
| H. R. Herschman (Los Angeles, Calif.) | J. H. Schwartz (New York, N.Y.) |
| K. P. Hoffmann (Ulm) | S. H. Snyder (Baltimore, Md.) |
| T. Hökfelt (Stockholm) | C. Sotelo (Suresnes) |
| J. Hughes (London) | H. Thoenen (Munich) |
| D. H. Ingvar (Lund) | R. F. Thompson (Irvine, Calif.) |
| M. Ito (Tokyo) | M. Wiesendanger (Fribourg) |
| L. Iversen (Cambridge) | V. J. Wilson (New York, N.Y.) |
| | R. Wurtman (Cambridge, Mass.) |

SUBJECT INDEX - VOLUMES 119-138 (1977)



ELSEVIER/NORTH-HOLLAND BIOMEDICAL PRESS - AMSTERDAM

COPYRIGHT © 1980 BY ELSEVIER/NORTH-HOLLAND BIOMEDICAL PRESS, AMSTERDAM
PRINTED IN THE NETHERLANDS

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without permission in writing from the publisher.

Submission to this journal of a paper entails the author's irrevocable and exclusive authorization of the publisher to collect any sums or considerations for copying or reproduction payable by third parties (as mentioned in article 17, paragraph 2 of the Dutch Copyright Act of 1912 and in the Royal Decree of June 20, 1974 (S. 351) pursuant to article 16b of the Dutch Copyright Act of 1912) and/or to act in or out of Court in connection therewith.

ABBREVIATIONS

AC	Alternating current	K	Potassium
ACh	Acetylcholine	LH	Luteinizing hormone
AChE	Acetylcholinesterase	LH-RH or LRF	Luteinizing hormone-releasing hormone (factor)
ACTH	Adrenocorticotrophic hormone	LSD	Lysergic acid diethylamide
AMP	Adenosine monophosphate	ME	Median eminence
Ba	Barium	Mg	Magnesium
Ca	Calcium	n.	Nucleus or nuclei
cAMP	Cyclic AMP	Na	Sodium
CNS	Central nervous system	NA	Noradrenaline (Norepinephrine)
CO ₂	Carbon dioxide	NGF	Nerve growth factor
CSF	Cerebrospinal fluid	NNDMT	N,N-dimethyltryptamine
DA	Dopamine	O ₂	Oxygen
2-DG	2-Deoxyglucose	6-OHDA	6-Hydroxydopamine
DMS	Dimethylsulfoxide	6-OH-DOPA	6-Hydroxy-DOPA
DNA	Deoxyribonucleic acid	Pb	Lead
DOPA	Dihydroxyphenylalanine	PG, PGE ₁ , PGE ₂	Prostaglandin
EB	Estradiol benzoate	PMSG	Pregnant Mare's Serum Gonadotrophin
ECS	Electroconvulsive shock	POA	Preoptic area
EEG	Electroencephalogram	PRL	Prolactin
EM	Electron microscopy	PSP	Postsynaptic potential
EPSP	Excitatory postsynaptic potential	PVN	Paraventricular nucleus
FSH	Follicle-stimulating hormone	REM	Rapid eye movement
GABA	γ-Aminobutyric acid	RNA	Ribonucleic acid
GAD	Glutamate decarboxylase	SCN	Suprachiasmatic nucleus
GH	Growth hormone	SIF	Small, intensely fluorescent
5-HIAA	5-Hydroxyindoleacetic acid	TRH	Thyrotropin releasing hormone
HRP	Horseradish peroxidase	TTX	Tetrodotoxin
5-HT	5-Hydroxytryptamine (Serotonin)	VMH	Ventromedial hypothalamus
HVA	Homovanillic acid	Zn	Zinc
IPSP	Inhibitory postsynaptic potential		

SUBJECT INDEX

A

- Abdominal ganglion of *Aplysia*
 identification of neurons, **121, 1**
 proteins, axonal transport and processing, **129, 75**
- Ablation
 frontal cortex
 effect on striatal glutamic acid level of superior colliculus, **132, 370**
 effects on saccades, **122, 154**
 olfactory bulb
 cellular events induced in molecular layer of piriform cortex, **134, 13**
 perception following, **127, 355**
 tectum, and visual function, **137, 267**
- Acetylcholine
 and choline, in vivo formation and post-mortem changes, **128, 580**
 determination of, **122, 575**
 enzymes synthesizing, **136, 465**
 hippocampal, increase after choline, **125, 383**
 interactions with GABA and DA, **135, 107**
 lowering by NNDMT, **131, 158**
 metabolism of in brain during neonatal hyperthyroidism, **123, 188**
 oscillation of during nerve activity in *Torpedo* electric organ, **125, 123**
 receptors for
 at neuromuscular junction, **132, 423**
 muscarinic
 competitive binding studies, **134, 167**
 distribution in Alzheimer's disease, **138, 385**
 nicotinic, distribution, **134, 161**
 release
 action of collagenase on inhibition of, **137, 113**
 after intra-striatal kainic acid injections, **135, 368**
 effect of cholinergic drugs, **123, 311**
 effect of Mg ions on, **130, 364**
 from hippocampal slices, **128, 285**
 role of septal nuclei and effect of atropine, **129, 237**
 striatal, effect of picrotoxin, **126, 382**
 turnover time
 correlation with behavior differences, **136, 475**
 effect of haloperidol, **132, 375**
- Acetylcholinesterase (see also Cholinesterase)
 axonal transport of, effect of cycloheximide, **124, 379**
 distribution, **120, 435**
 effects of batrachotoxin and 6-aminonicotinamide, **130, 101**
 in electric lobe of *Torpedo marmorata*, **124, 352**
 inhibition in the cause of amnesia, **122, 568**
- N-Acetylgalactosamine, modification to proteins by intra-axonal injection, **121, 287**
- Acoustic response, short-latency, of vertex, **137, 291**
- Acquisition, lack of in DA denervated animals, **134, 95**
- Actin, in developing brain, **121, 237**
- Action potentials
 divalent, TTX-resistant, **133, 177**
 effects of tissue extracts, **119, 133**
 repetitive
 blockade by diazepam, **133, 315**
 modulation with ACh, **122, 361**
- Activation
 of a β -adrenergic receptor, effect on NGF, **137, 369**
 of cerebrum during active sleep, relations to behavior, **124, 544**
 synaptic, of facial afferents, **123, 378**
 visual, of inferior temporal neurons, **131, 227**
- Active zone, presynaptic, membrane-associated particles of, **130, 393**
- Activity
 and sleep rhythms, circadian patterns of, **131, 129**
 evoked, of precentral neurons, and single unit operant conditioning, **124, 550**
 motor, and raised brain GABA levels, **131, 180**
 muscle spindle afferents, during scratching, **129, 192**
 neuronal
 in locus coeruleus, inhibited by ethanol, **131, 174**
 in red nucleus, and skilled forelimb movement, **131, 383**
 in substantia nigra during feeding, **133, 267**
 of motoneurons during behavioral habituation (French), **127, 365**
 of PVN units, **130, 505**
 of renal sympathetic nerve, **133, 371**
 relationship of, to gross movement-related potentials, **132, 362**
 unit, see Unit activity
- Acupuncture analgesia, antagonism by naloxone, **121, 368**
- Adaptation, retinal, see Retinal adaptation
- Adenosine monophosphate

- axonal transport of, **122, 132**
cyclic
 and phosphorylase during seizures, **135, 337**
 and PGE₂ and morphine analgesia, **128, 275**
 concentration in conscious brain, daily fluctuations of, **126, 391**
 during depolarization in vivo, **120, 493**
 effects of histaminergic agonists and antagonists on stimulation by, **126, 387**
 induced by 5-HT, **127, 168**
 PGE₂-stimulated accumulation, **120, 263**
 stimulated phosphorylation of protein substrate, **125, 325**
 release and transfer of derivatives, **121, 353**
Adenylate cyclase
 DA-sensitive
 and β -adrenergic-sensitive, **121, 71**
 comparative effects of neuroleptics on, **121, 71**
 destruction of, by kainic acid, **130, 374**
 localization of, in substantia nigra, **136, 45**
 within laminae of olfactory tubercle, **131, 303**
 effect of capsaicin on activity, **123, 323**
 neurotransmitter-sensitive, in hypothalami, **138, 125**
 stimulation of, **129, 385**
Adhesion, between cloned neural cell lines, specificity of, **126, 475**
Adrenal chromaffin granules, uptake of catecholamines by, **136, 59**
Adrenal medulla
 enzymes synthesizing catecholamines and ACh, **136, 485**
 formation of synapses and synaptoid contacts in, **120, 533**
 induction of tyrosine hydroxylase and DA-hydroxylase by NGF, **133, 291**
Adrenal tyrosine hydroxylase, regulation of, **122, 183**
Adrenaline content, increase in hypertensive rats, **135, 180**
Adrenergic neurons
 effect on transport of NGF, **134, 213**
 localization of NGF-HRP coupling product, **130, 190**
Adrenergic receptors, β -,
 activation of increased NGF content, **137, 369**
 and noradrenergic fibers, simultaneous visualization, **135, 347**
 binding of, failure to find, using [³H]dihydroalprenolol, **127, 313**
 localization of, by a fluorescent β -blocker, **128, 379**
 on Purkinje cells, **128, 532**
 ontogeny in cerebral cortex, **125, 99**
Adrenergic sympathetic neurons, and spinal cord transection, **134, 269**
Adrenocorticotrophic hormone 4-9 analog
 behaviorally potent, distribution in brain after intraventricular administration, **126, 89**
 uptake of, **131, 117**
Afferents
 GABAergic, to lateral habenula, **130, 184**
 cerebellar, from motor nuclei of cranial nerve, **137, 158**
 comissural, associational and entorhinal, to dentate granule cells, **134, 551**
 development of lamination in fascia dentata, **121, 229**
 distribution of, representing right and left eyes in visual cortex, **131, 103**
 effects of stimulation, during conditioning, **127, 382**
 facial, synaptic activation of, **123, 378**
 Group II
 depression of recurrent inhibition of extensor motoneurons, **120, 459**
 muscle
 and dynamic fusimotor neurons, **132, 153**
 reflex actions evoked by stimulation, **122, 551**
 histamine synthesizing, in amygdaloid complex and stria terminalis, **138, 285**
 5-HTergic, to dorsal raphe n., **119, 269**
 in inferior cardiac nerve, spinal neurons responding to, **137, 164**
 in precentral cortex, organization, **138, 166**
 interhemispheric, cortical, to prefrontal granular cortex, **132, 235**
 intrahemispheric, cortical, to prefrontal granular cortex, **132, 209**
 muscle spindle, activity during scratching, **129, 192**
 of semicircular canal, postsynaptic potentials, **135, 67**
 of n. raphe dorsalis, **137, 11**
 sensory, to semicircular canal, generator potential, **123, 41**
 septal, to arcuate-median eminence region, **137, 150**
 skin, low threshold, and dynamic fusimotor neurons, **132, 153**
 spinal
 direct, and indoleaminergic innervation of inferior olive, **131, 1**
 excitability of terminal of, and GABA, **130, 360**
 sympathetic, cardiac, of bird, **131, 89**
 tectal, in carp telencephalon, **130, 142**
 thermoreceptive, and behavioral reaction times, **138, 329**
 to inferior parietal lobule, **123, 197**
 to locus coeruleus, visualized by HRP, **119, 21**
 to mediodorsal thalamus, origin of, **135, 11**
 trigeminal, cutaneous, and primary afferent depolarization, **134, 561**
 vestibular, conduction times and background discharge, **122, 545**
 visualization of, in VIIth cranial nerve, **121, 21**
Affinity chromatography, isolation of fucosyl glycoproteins, **138, 317**
Agglutinin, and gangliosides, **132, 273**
Aggregating cell cultures

- biochemical differentiation of, **133**, 329
 of fetal brain, **138**, 580
- Aggression
 interspecific and shock-induced, and amygdaloid nuclei and pathways, **127**, 369
 interspecific, effect of lesions of 5-HTergic raphe neurons, **133**, 167
 predatory, inhibition by D- and L-amphetamine, **124**, 565
- Aging
 and effect of electroconvulsive shock on hydroxylation of tyrosine and tryptophan, **131**, 313
 and enzymes synthesizing catecholamines, and ACh, **136**, 465
 DA receptor sensitivity during, **138**, 565
- β -Alanine
 K⁺-stimulated release of, **121**, 179
 stimulated release from retina, **120**, 447
- Allogenic substances, responses of thoracic dorsal horn interneurons, **124**, 437
- Allergic encephalomyelitis, and proteolytic enzymes, **123**, 147
 paralysis induced by, **125**, 192
- Alternation behavior
 effects of ventral mesencephalic tegmentum lesions, **127**, 383
 failure of Reeler mutants to show, **124**, 168
- Alzheimer's type dementia brain, muscarinic ACh receptors in, **138**, 385
- Amacrine, retinal, swelling in response to Ω -amino acids, **125**, 161
- Amino acids
 Ω , and swelling of retinal amacrine, **125**, 161
 acidic, supersensitivity of hippocampal neurons to, **119**, 476
 cerebral uptake, lack of effects of hypothermia in vivo, **125**, 187
 changes of brain content of, and epileptic activity, **122**, 513
 compartmentalization of metabolism of, **127**, 302
 effects of glucose depletion and substitution of Krebs cycle intermediates on transport, **131**, 321
 excitatory, effect of Mg²⁺ on response of spinal neurons to, **130**, 364
 in CSF fluid, maturational changes in concentration, **119**, 181
 incorporation of, after spinal cord hemisection, **122**, 475
 in synaptic vesicle fraction, **138**, 295
- γ -Aminobutyrate, lesion-induced plasticity of release, **131**, 241
- γ -Aminobutyric acid
 action of in CNS, effect of arecaidine and guanine, **136**, 513
 and DA, interrelation between substantia nigra and striatum, **134**, 353
 and spinal afferent terminal excitability, **130**, 360
 and substance P in striatonigral neurons, **136**, 371
- binding of
 distribution of, in Parkinson's disease, **127**, 269
 in striatum, **136**, 501
 stereospecificity and structure-activity requirements, **124**, 185
 to a membrane fraction of cerebral cortex, **128**, 182
- in nigrostriatal system, action of haloperidol and DA, **133**, 382
- in nuclei of hypothalamus and substantia nigra, **125**, 109
- interactions of, with DA and ACh, **135**, 107
- in thalamus, alteration of distribution by morphine, **124**, 373
- raised brain levels, and motor activity and exploration, **131**, 180
- release of
 Ca-dependent, inhibition by ruthenium red, **126**, 160
 from cerebral cortex in vitro, **138**, 374
 from hippocampal slices following seizures, **138**, 369
 from striatal slices after kainic acid treatment, **135**, 368
- K-stimulated
 from cerebral cortex and spinal cord, **121**, 179
 from neurons and glia, **119**, 189
- transport system, cis-3-aminocyclohexanecarboxylic acid as a substrate for, **138**, 169
- Aminocyclohexanecarboxylic acid, a substrate for the GABA transport system, **138**, 169
- γ -Aminoisobutyric acid, effects of neonatal androgenization on in vitro transport, **132**, 287
- δ -Aminolevulinic acid, effect on an isolated neuronal preparation, **126**, 189
- 6-Aminonicotinamide, and neural regulation of muscle ACh, **130**, 101
- Aminoxyacetic acid, central actions, **129**, 181
- 4-Aminopyridine, effects of, on transmission in synapses, **136**, 387
- Amnesia
 caused by inhibition of AChE, **122**, 568
 puromycin-induced, attenuation of, by neurohypophyseal peptides, **134**, 139
- Amphetamine
 and inhibition of predatory aggression, **124**, 568
 and morphine, effects of on self-stimulation, **136**, 103
 decrease in nigrostriatal blood flow after, **135**, 77
 effects of on cerebral circulation and metabolism, **121**, 196
 effects of on concurrent self-stimulation of forebrain and brain stem loci, **137**, 109
 effects of on striatal tyramine, **126**, 181
 interactions with haloperidol, **126**, 117
 locomotor response to early developmental changes in, and hippocampal function, **126**, 567

- response to effect of locus coeruleus lesions, 124, 473
- stereotyped behavior patterns and hyperactivity induced by, 123, 89
- Amygdala**
- afferents from mediobasal hypothalamus, 121, 201
 - attenuation of morphine analgesia by DA injection, 130, 156
 - conditioned discrimination learning after lesions in, 125, 277
 - distribution of choline acetyltransferase and AChE, 120, 435
 - histamine synthesizing afferents in, 138, 285
 - inhibition of neurons by dorsal raphe stimulation, 120, 85
 - involvement in control of aggression, 127, 369
 - kindling
 - depletion of DA by, 136, 381
 - facilitation of, by stria terminalis lesions, 122, 187
 - medial microiontophoretic effects of substance P, 135, 174
 - modulation of LH proestrous surge by stimulation, 128, 81
 - unit activity in, effects of morphine and benzodiazepines on, 126, 427
- Analgesia**
- acupuncture, antagonism by naloxone, 121, 368
 - by a morphine-like factor in brain, 136, 523
 - induced by stimulation of centralis inferior, reduced by naloxone, 120, 221
 - morphine-produced
 - and PGE₂ and cAMP, 128, 275
 - and stimulation-produced, at coincident periaqueductal central gray loci, 124, 283
 - attenuation of, by intra-amygdaloid DA injection, 130, 156
 - produced by stimulation of catecholamine nuclei, 123, 369
 - stimulation-produced
 - reduction of, by LSD, 122, 367
 - role of the dorsal periventricular catecholamine bundle in, 130, 335
- Analysis**
- automatic, see Automatic analysis
 - cinemicrographic, see Cinemicrographic analysis
 - computer, see Computer analysis
 - electrophysiological, see Electrophysiological analysis, etc.
- Anastomosis, portocaval, permeability of blood-brain barrier, 138, 550**
- Androgen**
- effects of neonatal treatment on
 - distribution of cytoplasmic estrogen receptors, 129, 309
 - in vitro transport of α -aminoisobutyric acid, 132, 287
- Androstatriene, see Aromatization, inhibitor of**
- Angiotensin II**
- and carbachol, independent receptors for pressor responses and drinking responses, 124, 305
 - direct neuronal stimulation by intraventricular, 126, 376
 - distribution of receptors from, 122, 299
 - role of mesencephalic structures in thirst induced, 126, 225
- Angular acceleration, responses of medial brain stem neurons, 120, 564**
- Anoxia, in cerebral cortex, extracellular K changes during, 123, 113**
- Antennal lobes, of *Manduca sexta*, cholinergic development during metamorphosis, 119, 389**
- Anterograde transport, used to analyze efferent connections in septal area, 119, 1**
- Antibodies to myelin encephalitogenic protein, detection of, 129, 121**
- Anticholinergic potency, and binding affinity of psychomimetic glycolates, 124, 331**
- Antidromic activation**
- of mamillothalamic neurons, 122, 143
 - of optic nerve, 121, 162
 - of substantia nigra, DA metabolism after, 120, 184
- identification**
- of 5-HT neurons, evidence for collateral inhibition in midbrain raphe, 132, 186
 - of locus coeruleus neurons, 135, 217
 - invasion latencies, of sympathetic preganglionic neurons, temporal patterns of, 135, 162
- Antigens**
- differentiation, of brain, radioimmunoassay for, 133, 139
 - of brain cell surface, detection of, by anticorpus callosum antiserum, 127, 87
- Antinociceptive effect of vaginal stimulation monoaminergic mediation of, 137, 67**
- neurophysiological and behavioral studies, 137, 85**
- Antipsychotic drugs, effects on striatal tyramine, 126, 181**
- Antiserum**
- to corpus callosum, use of in detecting brain cell surface antigens, 127, 87
 - to DA- β -hydroxylase, sympathetic nerve degeneration caused by, 136, 67
- Aplysia**
- abdominal ganglion
 - identification of neurons, 121, 1
 - axonal transport and processing of proteins in, 129, 75
 - cerebral ganglion, transport of $^{45}\text{Ca}^{2+}$ in, 129, 45
 - divalent action potential of TTX-resistant axon, 133, 177
 - facilitation of active synaptic permeability to Ca by cAMP, 127, 168
 - giant neurons, modification to glycoproteins, 121, 287
 - gill-withdrawal reflex
 - L7-elicited, 134, 387

- suppression of, by branchial nerve stimulation, **132, 553**
- neurons, modulation of endogenous bursting rhythms by monosynaptic inhibition, **125, 51**
- Apomorphine
- applied to corpus striatum and n. accumbens, effect on reserpine-induced rigidity, **133, 386**
 - causes decreased DA metabolism, **130, 374**
 - effect of, on plasma GH after reserpine and electroconvulsive shocks, **129, 379**
 - stereotyped behavior patterns and hyperactivity induced by, **123, 89**
- Appetitive effects, induced by mesencephalic and hypothalamic stimulation, **130, 521**
- Apterontus albifrons*, deficit in electrolocation after interruption of cerebellar function, **130, 343**
- Arborization, of initial axon collaterals of spino-cervical tract cells, **135, 1**
- Arcuate-median eminence region
- effects of LRF on septal afferents, **137, 154**
 - electrophysiological and HRP studies of septal afferents, **137, 150**
- Arcuate nucleus, synaptogenesis in PMSG-treated immature females, **129, 375**
- Area 18 cells, effect on of striate cortex cooling, **126, 366**
- Area postrema
- butyrylcholinesterase activity in fenestrated capillaries, **120, 146**
 - neurotoxic effects of glutamate, **120, 151**
- Arecaidine, effect of, on action of GABA, **136, 513**
- Areca nut, see Arecaidine
- Aromatization, inhibitor of, effect on testosterone metabolites, **128, 562**
- Arousal, during sleep, by physostigmine infusion, **122, 562**
- Ascorbic acid, transport by clonal line of pheochromocytoma cells, **136, 131**
- Aspartate, action at excitatory neuromuscular junctions, **126, 176**
- Aspartic acid, and glutamic acid levels in cochlear nucleus after auditory nerve lesion, **138, 111**
- Associative learning, motor, role of cortical and cerebellar NA, **134, 513**
- Astrocytes
- and lymphocytes, myelin basic protein causes proliferation of, in vitro, **132, 580**
 - biochemical correlates of proliferation in mutant Staggerer, **128, 389**
 - preparation, **124, 347**
- Asymmetry
- induced, in caudate firing rates, prevented by thalamic lesions, **131, 215**
 - interhemispheric, of EEG sleep patterns in dolphins, **134, 581**
- Atomic absorption spectrophotometry, flameless, **130, 369**
- Atrio-ventricular, and sino-atrial regions, origins of vagal preganglionic fibers, **130, 545**
- Atropine, effect on ACh release, **129, 237**
- Attack behavior, role of mediodorsal thalamic n., in suppression, **127, 185**
- Auditory cortex
- binaural columns in primary field (A1), **138, 241**
 - effects of lesions on temporal summation, **136, 241**
 - enhancement of visual responses after destruction of cochlear receptors, **129, 162**
- Auditory field, anterior, representation of cochlea, **130, 447**
- Auditory nerve, lesion, aspartic acid and glutamic acid levels in cochlear n. after, **138, 111**
- Auditory responses, single unit, to weak pulsed microwaves, **126, 370**
- Automatic analysis, of sleep-wakefulness cycle, **132, 562**
- Autonomic changes mediated by brainstem, identification of TRH sensitive sites, **126, 105**
- Autonomic ganglion cells, search for in petrosal ganglia, **129, 29**
- Autonomic pathway, neurophysin-containing, arising in PVN, **128, 346**
- Autoradiography
- analysis by of proliferation of ontorhinal efferents in dentate gyrus, **125, 11**
 - double-label
 - used to show retinotopic organization, **138, 407**
 - use of in mapping developing retinotectal pathway, **127, 55** - evidence from, for accumulation of [^3H]5-HT, **134, 151**
 - localization by
 - of opiate receptors in brain stem, **129, 1**
 - of opiate receptors in spinal cord and lower medulla, **124, 53**
 - of opiate receptors in telencephalon, **134, 393** - of ascending projections of locus coeruleus, **127, 23**
 - of axonal release and transfer of nucleoside derivatives, **134, 347**
 - of connections between pulvinar n. and pre-striate cortex, **134, 249**
 - of formation of lateral motor column, **132, 197**
 - of nigrotectal projections, **135, 147**
 - of projections from limb areas of sensorimotor cortex, **135, 153**
 - of projections of pretectum, **127, 197**
 - of protein synthesis and transport in pyramid cell dendrites, **125, 237**
 - with [^{125}I] α -bungarotoxin, to show nicotinic receptors, **130, 551**
- Aversive effects, induced by mesencephalic and hypothalamic stimulation (French), **130, 521**
- Avoidance response, conditioned, effects of tryptamine, **122, 162**
- Axo-axonal interneuron, specific, in visual cortex, **136, 345**
- Axo-axonic synaptogenesis, in spinal trigeminal n., **138, 534**

Axolemma, of sciatic nerve, particle clusters, **130**, **135**

Axon

collaterals

initial, of spinocervical tract cells, arborization, **135**, **1**

recurrent, synaptic connections between spinal and α -motoneurons, via, **132**, **1**

noradrenergic terminals, **133**, **197**

of olfactory nerve, polypeptides deposited, **121**, **215**

of R2 in Aplysia, glycoproteins, **121**, **287**

particles, inhibition of rapid movement by colchicine and vinblastine, **128**, **227**

primary trigeminal, degenerative changes after tooth pulp extirpations, **132**, **347**

processing of proteins from Aplysia abdominal ganglion, **129**, **75**

projection patterns of olfactory bulb mitral and tufted cells, **129**, **152**

regeneration

along hippocampal fimbria, **138**, **259**

in sciatic nerve, effect of conditioning lesion and dibutyl cAMP, **132**, **443**

release and transfer of nucleoside derivatives, **134**, **347**

release of protein during fast axonal transport, **125**, **141**

retinal, in lateral geniculate n., lack of intralaminar sprouting, **126**, **201**

TTX-resistant divalent action potential, **133**, **177**

transport

bidirectional of $^{45}\text{Ca}^{2+}$, **129**, **45**

fast

action of DMS, **120**, **287**

release of protein during, **125**, **141**

in central NA neurons, **127**, **1**

in garfish olfactory nerve, **121**, **215**

of AChE, cessation after cycloheximide, **124**, **379**

of adenosine in visual and somatosensory pathways, **122**, **132**

of fucosyl glycoproteins in NAergic neurons, **130**, **421**

of HRP

in revealing reticulo-cuneate projections, **128**, **341**

sensitive staining method, **126**, **530**

of labeled material into sensory nerve endings of carotid body, **124**, **9**

of NA, **120**, **303**

of organelles, analysis of, **136**, **197**

of protein, reutilization of precursor, **122**, **243**

of putrescine, spermine and spermidine in optic nerves, **130**, **433**

retrograde

in peripheral sympathetic nerves, **122**, **459**

localization of NGF-HRP coupling product, **130**, **190**

of HRP, **124**, **135**; **126**, **149**

of HRP in pontine projection, **123**, **209**

of HRP, used to show cerebellar afferent, **137**, **158**

of [^{125}I]tetanus toxin, **126**, **211**

selective trans-synaptic migration of tetanus toxin, **122**, **459**

vagal, action of DMS on ultrastructure, **120**, **287**

Axoplasmic flow, in myelinated and unmyelinated nerves, **124**, **393**

Axotomized rubral neurons, cytochemistry of RNA, **130**, **469**

Axotomy, reduction of glutamic acid uptake, **120**, **379**

B

Background discharge, of vestibular afferents, **122**, **545**

Background firing, effect of postimpulse depression, **126**, **243**

Baclofen, action on neurons, **134**, **577**

Barium-induced square-shaped potential waves, **123**, **384**

Barbiturate, and evoked cortical steady potential shifts, **134**, **479**

Baroreceptor activation, effect on supraoptic neurons, **126**, **551**

Barrels, and columnar cortical organization, **137**, **169**

Basic protein

myelin

causes proliferation of astrocytes and lymphocytes, **132**, **580**

of Quaking mutant mouse, **120**, **517**

radioimmunoassay for, **120**, **193**

Basket cell, response decrement in, **130**, **354**

Batrachotoxin, effect on neural regulation of muscle, **130**, **101**

Bed nucleus, histamine synthesizing afferents, **138**, **285**

Behavior

after spinal cord transection during development, **125**, **241**

aggressive, see Aggression

alternation, see Alternation behavior

and catecholamines, **127**, **373**

and cerebral activation during active sleep, **124**, **544**

and DAergic mechanisms in n. accumbens, **127**, **375**

and eye refraction in rabbit, **127**, **360**

and hippocampal metabolism after desglycinamide lysine vasopressin, **120**, **485**

control, role of dorsal NAergic bundle, **127**, **382**

correlates of hippocampal EEG, **125**, **37**

effects on

of A10 DAergic mesencephalo-cortico-limbic lesion, **127**, **386**

of amphetamine-haloperidol interactions in striatum, **126**, **117**

- of intrastriatal application of 6-OHDA, **119**, 439
- of lesions in A10 DAergic area, **124**, 83
- feeding and sexual, Nembutal treatment of VMH and, **126**, 519
- interstrain differences, and brain ACh turnover rate, **136**, 475
- in vitro, of granule cells from Staggerer and Weaver mutant mice, **130**, 13
- model
 - for studying actions of hallucinogenic drugs, **132**, 301
 - use, in studying LSD actions, **132**, 315
- rotational, see Rotational behavior
- sexual
 - and estradiol binding by brain cell nuclei, **135**, 135
 - and 5-HT, **127**, 378
 - effects of anti-estrogen after EB, **133**, 119
 - effects of anti-estrogen on induction by EB, **134**, 455
 - monoaminergic implication, **127**, 377
 - neurochemical effects of estrogen, **134**, 467
 - regulation, by inputs to POA and hypothalamus, **127**, 296
- swimming, acquisition by isolated segments of leech, **131**, 191
- turning, role of nigrotectal relationships, **130**, 383
- visually mediated, role of optic tectum, **128**, 393
- visual orientation, effect of superior colliculus lesions, **127**, 358
- Behavioral analysis, of olfactory and vomeronasal deafferentiation, **126**, 325
- Behavioral habituation, activity of motoneurons during (French), **127**, 365
- Behavioral plasticity, brain protein metabolically linked to, **136**, 227
- Behavioral reaction times, role of thermoreceptive afferents, **138**, 329
- Behavioral recovery, from visual cortex damage, **138**, 445
- Behavioral responses, to L-DOPA after hypothalamic injections of 6-OHDA, **132**, 507
- Behavioral studies
 - of antinociceptive effects of vaginal stimulation, **137**, 85
 - of DA receptor sensitivity in striatum, **136**, 319
- Benzodiazepines
 - effect on motor and sensory mechanisms, **127**, 384
 - effect on unit activity of amygdala and hippocampus, **126**, 427
- Binaural columns, in primary field of auditory cortex, **138**, 241
- Binding
 - of corticosteroids in brain and pituitary cytosols, **130**, 564
 - of dihydroergocryptine, in brain, **132**, 327
 - of estradiol, by brain cell nuclei, **135**, 135
- Binding affinity, of a group of psychomimetic glycolates, **124**, 331
- Binding components, resolution by isoelectric focusing, **130**, 564
- Binding sites
 - calcium, see Calcium binding sites
 - specific for neuroleptic drugs, **130**, 176
- Binocular, and monocular deprivation, two perimetry methods, **127**, 366
- Binocular interactions, in lateral geniculate n., **120**, 354
- Binocular lid suture, cell loss from lateral geniculate n., **130**, 81
- Bioassay, quantitative, for NGF activity, **133**, 350
- Biosynthesis, of phosphatidylethanolamines, from ethanolamine, **124**, 317
- Blinking reflex, corneal, see Reflex, corneal blinking
- Blockade
 - of neuronal transport by colchicine, **136**, 31
 - of repetitive action potentials by diazepam, **133**, 315
 - reversible, of ponto-geniculo-occipital waves, and effect on thalamic unit activity, **137**, 305
- β -Blocker, fluorescent, localization of β -adrenergic receptors, **128**, 379
- Blood-brain barrier
 - alteration by microwave, **126**, 281
 - osmotic opening, **122**, 170
 - osmotic opening, without brain edema, **136**, 23
 - penetration by enzymatically stable peptide, **121**, 87
 - permeability, after portocaval anastomosis, **138**, 550
 - ultrastructural characteristics in seizures, **127**, 251
- Blood-CSF barrier, see Blood-brain barrier
- Blood flow
 - measurements during cervical sympathetic stimulation, **129**, 129
 - nigrostriatal, decrease after D-amphetamine or stimulation of substantia nigra, **135**, 77
- Blood gases, responses of limbic neurons to changes, **132**, 43
- Blood vessels, cerebral, effect of locus coeruleus lesions, **136**, 431
- Blood vessels, of PVN, central monoaminergic innervation, **136**, 166
- Body temperature, constancy of heat pain characteristics to changes, **131**, 367
- Body weight
 - and food intake, effects of lesions in midbrain path of ascending NAergic neurons, **128**, 293
 - and regulatory deficits after nigrostriatal lesions, **132**, 467
 - sex-dependent loss, after 6-OHDA injection into globus pallidus, **128**, 559
- Brachium pontis, motor effects of microstimulation, **126**, 557
- Brain
 - ACh
 - and DA, lowering by NNDMT, **131**, 158
 - changes in metabolism during neonatal hy-

- perthyroidism, 123, 188
- determination, 122, 1575
- turnover rates, and interstrain behavior differences, 136, 475
- AChE, inhibition of, in cause of amnesia, 122, 568
- adenylate cyclase activity, effect of capsaicin, 123, 323
- amino acid content, changes with epileptic activity, 122, 513
- γ -aminobutyric acid
 - distribution of binding in Parkinson's disease, 127, 269
 - and DA and ACh interactions, 135, 107
 - raised levels and motor activity and exploration, 131, 180
 - stereospecificity and structure-activity requirements of receptor binding, 124, 185
- α -aminoisobutyric acid transport, effect of neonatal androgenization, 132, 287
- angiotensin II receptors, distribution, 122, 299
- binding sites for neuroleptic drugs, 130, 176
- catecholamines
 - and olfactory system damage, 121, 121
 - and paradoxical sleep, after α -methylparatyrosine, 135, 123
 - concentration and turnover, effect of isolation, 131, 259
 - synthesis, effect of corticosterone, 120, 571
- catecholamine nuclei, analgesia produced by stimulation, 123, 369
- choline and ACh, in vivo formation and post-mortem changes, 128, 580
- conscious cAMP concentrations, daily fluctuations, 126, 391
- corticosterone and DMS receptors, ontogeny of, 134, 445
- corticosterone content, diurnal changes, 124, 571
- cyclic AMP, during cerebral cortical depolarization, 120, 493
- cytochrome, effect of hyperoxia and cortical stimulation on redox states, 128, 553
- cytoplasmic estrogen receptors, sex differences in distribution, 129, 309
- cytosols, corticosteroid binding, 130, 564
- dendritic monoamines, 120, 553
- developing
 - cell proliferation
 - effects of reserpine, 129, 283; 129, 299
 - choline acetyltransferase, 127, 159
 - Colcemid treatment causes deficiency, 132, 380
 - effect of oligomycin on mitochondrial respiration, 120, 373
 - 5-HT in, 131, 379
 - tubulin and actin, 121, 327
 - differentiation antigens, radioimmunoassay for, 133, 139
 - dihydroergocryptine binding, 132, 327
 - dihydropteridine reductase and tyrosine hydroxylase, 132, 569
 - distribution of neurotensin and somatostatin, 126, 584
 - distribution of TRH, 120, 423
 - DA receptors
 - demonstration using spiroperidol, 136, 578
 - sensitivity during aging, 138, 565
 - edema, osmotic opening of blood-brain barrier, without, 136, 23
 - enzymes synthesizing catecholamines and ACh, changes with age, 136, 465
 - enzymatic activity, microvessels vs total forebrain homogenate, 138, 561
 - estrogen concentrating cells, radioautographic localization, 123, 357
 - fetal
 - aggregating cell cultures
 - biochemical differentiation, 133, 329
 - kainic acid alters neurochemical development, 138, 580
 - glutamic acid decarboxylase and choline acetyltransferase, 133, 172
 - SV40 virus-transformed cells, 121, 191
 - fetal grafts, monoaminergic reinnervation of transected spinal cord, 129, 122
 - filament protein, intermediate, and tubulin, 132, 167
 - filament protein, subunits, anomalous electrophoretic properties, 133, 341
 - β -galactosidases, substrate specificities, 122, 325
 - L-glutamate decarboxylase, activity, genetic variation, 122, 59
 - glycogen storage, inhibition by metyrapone and induction by met-sulfoxide, 128, 193
 - hydroxylation of tyrosine and tryptophan, 131, 313
 - 5-HT
 - metabolism, daily variations, 123, 125; 123, 137
 - neurons, effects of degeneration and regeneration on serum LH, FSH and PRL, 134, 317
 - impregnation by Golgi method, 126, 345
 - intermediary metabolites, labile, 132, 149
 - maintenance of neurons isolated in bulk, 132, 107
 - mammalian, see Mammalian brain
 - mediation of PG-induced hyperthermia, 120, 251
 - melanotropic peptides, 130, 169
 - membranes, receptor binding of neurotensin, 130, 299
 - met-enkephalin, determination, 134, 383
 - MHPG (3-methoxy-4-hydroxyphenylglycol) in, 125, 333
 - mince system, absence of morphine antagonism of PGE₁-stimulated cAMP accumulation, 120, 263
 - mitochondria, inhibition of Ca uptake by Pb, 136, 185
 - monoamine levels, influence of p-chloroamphetamine, 123, 1347
 - monoamine oxidase, multiple forms in vivo and

- in vitro, 128, 187
- morphine-like factors, 136, 523
- muscarinic ACh receptors, distribution in Alzheimer's dementia, 138, 385
- myelin, development and subfractionation, 138, 17
- nerve terminals
 - localization of DA- β -hydroxylase, 120, 549
 - metabolism of glycoproteins, 130, 109
- neuronal cell lines, derivation and characterization, 135, 25
- neurons, activity during feeding, 127, 368
- neurotransmitter uptake, development, 119, 403
- nicotinic ACh receptors
 - demonstration, 130, 551
 - distribution, 134, 161
 - identification, 131, 350
- NA, and pituitary-adrenal axis, role in learning, 127, 372
- NAergic fibres, and β -adrenoreceptors, visualization, 135, 347
- NAergic neurons, axonal transport of fucosyl glycoproteins, 130, 421
- α -NAergic receptor binding, distribution, 138, 151
- NA depletion, stress-induced, 127, 179
- of Pb-exposed neonate, inhibition of tryptophan transport, 132, 386
- olfactory structures, effect of early destruction on olfactory receptors, 128, 170
- ouabain binding, effect of ethanol, 129, 183
- phosphatidylethanolamines, biosynthesis, 124, 317
- preparation of astrocytes, neurons and oligodendrites, 124, 347
- protein
 - α , β , and γ , of goldfish, 122, 113
 - footshock-induced increase of lysine incorporation, 120, 317
 - 14-3-2, localization, 122, 582
 - metabolically linked with behavioral plasticity, 136, 227
 - phosphorylation, effect of diphenylhydantoin and Ca, 134, 125
- purification of viable ependymal cells, 134, 407
- reward mechanisms, potentiation by psychomotor stimulant drugs, 127, 383
- S-100 protein levels after protein restriction, 129, 187
- slices, energetics of amino acid transport, 131, 321
- specific protein 14-3-2
 - preparation and properties, 124, 497
 - subunit structure, 124, 509
- striatonigral and pallidonigral pathways, 119, 447
- subcortical areas, NA distribution, 126, 53
- synaptic terminals, with somatostatin-like immunoreactivity, 137, 181
- synaptic vesicle fraction, amino acids, 138, 295
- tissue
 - lipoperoxidation, 136, 11
 - neonatal, testosterone metabolites, 128, 176
 - ultrastructural characteristics in experimental seizures, 127, 251
 - Zn and Pb content, effect of dithizone, 130, 369
- Brain cell
 - effect of undernutrition on formation, 123, 13; 138, 511
- nuclei
 - binding of [3 H]estradiol, 126, 73
 - estrogen accumulation, effects of anti-estrogens, 134, 467
 - estrogen binding, and sexual behavior, 135, 146
 - estrogen receptor binding after injection of estrogens and androgens, 119, 375
 - surface antigens, detected by anti-corpus callosum antiserum, 127, 87
- Brain stem
 - descending pathways, funicular trajectories, 136, 159
 - development of D-amino acid oxidase, effect of hyper- and hypothyroidism, 138, 139
 - efferent connections to hippocampus, 120, 540
 - localization of opiate receptors, 129, 1
 - loci, and forebrain, concurrent stimulation of, 137, 109
 - lower, direct neuronal connections to median eminence, 136, 339
 - medial, responses of neurons to angular acceleration and stimulation of labyrinth, 120, 564
 - met-enkephalin applied to, respiratory and cardiovascular effects, 138, 585
 - neurons, eye movement-associated discharge, 121, 59
 - NA concentration, changes during renovascular hypertension, 136, 376
 - progesterone metabolism in, in female rat, 125, 313
 - projections to lobule VII of posterior vermis, 124, 135
 - reticular formation, control of dorsal spinocerebellar activity, 129, 361
 - saccade-related unit activity, 127, 361
 - single neurons, vertex short-latency acoustic response, 137, 291
 - thermoregulatory mechanisms, 5-HTergic influences, 134, 297
 - TRH-sensitive sites, identification by microinjection, 126, 105
- Branchial nerve, stimulation, 132, 553
- Breathing, and neuronal activity specific to REM sleep, 120, 197
- Brightness discrimination learning, with lesions in amygdala or hippocampus, 125, 277
- Bufo bufo*, cerebellar neurons, visual input, 127, 362
- Bulbospinal neurons, of sympathectomized rats, increased catecholamine fluorescence, 128, 361
- Bullfrog
 - sympathetic ganglion, SIF cells as chromaffin

- cells, 128, 213
- sympathetic ganglion cells
 - slow muscarinic excitatory response, 137, 381
 - synaptic innervation, 128, 197
- Bungarotoxin
 - binding dissociation, and receptor block in superior cervical ganglion, 129, 165
 - localization of ACh receptors at neuromuscular junction, 132, 423
 - phospholipase A, failure of inhibition, 120, 577
 - receptors in synaptic layer of retina, 138, 29
 - used to show nicotinic receptors, 130, 551
- Bursting rhythms, endogenous, modulation by monosynaptic inhibition, 125, 51
- Butyrylcholinesterase, activity in area postrema, 120, 146
- C
- CA1 cells, hippocampal, characteristics in vitro, 128, 53
- Calcium
 - accumulation in cholinergic axon terminals after nerve activity, 121, 348
 - active synaptic permeability, facilitation by cAMP, 127, 168
 - and diphenylhydantoin, effect on brain protein phosphorylation, 134, 125
 - binding sites of dense-core vesicles, 138, 555
 - dependent γ -aminobutyrate release, 126, 160; 131, 241
 - effects on cerebral cortical slices and spinal cord, 121, 179
 - electron density in synaptic vesicles induced by, 121, 173
 - ionophore A23187, alterations to nerve induced by, 136, 1
 - labeled, bidirectional axonal transport, 129, 45
 - spikes, in hippocampal neurons, 135, 157
 - transport, in synaptosomes, effect of somatostatin, 123, 193
 - uptake by brain mitochondria, inhibition by Pb, 136, 185
- Capillaries
 - cerebral, ischemia and 2-DG uptake, 120, 141
 - fenestrated, butyrylcholinesterase activity, 120, 146
- Capsaicin, effect on adenylate cyclase activity in brain, 123, 323
- Capsule, internal, and pathway for thalamic projections of hippocampal formation, 134, 1
- Carassius auratus*
 - delayed regeneration of retino-diencephalic projections in, 125, 149
 - direct ipsilateral retinal projections in, 124, 533
- Carbachol, and angiotensin II, central projections, 124, 305
- Carbohydrate metabolism, in caudate n., DA as a modulator, 133, 183
- Carbon dioxide, end-tidal, and discharge of sympathetic preganglionic neurons, 122, 255
- Carbonic anhydrase, of myelin, quantitation, 138, 17
- Carbon monoxide
 - effect on cerebral carbohydrate metabolism, 121, 271
 - Golgi analysis of caudate neurons exposed to, 132, 455
- Cardiac afferents, sympathetic, avian, 131, 89
- Cardiac cycle, and discharge in tractus solitarius n., 133, 65
- Cardiac fibers, sympathetic, and cells of origin, 131, 73
- Cardiac nerve, inferior, spinal neurons responding to afferent fibers in, 137, 164
- Cardiac rhythm, and neuronal activity in tractus solitarius n., 133, 65; 133, 81
- Cardiovascular effects, of met-enkephalin, 138, 585
- Cardiovascular responses
 - and lateral hypothalamic stimulation, 129, 29
 - to stimulation of medullary raphe, 128, 141
- Carotid body
 - axonal transport into sensory nerve endings, 124, 9
 - Ca-binding sites of dense-core vesicles, in glomus cells, 138, 555
- Carotid sinus nerve, stimulation, medullary neurons responsive to, 122, 556
- Catecholamine
 - accumulation after nerve ligation, and NA, 136, 174
 - and abnormal behavior, 127, 373
 - and increase in cerebral oxygen uptake, 119, 223
 - brain, and paradoxical sleep, 135, 123
 - bundle, dorsal periventricular, role in stimulation-produced analgesia, 130, 335
 - concentration, in brain, effect of isolation, 131, 259
 - enzymes synthesizing, changes with age, 136, 465
 - fluorescence, in bulbospinal neurons, increase in chemically sympathectomized rats, 128, 361
 - fluorescence, in entorhinal cortex, 128, 354
 - in neurons in primary culture of basal hypothalamus, 120, 393
 - in tractus solitarius n., after medulla oblongata lesions, 127, 307
 - levels, central, and post-decapitation convulsion, 122, 165
 - levels, in hypothalamus and pituitary of *obob* mice, 131, 162
 - neocortical distribution and ontogenetic development, 124, 576
 - nuclei, stimulation analgesia produced by, 123, 369
 - metabolism, hypothalamic, and regulation of food intake, 135, 325
 - release, storage and uptake by a clonal cell line of NGF-responsive pheochromocytoma cells, 129, 247

- synthesis, effect of corticosterone, **120, 571**
 terminals, organization in diencephalon, **119, 43**
 turnover, in brain, effect of isolation, **131, 259**
 turnover, in ME of cycling rat, **120, 113**
 uptake by synaptic vesicles and adrenal chromaffin granules, **135, 59**
- Catecholaminergic glomus cells, of carotid body, **138, 555**
- Catecholaminergic innervations, of preoptic and hypothalamic nuclei, **127, 127**
- Catecholaminergic projection, ascending, role in intracranial self-stimulation, **131, 271**
- Catecholaminergic terminals, in developing cerebellum, **132, 355**
- Cations, influence on activity of neuroblastoma X glioma cells, **130, 495**
- Caudate nucleus
 - carbohydrate metabolism in, DA as a modulator, **133, 183**
 - cell clustering and regional variation, **137, 53**
 - cholinergic blockade of, learning deficits induced by, **138, 190**
 - convergence of excitatory synaptic inputs in, **124, 403**
 - degenerative changes after tooth pulp extirpations, **132, 347**
 - distribution of 5-HTergic terminals, **121, 311**
 - effects of haloperidol on turnover of GABA and ACh, **132, 375**
 - 5-HT release from ependymal surface, **132, 575**
 - influence on transmission in cuneate n., **120, 559**
- neurons
 - Golgi analysis after exposure to carbon monoxide, **132, 455**
 - prevention of asymmetry in firing rates, **131, 215**
 - spiny, dual excitatory inputs, **138, 271**
 - postnatal development, **133, 251**
- CD1 mice, brain of, effect of corticosterone on catecholamine synthesis, **120, 571**
- Cell clustering, in caudate n., **137, 53**
- Cell death, of spinal motoneurons after peripheral innervation, **125, 154**
- Cell formation
 - in adult brain, effect of undernutrition, **138, 511**
 - in brain, effect of undernutrition, **123, 13**
- Cell lines, neural, cloned specificity of adhesion, **126, 475**
- Cell loss, selective, in lateral geniculate n., after binocular lid suture, **130, 81**
- Cell nuclei, isolated, estimation of neuronal populations, **127, 279**
- Cell proliferation
 - effect of reserpine, **129, 299; 129, 283**
 - in external granular layer, hypo- and hyperthyroidism and, **126, 31**
- Cell surface antigens, of brain, **127, 87**
- Central actions, of aminooxyacetic acid, **129, 181**
- Centralis inferior, see under Thalamus
- Central nervous system
 - GABA action in, effect of arecaidine and guvacine, **136, 513**
 - developing
 - hydrolysis of triphosphoinositides, **137, 333**
 - S-100 in, **123, 331**
 - effect of neurotensin on, **128, 485**
 - intra-axonal transport of herpes virus, **136, 415**
 - neurotransmitter enzymes, sexual differentiation, **132, 176**
 - neurotransmitters, screening technique, **137, 37**
 - occurrence of octopamine, **122, 281**
 - synapses, membrane-linked proteins, **132, 172**
 - tracing fiber systems with [¹²⁵I]tetanus toxin, **126, 211**
- Central vision, cone and rod sensitivity, **119, 345**
- Centrifugation, density-gradient, **127, 69**
- Cerebellar peduncle, efferent connections, **133, 237**
- Cerebellum
 - afferents from motor nuclei of cranial nerves, **137, 158**
 - D-amino acid oxidase, effects of hyper- and hypothyroidism on, **138, 139**
 - anterior lobe and indoleaminergic innervation of inferior olive, **131, 1**
 - Apterontus albifrons*, deficit in echolocation after interruption of function, **130, 343**
 - cellular composition, effect of undernutrition, **123, 13**
 - control of pupillary light reflex, **128, 69**
 - development
 - catecholaminergic terminals, **132, 355**
 - effect of ethanol, **119, 249**
 - effects of early hypo- and hyperthyroidism, **126, 31**
 - effect of thyroid dysfunction, **120, 521**
 - estimation of neuronal populations, **127, 279**
 - estradiol and testosterone binding specificity, **128, 263**
 - granule cells, in monolayer culture, **130, 1**
 - increase in Purkinje cells by oxygen and glucose, **128, 385**
 - indoleamine axons, loss of during thiamine deficiency, **138, 380**
 - isolation of glial-enriched and -depleted populations, **127, 69**
 - neonatal, sprouting of corticopontine fibres after lesion, **123, 164**
 - neurons, of *Rana esculenta* and *Bufo bufo*, visual input, **127, 362**
 - noradrenaline, role in associative learning, **134, 513**
 - nuclear neurons, projection to inferior olive, **133, 156**
 - nuclei, projections from inferior olive, **130, 405**
 - of Gunn rat, impairment of DNA synthesis, **126, 295**
 - posterior lobe, depressant action on renal sympathetic nerve activity, **133, 371**
 - Purkinje cells, β -adrenoreceptors on, **128, 532**
 - slices, cyclic nucleotide accumulation in, **121, 182**
 - sprouting of noradrenergic terminals after

- 6-OHDA, 124, 385
 vermal visual area, pontine projection, 123, 209
- Cerebral ganglion, of Aplysia, transport of $^{45}\text{Ca}^{2+}$ in, 129, 45
- Cerebrospinal fluid
 amino acid concentration, maturational changes, 119, 181
 and serum, prolactin in, 132, 477
 cisternal, 5-HIAA and HVA in, 129, 377
 lumbar, cerebral origin of 5-HIAA, 122, 388
 metabolites, monitoring, 131, 345
 3-methoxy-4-hydroxyphenylglycol, 125, 333
 myelinotoxicity, in vivo test, 120, 103
 VIP in, 124, 581
- Cerebrum
 activation during active sleep and relations to behavior, 124, 544
 amino acid uptake, lack of effects of hypothermia in vivo, 125, 187
 blood vessels, effect of locus coeruleus lesions, 136, 431
 carbohydrate metabolism, during acute carbon monoxide intoxication, 121, 271
 circulation, changes after amphetamine, 121, 196
 embryonic, distribution of glutamyltransferase activities, 128, 505
 energy metabolism, effect of insulin hypoglycemia, 126, 263
 hemisphere slices, effects of histaminergic agonists and antagonists on, 126, 387
 histamine turnover in during stress, 129, 107
 5-HT, reduced, effect on learning, 127, 379
 infarction, and changes in NAergic neurons, 132, 259
 ischemia
 effect on cortical metabolites and metabolic rate, 119, 480
 microflow and cortical oxygen pressure during and after, 124, 158
 microvasculature, vesicular transport of HRP in segments, 124, 1
 monoamines, effect of locus coeruleus lesions, 124, 473
 neurons, isolation with partial retention of processes, 124, 69
 oxygen uptake, catecholamine-mediated increase during stress, 119, 223
 tryptophan levels, circadian variations, 123, 137
- Cervical ganglion, superior
 effects of NGF and 6-OHDA on 5-HT, 133, 354
 effect of NGF on phenylethanolamine-N-methyltransferase, 138, 309
- Cervical sympathetic stimulation, and blood flow, 129, 129
- Channelling, of visual information, in lamina ganglionaris, 130, 556
- Chemoreceptor activation
 effect on supraoptic neurons, 126, 551
 responses in sympathetic outflow evoked by, 138, 159
- Chemoreceptors, peripheral, influence of hyperventilation on efferent control, 124, 561
- Chloralose, and size and characteristics of visual receptive fields in n. ventralis lateralis, 138, 175
- p-Chloroamphetamine, effect on sexual reflexes and brain monoamines, 123, 347
- Chlorpromazine, in vitro effects on microtubules and Golgi complex, 137, 323
- Cholera toxin, role of gangliosides in uptake and retrograde axonal transport, 132, 273
- Choline acetyltransferase
 and glutamic acid decarboxylase in fetal brain, 133, 172
 at myoneural junction, 119, 155
 development, effect of destruction of postganglionic sympathetic neurons, 136, 455
 distribution in amygdaloid complex and stria terminalis, 120, 435
 in developing brain and spinal cord, 127, 159
- Choline
 and ACh, in vivo formation and post-mortem changes, 128, 580
 increase in hippocampal ACh after, 125, 383
- Cholinergic blockade, of caudate n., 138, 190
- Cholinergic development, of antennal lobes in *Manduca sexta*, 119, 389
- Cholinergic drugs, effect on ACh release, 123, 311
- Cholinergic fiber tract, between thalamus and head of striatum, 126, 487
- Cholinergic mechanisms
 effects of hippocampal stimulation, 133, 277
 of hippocampal transplants to eye, 119, 107
- Cholinergic neurons
 central, regenerative capacity, 135, 87
 hypothalamic, role in circadian rhythm of liver glycogen synthetase, 138, 575
 preganglionic, survival after destruction of postganglionic sympathetic neurons, 136, 455
 striatal, sensitivity to DAergic drugs and quipazine, 136, 487
- Cholinergic receptors, see under Muscarinic and Nicotinic
- Cholinergic septal system, release and transfer of adenosine derivatives, 121, 353
- Cholinergic stimulation, of pheochromocytoma cells, 138, 521
- Cholinergic substances, effect on neuromuscular transmission, 119, 141
- Cholinergic sympathetic neurons, effect of spinal cord transection on development, 134, 269
- Cholinergic system, retinal, localization of, 138, 469
- Cholinergic terminals, accumulation of Ca after nerve activity, 121, 348
- Cholinergic tuberoinfundibular pathway, evidence for, 129, 169
- Cholinesterase, transport in sensory nerves, 130, 579
- Cholinoreceptors, on membrane of *Planorbarius corneus* neurons, 121, 131

- Choroid plexus, transport, effect of Pronase, **134**, 573
- Chromaffin cells, identification of SIF cells, **128**, 213
- Chromaffin granules, catecholamine uptake by, **136**, 59
- Chromatographic monitoring, liquid, of CSF metabolism, **131**, 345
- Chromatography, affinity, isolation of fucosyl glycoproteins, **138**, 317
- Chrysemys picta*, visual cortex, **130**, 197
- CI-628, see Estrogen, anti-
- Cinemicrographic analysis, of axonal transport of organelles, **136**, 197
- Circadian rhythm
 of liver glycogen synthetase, **138**, 575
 of sleep and activity, **131**, 129
 of tryptophan hydroxylase in pineal, **138**, 364
- Circadian variations
 in raphe n. and striatal tryptophan-5-hydroxylase, **123**, 125
 in serum and cerebral tryptophan, **123**, 137
- Claw, of crayfish
 position learning in, a model for, **134**, 185
 reflex control of motor neuron, **130**, 348
- Climbing fiber system
 electrophysiological and HRP studies, **122**, 197
 in Weaver mutant, **129**, 141
 of frog, **121**, 362
- Clinical depression, roles of monoamines, **127**, 373
- Clonal line, of nerve glia and muscle cells, **132**, 337
- Clonal pheochromocytoma cell line
 ascorbic acid transport by, **136**, 131
 release of NA by nicotinic cholinergic stimulation, **138**, 521
 used to assay NGF activity, **133**, 350
- Cloned neural cell lines, specificity of adhesion, **126**, 475
- Clonidine
 effect on plasma GH after reserpine and ECS, **129**, 379
 sensitivity in developing rat, **135**, 378
- Clozapine, and haloperidol, specific action on GABA, **133**, 382
- Clustering, of cells in caudate n., **137**, 53
- Cobalt
 filled neurons, a silver intensification method for, **138**, 359
 ions, intracellular, effect on postsynaptic inhibition, **134**, 372
 precipitation, in cranial nerve, **121**, 21
- Cochlea, representation of, in anterior auditory field, **130**, 447
- Cochlear nucleus, aspartic and glutamic acid levels after auditory nerve lesion, **138**, 111
- Cochlear receptors, destruction and enhancement of visual responses on primary auditory cortex, **129**, 162
- Colcemid treatment, deficient brain development after, **132**, 380
- Colchicine
 block of cholinesterase transport in sensory nerves, **130**, 579
 block of neuronal transport, **136**, 31
 inhibition of rapid movement of axonal particles, **128**, 227
- Collagenase, action on inhibition of ACh release, **134**, 113
- Collateral inhibition
 of 5-HT neurons, **132**, 186
 of locus coeruleus neurons, NA-mediated, **136**, 570
- Collaterals
 descending, of ascending fibers, projection of cerebellar nuclear neurons to inferior olive by, **133**, 156
 initial axon, of spinocervical tract cells, arborization, **135**, 1
 motor axon, lack of recurrent depression from in dorsal spinocerebellar tract, **129**, 158
 of optic chiasm, afferent to SCN, **137**, 351
- Colliculus, inferior, increase in differentiated short-latency responses in neurons, after conditioning, **130**, 315
- Colliculus, lack of neuronal recovery from early deprivation or cortical lesion, **120**, 362
- Colliculus, superior
 ablation
 effect on saccades, **122**, 154
 visual pattern and form perception after, **127**, 355
 evidence for branching nigral projections to, **137**, 361
 identification of cells of origin of tectopontine fibers in, **130**, 65
 in dark-reared rabbits, synaptic organization, **134**, 417
 intracellular studies, **123**, 170
 lesions, effect on visual orientation behavior, **127**, 356
 units responding to complex visual stimuli, **127**, 358
- Columnar distribution, of cortico-cortical fibers in development, **122**, 393
- Columnar organization
 and visual cortex, **136**, 154
 cortical, evidence from 2-DG experiments, **137**, 169
 in corticotectal projection of somatic sensory cortex, **133**, 223
- Commissural afferents, to dentate granule cells, potentiation of excitatory synaptic action, **134**, 551
- Commissure, anterior, and visual activation of inferior temporal neurons, **131**, 227
- Competitive development, of central connections in visually deprived cats, **136**, 277
- Complement, involved in nerve degeneration, **136**, 67
- Compression
 of retinotectal projection
 failure of continuous light to inhibit, **128**, 153
 in the absence of degenerating debris, **133**, 367
- Computer analysis, of axonal transport of orga-

- nelles, 136, 197
- Concanavalin A, binding sites, localization in retina, 119, 57
- Conditioned avoidance response, effects of tryptamine, 122, 162
- Conditioning
- and changes in hippocampal evoked responses to afferent stimulation, 127, 382
 - and differentiated short latency responses in inferior colliculus neurons, 130, 315
 - classical, midbrain unit activity during, 134, 73
 - lesion, effect on axonal regeneration, 132, 443
 - operant, discriminative, of vertical eye movements, 124, 99
 - operant, evoked by optic radiation fiber stimulation, 123, 373
 - paradigm of caudal photoreceptor, 124, 449
 - single unit operant and precerebral neuronal evoked activity, 124, 550
 - to tone, of nictitating membrane, 137, 127
- Conduction times, of vestibular afferents, 122, 545
- Conduction velocity
- of ocular motoneurons, 135, 167
 - of spinal motoneurons, 120, 179
- Cone sensitivity, in central vision, 119, 345
- Contrast, visual, simultaneous, neurophysiology of, 127, 359
- Convergence
- of excitatory inputs to caudate spiny neurons, 124, 403
 - of retinal inputs onto visual cortical cells, 137, 207; 137, 221
 - onto spinothalamic tract neurons from muscle and cutaneous input, 124, 555
- Convulsion
- methionine sulfoximine-induced, inhibition by metyrapone, 128, 193
 - post-decapitation, and central catecholamines, 122, 165
- Cooling, of striate cortex, effect on area 18 cells, 126, 366
- Corneal blinking reflex, see Reflex, corneal blinking
- Corpus callosum
- antiserum, use in detecting brain cell surface antigens, 127, 87
 - contribution to visual activation of inferior temporal neurons, 131, 227
 - of female rat, progesterone metabolism in, 125, 313
- Corpus striatum
- effect of applied apomorphine on reserpine-induced rigidity, 133, 386
 - ontogeny of dopamine receptor binding in, 125, 376
- Cortex
- ACh release, effect of atropine and role of septal nuclei, 129, 237
 - ACh release from slices, effect of cholinergic drugs, 123, 311
 - β -adrenergic receptor binding, failure to find, 127, 313
 - β -adrenergic receptors, localization, 128, 379
 - amino acid incorporation after spinal cord hemisection, 122, 475
 - amino acid metabolism in slices, 127, 302
 - cingulate, effects of vagal volleys and 5-HT, 130, 253
 - cAMP and phosphorylase during seizures, 135, 337
 - depolarization of cells, brain cAMP during, 120, 493
 - effect of Ca on slices, 121, 179
 - electrically induced release of DA from slices, 130, 483
 - entorhinal
 - catecholamine fluorescence and Nissl staining, 128, 354
 - intracranial self-stimulation from, 137, 188
 - seizures induced by stimulation of, 138, 369
 - extracellular K concentration, 120, 231
 - frontal
 - ablation, effect on striatal glutamic acid, 132, 370
 - DA-sensitive adenylate cyclases in, effects of neuroleptics, 121, 71
 - GABA release in vitro, 138, 374
 - ganglioside and glycoprotein metabolism in immature hypothyroidism, 128, 515
 - glycine transport sites, distribution, 122, 95
 - hypoxia and anoxia, extracellular K changes during, 123, 113
 - inferotemporal, neuronal activity in, 130, 229
 - learning in, instruction-selection theory, 127, 327
 - lesion, lack of recovery in collicular neurons, 120, 362
 - limbic, columnar distribution of cortico-cortical fibers during development, 122, 393
 - membrane fraction of, factors affecting GABA binding, 128, 182
 - metabolites and metabolic rate, effect of cerebral ischemia, 119, 480
 - motor
 - and visual cortex, effect of cryogenic block on visual unit responses in n. ventralis lateralis, 138, 180
 - developing, columnar distribution of cortico-cortical fibers, 122, 393
 - dual origin of fibers projecting to area SI, 132, 159
 - motorsensory
 - population response characteristics of neurons, 137, 277
 - projections from limb areas to spinal cord, 135, 153
 - neurons, unidirectionality in inverted vision, 120, 164
 - NA, role in associative motor learning, 134, 513
 - NAergic axon terminals, analysis, 133, 197
 - occipito-temporal, visual functions, 127, 367
 - ontogeny of β -adrenergic receptors, 125, 99
 - orbito-frontal, projections to mediodorsal thalamic n., 131, 356
 - oxygen pressure and prolonged cerebral ische-

- mia, 124, 158
- partial deafferentiation, synaptic rearrangement in ventrobasal complex, 125, 351
- piriform, molecular layer, effect of olfactory bulb ablation, 134, 13
- postcentral and precentral, neuronal activity and gross movement-related potentials, 132, 362
- posterior midline lesions and operant responding, 125, 356
- postnatal developmental and NAergic system arising from locus coeruleus, 125, 1
- precentral, organization of afferent inputs, 138, 166
- prefrontal
 - lesions, kinesthetic discrimination after, 130, 163
 - neuronal activity during gazing at light spot, 126, 497
 - suppression of attack behavior by, 127, 185
- prefrontal granular
 - interhemispheric cortical afferents, 132, 235
 - intrahemispheric cortical afferents, 132, 209
- primary olfactory, early histogenesis, 123, 27
- prestriate, and pulvinar n., connections between, 134, 249
- primary somatosensory, response to tactile stimuli, 132, 558
- protein pattern alterations in cells, with training, 119, 427
- pyramidal neurons and hypothyroidism, 126, 547
- redox state, a 2-dimensional analysis of, 119, 357
- sensory motor, prenatal development of projections, 138, 538
- somatosensory
 - multiple loci of evoked potentials, 124, 162
 - organization in cortical projection, 133, 223
- stimulation
 - effect on cytochrome a_1 , a_3 redox states, 128, 553
 - saccades elicited by, 122, 154
- striate
 - cooling, effect on area 18 cells, 126, 366
 - DA-sensitive adenylate cyclase, effects of neuroleptics, 121, 71
 - organization of ocular dominance, 134, 225
 - receptive field classes of cells in, 133, 1
- synaptosomes
 - effect of somatostatin on Ca transport, 123, 193
 - from mouse, 121, 113
- visual
 - and columnar organization, 136, 154
 - and motor cortex, cryogenic block, effect on visual unit responses in n. ventralis lateralis, 138, 180
 - cells disynaptically excited from lateral geniculate body, 137, 221
 - cells monosynaptically excited from lateral geniculate body, 137, 207
 - convergence of retinal inputs onto cells of, 137, 207; 137, 221
- damage, role of lateral suprasylvian visual area in behavioral recovery from, 138, 445
- distribution of afferents representing each eye, 131, 103
- maintained activity of neurons at different levels of retinal adaptation, 124, 251
- polyribosome aggregation, effects of visual deprivation, 119, 73
- retrograde transport of HRP, 137, 233
- role in binocular interactions in lateral geniculate n., 120, 354
- specific 'axo-axonal' interneuron in, 136, 345
- turtle, 130, 197
- Cortical afferents
 - inter- and intrahemispheric, to prefrontal granular cortex, 132, 209; 132, 235
- Cortical-evoked steady potential shifts, 134, 479
- Cortical projections, sensory motor, prenatal development, 138, 538
- Cortico-cortical connections, of superior temporal gyrus, 136, 547
- Cortico-cortical fibers, columnar distribution in development, 122, 393
- Corticofugal cells, responding antidromically to cuneate or gracile n. stimulation, 128, 39
- Corticopontine fibers, sprouting, after cerebellar lesion, 123, 164
- Corticospinal projections, from cytoarchitectonic fields, 129, 335
- Corticosterone
 - binding in brain and pituitary cytosols, 130, 564
 - diurnal changes in regional brain content, 124, 571
 - effect on catecholamine synthesis, 120, 571
 - receptors, in brain, ontogeny, 134, 445
- Corticotropin, in limbic system of hypophysectomized rats, 128, 575
- Corticostriatal path, glutamatergic, 128, 369
- Corticotectal projection of somatosensory cortex, organization, 133, 223
- Coupling, electronic, between spinal motoneurons, 138, 197
- Coupling product, of NGF-HRP, localization in adrenergic neurons, 130, 190
- Cranial nerve
 - eighth, lesion, compensation of nystagmus after, 135, 192
 - seventh,
- Crocodile telencephalon, succinate dehydrogenase and sensory thalamic projection areas, 124, 357
- Crossed reflexes, in decerebrate cat, 127, 323
- Crossed responses, of lateral vestibular neurons, 131, 152
- Crustacean neurons, lacking cell bodies, synapses on, 121, 43
- Crustacean sinus gland, release of a neurodepressing hormone, 128, 93
- Cryogenic blockade, of visual and motor cortices, 138, 180

- Cue enhancement, and brightness discrimination learning, **125, 277**
- Culture
- aggregating, see Aggregating cell culture
 - dispersed cell, hippocampal neuron, **126, 397**
 - dissociated, of dorsal root ganglia cells, **122, 344**
 - glial and neuronal cells, regulation of fatty acid synthesis, **129, 91**
 - monolayer, of cerebellar granule cells, **130, 1**
 - of dorsal root ganglion and spinal cord cells, ionic determinants of excitability, **136, 445**
 - of neurons, development of neuromuscular transmission, **119, 141**
 - of spinal cord, sensory evoked synaptic networks, **133, 162**
 - organotypic tissue, of myenteric plexus, **128, 109; 128, 125**
 - primary, of dispersed cells of basal hypothalamus, **120, 393**
 - suspension, lipid synthesis by oligodendroglial fraction, **134, 377**
- Cuneate nucleus
- stimulation, corticofugal cells responding antidromically to, **128, 39**
 - transmission, caudate influence, **120, 559**
- Current-licking behavior, effects of tongue denervation, **127, 369**
- Cutaneous nociceptors, polymodal, thermal sensitization, **127, 358**
- Cutaneous stimuli
- convergence with muscle input onto spinothalamic tract neurons, **124, 555**
 - electrical, sensory discrimination performance to, **136, 360**
 - excitation of dorsal horn neurons, effect of naloxone, **138, 185**
 - responses of thoracic dorsal horn interneurons, **124, 437**
- Cyclic nucleotide metabolism, modulation by a nervous extract, **136, 307**
- Cycling rats, activity of PVN units, **130, 505**
- Cycloheximide
- cessation of axonal transport of AChE after, **124, 379**
 - and memory impairment, **131, 184**
- Cyprinid fish, visual system, HRP study, **130, 531**
- Cyprinus carpio*, taste responses in facial lobe, **130, 287**
- Cytoarchitectonic fields, corticospinal projections from, **129, 335**
- Cytochrome, effect of hyperoxia and cortical stimulation on redox states, **128, 553**
- Cytochrome c oxidase, in developing telencephalon, **122, 485**
- Cytophotometric analysis, of hypothalamic RNA in estrus cycle, **119, 471**
- Cytosols, of brain and pituitary, corticosteroid binding, **130, 564**
- D
- Dactylopodites, crayfish, reflex control of claw motoneuron during imposed movements of, **130, 348**
- Dark-reared rabbit, synaptic organization of superior colliculus, **134, 417**
- Deafferentation
- chronic, monocular, changes in lateral geniculate cells after, **127, 363**
 - dendritic atrophy after, **122, 1**
 - hypothalamic
 - and identification of catecholaminergic innervation of preoptic and hypothalamic nuclei, **127, 127**
 - and secretion of GH, prolactin and thyrotropin, **127, 137**
 - neonatal, effect on superficial laminae of superior colliculus, **126, 19**
 - olfactory and vomeronasal, histological and behavioral analysis, **126, 325**
 - of lateral geniculate n., and decreased peroxidase labeling, **120, 133**
 - partial cortical, synaptic rearrangements in ventrobasal complex, **125, 351**
 - partial, of dentate gyrus neurons in senescent rat, **134, 541**
 - unilateral, of hindlimb, recovery of locomotion after, **123, 59**
- Death, neuronal, in somatotopic projections of *Xenopus* ventral horn, **134, 145**
- Debris, absence of, in tectum, compression of retinal projection to, **133, 367**
- Decerebrate cat
- crossed reflexes in, **127, 323**
 - motor output to deafferented extensors, **122, 150**
 - reversal of sign of long spinal reflexes, **128, 447**
- Decommissurized rats, and hippocampal supersensitivity to acidic amino acids, **119, 476**
- Decorticate rabbit, learning in, **127, 366**
- Degeneration
- in primary trigeminal axons and n. caudalis neurons after tooth pulp extirpations, **132, 347**
 - of serotonin neurons after 5,7-dihydroxytryptamine, effects on serum LH, FSH and prolactin, **134, 317**
 - of sympathetic nerves, after antiserum to DA- β -hydroxylase, **136, 67**
 - Wallerian, in myelinated fibers of phrenic nerve, **130, 47**
- Demyelination, in CNS, morphological studies, **124, 140**
- Dendrites, of pyramid cells, synthesis and transport of proteins, **124, 237**
- Dendritic activity, in pyramid cells, and "inactivation response", **130, 89**
- Dendritic atrophy, after deafferentation, **122, 1**
- Dendritic monoamines, in brain, **120, 553**
- Dendritic patterns in preoptic area, sex differences, **126, 63**
- Denervation
- DA, and lack of acquisition, **134, 95**
 - in primary olfactory pathway, **132, 11**
 - membrane specialization after, **137, 197**

- of striatum, effect on GABA binding in, 136, 501
- of tongue, effects on air- and current-licking behavior, 127, 369
- Dense-core vesicles, Ca binding sites, in glomus cells, 138, 555
- Density-gradient centrifugation, 127, 69
- Dentate fascia, field CA₃, topography and characteristics, 135, 55
- Dentate granule cells, afferents, potentiation of excitatory synaptic action of, 134, 551
- Dentate gyrus
 - partial deafferentiation during senescence, 134, 541
 - proliferation of entorhinal efferents in, 125, 11
 - study of NAergic terminals by microscopy, 120, 327
 - synaptic potentiation after high-frequency stimulation, 126, 361
- Deoxyglycose consumption, odor-induced patterns in olfactory bulb, 124, 147
- 2-Deoxyglucose
 - evidence for barrels and columnar cortical organization, 137, 169
 - protection against norepinephrine depletion by, 127, 179
 - uptake in cerebral capillaries, ischemic and post-ischemic effects, 120, 141
- Deoxyribosenucleic acid turnover, increase in, by prolactin, 122, 177
- Depolarization
 - of cerebral cortical cells, and brain cAMP, 120, 493
 - primary afferent, caused by trigeminal cutaneous afferent stimulation, 134, 561
- Depressant action, of cerebellum posterior lobe on renal sympathetic nerve activity, 133, 371
- Depressant responses, to NA, 5-HT and mescaline, role of baseline firing rate, 126, 580
- Depression
 - clinical, role of monoamines, 127, 373
 - recurrent, of Ia IPSPs in dorsal spinocerebellar tract neurons, 129, 158
 - selective opiate, of sensory evoked synaptic networks in dorsal horn regions of spinal cord cultures, 133, 162
- Desglycinamide lysine vasopressin, and changes in behavior and hippocampal 5-HT metabolism, 120, 485
- Development
 - behavioral effects of spinal cord transection during, 125, 241
 - competitive, of central connections during visual deprivation, 136, 277
 - deficient, of brain after Colcemid, 132, 380
 - neurochemical, see Neurochemical development of brain, dihydropteridine reductase and tyrosine hydroxylase activities, 132, 569
 - of brain tryptophan-5-hydroxylase, 131, 379
 - of choline acetyltransferase, see Choline acetyltransferase
 - of hippocampal neurons, 134, 429
 - of nervous system, hydrolysis of triphosphoinositides, 137, 333
- of skeletal myofibers, elimination of nerve terminals from endplates, 134, 279
- of *Xenopus* limb, motor projection patterns to, 134, 197
- Dexamethasone receptors, ontogeny in brain, 134, 445
- Diazepam blockade of repetitive action potentials, model of action, 133, 315
- Dibutyl cAMP, effect on axonal regeneration, 132, 443
- Diencephalon
 - effects of interrupted stimulation on on- and off-responding, 129, 319
 - organization of catecholaminergic terminals, 119, 43
- Differential-interference microscope, 124, 140
- Differentiated short-latency response, in inferior colliculus, 130, 315
- Differentiation
 - antigens, of brain, radioimmunoassay for, 133, 139
 - biochemical, of aggregating cell cultures, 133, 329
 - of opioid peptides, by radioimmunoassay and radioreceptor assay, 135, 358
 - sexual, of neurotransmitter enzymes, 132, 176
- Dihydroalprenolol, failure to find β -adrenergic receptor binding in cerebral cortex with, 127, 313
- Dihydroergocryptine binding, in brain, 132, 327
- Dihydropteridine reductase activity, during development and senescence, 132, 569
- Dihydroxyphenylalanine and hypothalamic injection of 6-OH-DOPA, 132, 507
- Dihydroxytryptamine
 - induced lesions of ascending 5-HT pathways, and sleep-wakefulness cycle, 131, 287
 - induced muricide, inhibition by preoperative exposure to mice, 135, 383
 - lesions of 5-HTergic raphe neurons, 133, 167
 - treatment, and degeneration and regeneration of 5-HT neurons after, 134, 317
- Dimethylsulfoxide, action on axon transport and ultrastructure, 120, 287
- Dimethyltryptamine, lowering of brain ACh and DA by, 131, 158
- Diphenylhydantoin
 - and Ca, antagonistic action on protein phosphorylation, 134, 125
 - mechanism of action
 - on membrane properties, 121, 245
 - on synaptic mechanisms, 121, 259
- Discharge patterns
 - in tractus solitarius n., and cardiac cycle, 133, 65
 - of n. parabrachialis lateralis neurons during sleep and waking, 134, 59
 - of sympathetic preganglionic neurons, and end-tidal CO₂, 122, 255
- Discrimination
 - kinesthetic, after prefrontal lesions, 130, 163
 - of brightness, see Brightness discrimination
 - spatial, effects of ventral mesencephalic teg-

- mentum lesion, 127, 383
- visual, during eyelid closure, 128, 329
- visual, training, see Visual discrimination training, 128, 329
- Dissociated cell culture, of dorsal root ganglia, 122, 344
- Disynaptic excitation, of visual cortical cells from lateral geniculate body, 137, 221
- Dithizone treatment, and changes in Zn and Pb content of brain, 130, 369
- Diurnal changes in regional brain corticosterone content, 124, 571
- Divalent action potential, TTX-resistant, in *Aplysia* axon, 133, 177
- Dogfish, peripheral control of central pattern generator for swimming, 127, 291
- Dolphin, interhemispheric asymmetry of eeg sleep patterns, 134, 581
- Dominance, ocular, see Ocular dominance
- L-DOPA, see Dihydroxyphenylalanine
- Dopamine
 - GABA and ACh interactions, studies with oxotremorine, 135, 107
 - and GABA, relationship in substantia nigra and striatum, 134, 353
 - and carbohydrate metabolism in caudate n., 133, 183
 - cells, number of, correlated with DA levels and motor performance, 134, 83
 - denervated animals, lack of acquisition, 134, 95
 - depletion
 - by dimethyltryptamine, 131, 158
 - in amygdala, by kindling stimulation, 136, 381
 - in n. accumbens, 122, 177
 - intra-amygdaloid injection, and attenuation of morphine analgesia, 130, 156
 - levels, correlated with motor performance, 134, 83
 - mediated release of TRH-like material from synaptosomes, 138, 571
 - metabolism
 - in striatum, effects of haloperidol and apomorphine, 130, 374
 - in substantia nigra, after antidromic activation, 120, 184
 - used to show reciprocity of pre- and postsynaptic mechanisms in rotation, 129, 385
 - neurons, intrabulbar, periglomerular, 126, 455
 - neurotransmission, central, and behavioral parameters, 127, 375
 - nigrostriatal system, picrotoxin effect on striatal ACh, 126, 382
 - receptor
 - binding ontogeny in corpus striatum, 125, 376
 - demonstration of, using [³H]spiroperidol, 136, 578
 - direct postsynaptic stimulating action of, by phenylethylamine, 127, 317
 - pre- and postsynaptic, striatal, changes in sensitivity, 136, 319
 - sensitivity, in brain and retina during aging, 138, 565
 - release, electrically induced, from cortical slices, 130, 483
 - release, from striatal slices after kainic acid injections, 135, 368
 - role in clinical depression and mood regulation, 127, 373
 - sensitive adenylate cyclase
 - anatomical localization in substantia nigra, 136, 45
 - in laminae of olfactory tubercle, 131, 303
 - striatal, destruction by kainic acid, 130, 374
 - sensitivity, of rostral hypothalamic neurons, and thermoregulation, 127, 173
 - system, mesolimbic, excitatory action on septal neurons, 129, 353
 - turnover, effect of haloperidol and sulpiride, 135, 374
 - Dopaminergic (A10) areas, behavioral effects of lesions, 124, 83
 - Dopaminergic-cholinergic dynamics, failure to correlate with amphetamine-haloperidol interactions in striatum, 126, 117
 - Dopaminergic-cholinergic link, lack of, in n. accumbens septi-tuberculum olfactorium, 135, 255
 - Dopaminergic drugs, regional differences in sensitivity of cholinergic neurons in striatum, 136, 487
 - Dopaminergic innervation of neocortex, 130, 483
 - Dopaminergic mechanisms in n. accumbens, and behavior, 127, 375
 - Dopaminergic neurons, central, evaluation of regenerative capacity, 135, 87
 - Dopamine- β -hydroxylase
 - and tyrosine hydroxylase, selective induction by NGF, 133, 291
 - antibodies, and F(ab')₂ fragments, infection of iris by, 134, 173
 - antiserum, involvement of complement in sympathetic nerve degeneration after treatment with, 136, 67
 - localization in nerve terminals, 120, 549
 - Dorsal adrenergic bundle, failure of lesions to disrupt self-stimulation from locus coeruleus, 133, 37
 - Dorsal column nuclei, incorporation of proline and leucine, 132, 485
 - Dorsal column, of spinal cord, main source of NA-ergic terminals
 - Dorsal horn interneurons
 - effects of centralis inferior n. stimulation, 126, 355
 - projection from locus coeruleus, 132, 85
 - thoracic, responses to cutaneous stimulation and algogenic substances, 124, 437
 - Dorsal horn neurons
 - activated by noxious stimuli, effect of substance P, 128, 164
 - excited by cutaneous stimuli, effect of naloxone, 138, 185
 - inhibition by n. raphe magnus, 126, 441

- Dorsal horn regions, of spinal cord cultures, opiate depression of sensory evoked synaptic networks in, **133, 162**
- Dorsal root ganglion
cell culture, ionic determination of excitability, **136, 445**
dissociated cell culture, recapitulation of normal neuroglial relations, **122, 344**
identification of cells of origin of afferent fibers of inferior mesenteric ganglion by HRP, **126, 149**
- Dorsal root ganglionic dissociates, embryonic, action of NGF on membrane permeation, **124, 121**
- Dorsal root potentials, evoked by ventral root stimulation, **137, 356**
- Dorsum, of paw, phasic gain control of reflexes, during spinal locomotion, **132, 121**
- Dose-response relationships, in attenuation of amnesia by neurohypophyseal peptides, **134, 139**
- Drinking responses, to central injections of angiotensin II and carbachol, **124, 305**
- Drosophila melanogaster*, brain, nicotinic receptors, **130, 551**
- Drugs, hallucinogenic, behavior model for studying actions of, **132, 301**
- Dual innervation of stomach, **122, 125**
- Dual origin of fibers projecting from motor cortex to area SI, **132, 159**
- Dynamic fusimotor neurons, in triceps surae, **132, 153**
- Dystrophy, retrograde transport of peroxidase in motor neurons during, **119, 454**
- E**
- Eating, electrophysiological concomitants, **121, 97**
- Ecto-ATPase activity, of neuroblastoma cell, **122, 313**
- Ectoenzymes, in neuroblasts-glia interaction in culture, **122, 313**
- Edema, brain, see Brain edema
- Efferent connections
differential, of brain stem, to hippocampus, **120, 540**
of hippocampal formation, **124, 197**
of septal area, **119, 1**
of superior cerebellar peduncle, **133, 237**
- Efferent control of peripheral chemoreceptors, influence of hyperventilation, **124, 561**
- Efferent pathways, in VIIIth cranial nerve, visualization, **121, 21**
- Efferent projections, of n. accumbens, **130, 217**
- Ejections, intra- and extracellular, a pressure system for, **136, 141**
- Electrical activity
of neuroblastoma X glioma cells, effect of cations, **130, 495**
in molluscan nervous system, effect of nerve extract, **136, 307**
- Electrically induced release of [³H]DA, from cortical slices, **130, 483**
- Electrical properties of cultured muscle cells, neurotrophic effects of spinal cord explant medium, **128, 243**
- Electrical properties, passive, of cultured chick skeletal muscle, **126, 172**
- Electrical stimulation
cutaneous, sensory discrimination performance, **136, 360**
hippocampal, effects on memory and cholinergic mechanisms, **133, 277**
of brain catecholamine nuclei produces analgesia, **123, 369**
of diencephalon, **129, 319**
of entorhinal cortex, **138, 369**
of Group II muscle afferents, reflex actions evoked by, **122, 551**
of individual vestibular nerve branches, **125, 23**
of labyrinth, responses of brain stem neurons, **120, 564**
of lateral vestibular n. in female rat, **134, 333**
of medullary raphe, **128, 141**
of neocortex and hippocampus, **121, 97**
of olfactory nerve, and slow potentials in olfactory bulb, **128, 429**
of optic radiation fibers, and conditioning of short-latency components, **123, 373**
of prepositus hypoglossi n., **121, 157**
of substantia nigra, and decrease in striatonigral blood flow, **135, 77**
- Electrical stimuli, localized effects on LH release, **125, 175**
- Electric fish, see *Apterontus albifrons*
- Electric lobe, of *Torpedo marmorata*, AChE-positive electromotoneurons in, **124, 352**
- Electric organ
distribution of membrane-associated particles in Ranvier nodes, **125, 197**
oscillation of ACh in, **125, 123**
- Electrochemical stimulation
of amygdala and hippocampus, and modulation of proestrous LH surge, **128, 81**
of LH release and ovulation, after interruption of lateral hypothalamic connections, **131, 335**
- Electroconvulsive shocks
effect on hydroxylation of brain tyrosine and tryptophan, **131, 313**
pretreatment with, **129, 379**
- Electroencephalic sleep patterns, in dolphins, interhemispheric asymmetry, **134, 581**
- Electroencephalogram
activity, effect of insulin hypoglycemia, **126, 263**
dissociation from behavioral correlates by septal and hippocampal stimulation, **125, 37**
- Electrolocation, deficit, after interruption of cerebellar function, **130, 343**
- Electrolytic lesions, of ascending NAergic bundles, **138, 487**
- Electromotoneurons, AChE-positive, in *Torpedo* electric lobe, **124, 352**
- Electronic cell sorting, to separate glial-enriched and -depleted populations, **127, 69**

- Electron microscope study
 of caudate n. postnatal development, **133, 251**
 of in vitro effects of chlorpromazine, **137, 323**
 of NAergic terminals in dentate gyrus, **120, 327**
- Electron microscopic evidence, of direct connections from lower brain stem to median eminence, **136, 339**
- Electron microscopy
 Golgi, evidence for visual information channeling in crayfish lamina ganglionaris, **130, 556**
 of development of synaptic patterns in ventro-basal complex, **135, 197**
- Electrophoretic analysis of myelin proteins, factors affecting, **126, 131**
- Electrophoretic properties, of brain filament protein subunits, **133, 341**
- Electrophysiological analysis, of spinofacial pathway, **138, 545**
- Electrophysiological characteristics, of sympathetic cardiac fibers and cells of origin, **131, 73**
- Electrophysiological evidence for branching nigral projections to thalamus and superior colliculus, **137, 361**
- Electrophysiological properties of inactivation response, **130, 89**
- Electrophysiological study
 of nigro-tectal relationships, **130, 383**
 of septal afferents to arcuate-median eminence region, **137, 150**
- Electroretinogram of newt, during retinal regeneration, **136, 148**
- Electrotonic coupling, between frog spinal motoneurons, **138, 197**
- Eledoisin fragment, intranigral application, rotatory behavior and, **126, 576**
- Embryonic chick spinal ganglion cells, effects of chlorpromazine, **137, 323**
- Embryonic cerebral hemispheres, distribution of glutamyltransferase activities in, **128, 505**
- Embryo, chick
 cell death of spinal motoneurons after peripheral innervation, **125, 154**
 formation of lateral motor column, **132, 197**
- Encéphale isolé cat, 5-HT release from ependymal surface of caudate n., **132, 575**
- Encephalitogenic effects of oligodendrocytes, **120, 269**
- Encephalomyelitis, allergic
 proteolytic enzymes in, **123, 137**
 paralysis induced by, **125, 192**
- Encephalon, chick, distribution of cytochrome c oxidase, monoamine oxidase and lactate dehydrogenase, **122, 485**
- Encephalopathy, lead, significance of lead inhibition of calcium uptake by brain mitochondria, **136, 85**
- Endoneurial fluid pressure, measurement, **122, 373**
- Endorphins, pituitary distribution of, **124, 523**
- Endplates, of developing skeletal myofibers, elimination of nerve terminals from, **134, 279**
- End-tidal CO₂, and discharge of sympathetic pre-ganglionic neurons, **122, 255**
- Energetics of amino acid transport into brain slices, **131, 321**
- Energy metabolism, cerebral, effect of insulin hypoglycemia, **126, 263**
- Energy utilization, in uptake of catecholamines by synaptic vesicles and chromaffin granules, **136, 59**
- Engram, monocular, storage in day-old chick, **124, 263**
- Enkephalin, methionine-
 applied to ventral surface of brain stem, respiratory and cardiovascular effects, **138, 585**
 determination in discrete brain regions, **134, 383**
 iontophoresis, in locus coeruleus area, **129, 366**
- Entorhinal afferents to dentate granule cells, potentiation of excitatory synaptic action of, **134, 551**
- Entorhinal efferents, time course of proliferation of, **125, 11**
- Entorhinal-hippocampal system, axonal release and transfer of nucleoside derivatives, **134, 347**
- Enzymes
 neurotransmitter, sexual differentiation, **132, 176**
 proteolytic, in allergic encephalomyelitis, **123, 137**
 synthesizing catecholamines and ACh in aged rat and mouse, **136, 465**
 synthesizing monoamines, localization of, **126, 455**
 transmitter, in Weaver and Staggerer mutants, **124, 171**
 transmitter-specific, tyrosine and tryptophan hydroxylase, immunocytochemical localization, **131, 197**
- Enzymic activity, brain, microvessels vs total fore-brain, **138, 561**
- Ependyma, role of supra-ependyma nerves on, **125, 362**
- Ependymal cells, viable, ciliated, cuboidal, purification, **134, 407**
- Ependymal surface of caudate n., 5-HT release from, **132, 575**
- Epilepsy, experimental focal
 effects of taurine, **136, 535**
 localization of [¹⁴C]penicillin in neocortex, **125, 293**
- Epileptic activity, and changes of brain amino acid content, **122, 513**
- Epileptogenesis, in neocortical slices, **127, 191**
- Epileptogenic action of penicillin, in spinal motoneurons, **128, 569**
- Epithelial pigment, entry of taurine into, **128, 497**
- Estradiol benzoate
 administration in ovariectomized rat, **133, 119**
 and induction of female sexual behavior, effect of antiestrogens, **134, 455**
- Estradiol, binding
 inhibition by antiestrogen, **126, 73**
 in brain, and sexual behavior, inhibition by diabetes, **135, 135**

- specificity, in mutant mouse cerebellum, 128, 263
- Estradiol receptor, hypothalamic, conversion to "nuclear" form, 120, 580
- Estradiol, uptake, whole cell and nuclear, 121, 190
- Estrogen
- accumulation in brain cell nuclei, effects of antiestrogen, 134, 467
 - and female sexual behavior, neurochemical correlates, 134, 467
 - effects on LH release, 125, 175
 - induced release of prolactin, role of norepinephrine, 133, 305
 - retention, nuclear, effect of antiestrogen, 133, 119
- Estrogen, anti-
- and estrogen accumulation in brain cell nuclei, 134, 467
 - effects on induction of sexual behavior by estradiol benzoate, 134, 455
 - effects on in vivo formed testosterone metabolites, 128, 176
 - effects on sexual behavior, uterine growth and nuclear estrogen retention, 133, 119
 - inhibition of [³H]estradiol binding and female sexual behavior, 126, 73
- Estrogenization, neonatal, and [³H]lysine incorporation into limbic and paralimbic neuronal proteins, 127, 164
- Ethanol
- and inhibition of locus coeruleus neuronal activity, 131, 174
 - changes in cell free brain protein synthesis in withdrawal from physical dependence, 126, 509
 - chronic administration, effect on cerebellar development, 119, 249
 - effect on ouabain binding in brain, 129, 183
- Ethanolamine, intracerebrally injected, synthesis of phosphatidylethanolamines from, 124, 317
- N-Ethyl-N-nitrosourea, induction of tumors, 130, 387
- Evoked activity of precentral neurons, single unit operant conditioning and, 124, 550
- Evoked potentials
- cortical, steady, and barbiturate and procaine, 134, 479
 - in somatosensory cortex, multiple loci of, 124, 162
 - in visually deprived cat, distribution and response characteristics, 130, 572
- Excitability
- ionic determinants of, in cultured ganglion and spinal cord cells, 136, 445
 - of spinal afferent terminal, and GABA, 130, 360
- Excitable membranes, studies of, 137, 197
- Excitation
- disynaptic, see Disynaptic excitation
 - mechanisms of, in nigrostriatal system, 127, 219
 - monosynaptic, see Monosynaptic excitation
 - of locus coeruleus neurons, by substance P and related peptides, 136, 178
- Excitatory amino acids, see Amino acids, excitatory
- Excitatory inputs, dual, to caudate from substantia nigra, 138, 271
- Excitatory motoneurons, activity during behavioral habituation (French), 127, 365
- Excitatory nerve terminals
- and glutamic acid uptake, 120, 379
 - hyperpolarization by inhibitory nerve stimulation, 137, 365
- Excitatory post-synaptic potential
- monosynaptic, in spinal motoneurons, 128, 569
 - short latency
 - evoked by stimulation of n. centralis lateralis, 132, 541
 - evoked by stimulation of striatum, 132, 547
- Excitatory response
- slow, muscarinic, and tetraethylammonium chloride, 137, 381
 - to NA, 5-HT and mescaline, role of baseline firing rate, 126, 580
- Excitatory synapses, spinal, effects of 4-aminopyridine on transmission, 136, 387
- Excitatory synaptic action, of afferents to dentate granule cells, potentiation of, 134, 551
- Excitatory synaptic inputs, convergence to caudate spiny neurons, 124, 403
- Explants, of spinal cord, neurotrophic effects of medium, 128, 243
- Exploration, motor activity and raised brain GABA levels, 131, 180
- Extensor monosynaptic reflex, and supraspinal monoaminergic system, 124, 109
- Extensor motoneurons, recurrent inhibition of, depression by Group II afferents, 120, 459
- External granular layer, kinetics of cell proliferation, 126, 31
- Extirpations of tooth pulp in cat, 132, 347
- Extracellular ejections, pressure system for, 136, 141
- Extracellular potassium, changes during cerebral hypoxia and anoxia, 123, 113
- Extracellular recordings, from substantia gelatinosa Rolandi, 136, 565
- Extracellular unit responses to repeated stimulation, and time course of olfactory responses, 132, 247
- Extract, nerve, see Nerve extract
- Extrapyramidal nucleus, 6-OHDA lesions of, 123, 89
- Eye
- compounds, *Xenopus*, formation of retinodiencephalic connections from, 125, 345
 - dominance of one, see Ocular dominance
 - movements
 - abnormal, produced by pulvinar lesions, 136, 189
 - and head movements, 127, 360
 - in alert cat, evoked by lateral posterior and pulvinar n. stimulation, 124, 361
 - saccadic, reserpine-induced, and vestibulo-oculomotor neuronal activity, 127, 362

- vertical
 - and unit activity in rostral mesencephalic formation, **130, 239**
 - conditioning of, in midpontine pretectal cat, **124, 99**
 - refraction, and behavior, **127, 360**
 - right and left, afferent representation in visual cortex, **131, 103**
 - rotation, unilateral, physiological and behavioral results of, **127, 364**
- Eyelid closure, visual discriminations during, **128, 329**
- F
 - F(ab')₂ fragments, and DA- β -hydroxylase antibodies, infection of iris by, **134, 173**
 - Facilitation
 - of amygdaloid kindling by stria terminalis lesions, **122, 137**
 - of L₇'s elicited gill withdrawal response in Aplysia, **134, 387**
 - of lordosis reflex by stimulation of lateral vestibular n., **134, 333**
 - of spontaneous activity of medial preoptic neurons in female rat, **120, 342**
 - Facilitatory effects of antiestrogens on induction of female sexual behavior by estradiol benzoate, **134, 455**
 - Facial afferents, on facial neurons, synaptic activation, **123, 378**
 - Facial lobe, of carp, taste response in, **130, 287**
 - Facial muscles, evidence for a facio-facial reflex, **119, 459**
 - Facial neurons, synaptic activation of facial afferents on, **123, 378**
 - Facial nucleus, morphology, **123, 1**
 - Facio-facial reflex, in facial muscles, evidence, **119, 459**
 - Fascia dentata
 - development of afferent lamination in, **121, 229**
 - field CA₃, topography and characteristics, **135, 55**
 - Fast axoplasmic transport
 - action of DMS, **120, 287**
 - alterations of, in methyl n-butylketone neuropathy, **133, 107**
 - Fast muscle, retrograde transport of peroxidase in motor neurons, **119, 454**
 - Fast retrograde transport, of organelles, effect of temperature, **136, 215**
 - Fast twitch motor units, of ankle flexors
 - fatiguability, **134, 35**
 - speed-force relations and recruitment order, **134, 47**
 - Fastigio-spinal fibers
 - direct, **126, 543**
 - properties, **126, 538**
 - Fastigio-trochlear pathway, neuronal organization, **131, 362**
 - Fatiguability
 - of fast twitch motor units, classification on the basis of, **134, 35**
 - of motor units, **125, 91**
 - Fatty acid synthesis regulation, in cultured glial and neuronal cells, **129, 91**
 - Feeding
 - and activity of substantia nigra neurons, **133, 267**
 - neuronal activity during, **127, 368**
 - Feeding behavior, and Nembutal treatment of VMH, **126, 519**
 - Female sexual behavior
 - induction by EB, effects of antiestrogens, **134, 455**
 - neurochemical correlates of estrogen action on, **134, 467**
 - regulation by dorsal inputs to preoptic area and hypothalamus, **127, 296**
 - Female sexual reflexes, influence of p-chloroamphetamine, **123, 347**
 - Fenestrated capillaries, of area postrema, butyrylcholinesterase activity in, **120, 146**
 - Fetal brain
 - aggregating cell cultures of different regions, **133, 329**
 - cultured, alteration of neurochemical development by kainic acid, **138, 580**
 - glutamic acid decarboxylase and choline acetyltransferase, **133, 172**
 - grafts, monoaminergic reinnervation of transected spinal cord by, **129, 227**
 - Fetus, LH-RH neurons
 - immunocytological study, **128, 249**
 - ultrastructural study, **137, 175**
 - Fiber connections, traced with [¹²⁵I]tetanus toxin, **126, 211**
 - Fibers
 - afferent, of semicircular canal, post-synaptic potentials, **135, 67**
 - direct, fastigiospinal, **126, 538; 126, 543**
 - group Ia, see Group Ia fibers
 - mechano-thermal, high threshold, stimulus-response relations, **128, 547**
 - myelinated, of phrenic nerve, Wallerian degeneration in, **130, 47**
 - projecting from motor cortex to area SI, dual origin of, **132, 159**
 - substance P-containing, evidence for occurrence of in sympathetic ganglia, **132, 29**
 - sympathetic cardiac, and their cells of origin, characteristics of, **131, 73**
 - Fiber tract, cholinergic, connecting thalamus with head of striatum, **126, 487**
 - Fighting behavior, shock-elicited, single unit recording from midbrain, during, **120, 469**
 - Filament protein, of brain, electrophoretic properties of subunits, **133, 341**
 - Fimbria, hippocampal, axonal regeneration along, **138, 259**
 - Firing characteristics, of carp respiratory motor neurons, **136, 261**
 - Firing patterns, spontaneous, of forebrain neurons, **131, 215**
 - Firing rate

- baseline, role in neuronal response to NA, 5-HT, and mescaline, **126, 580**
 of caudate neurons, prevention of induced asymmetries in, by unilateral thalamic lesions, **131, 215**
- Flameless atomic absorption spectrophotometry, to determined changes in Zn and Pb content of hippocampus, **130, 369**
- Flexors, of ankle
 fast twitch motor units
 fatiguability, **134, 35**
 speed—force relations and recruitment order, **134, 47**
- Fluorescence
 catecholamine
 increased, in bulbospinal neurons after chemical sympathectomy, **128, 361**
 of entorhinal cortex sections, **128, 354**
 histochemical and silver degeneration, **122, 445**
 monoamine localization in stomatogastric nervous system, **129, 13**
- Fluorescent β -blocker, histochemical localization of β -adrenergic receptors by, **128, 379**
- Fluorescent histochemical study, of changes in NAergic neurons after cerebral infarction, **132, 259**
- Focal epilepsy, see under Epilepsy
- Follicle-stimulating hormone, in serum, effects of degeneration and regeneration of brain 5-HT neurons, **134, 317**
- Food deprivation
 and sleep, **124, 457**
 and visual deprivation syndrome in Macaca, **129, 37**
- Food intake
 and body weight, effects of lesions of ascending NAergic neurons, **128, 293**
 regulation, and regional hypothalamic catecholamine metabolism, **135, 325**
- Food restitution after starvation and sleep, **124, 457**
- Footshock, and increased [^3H]lysine incorporation into proteins, role of pituitary—adrenal system, **120, 317**
- Forebrain
 and brain stem loci, concurrent self-stimulation of, **137, 109**
 controlling midbrain raphe unit activity, evidence against negative neuronal feedback from, **119, 291**
 homogenate vs microvessels in study of brain enzyme activity, **138, 561**
 5-HTergic innervation of, **130, 121**
 myelin-related fraction isolated from, **138, 29**
 NA depletion, effect on response suppression, **126, 185**
 pathways concerned with release of prolactin, **119, 211**
 spontaneous firing patterns of neurons, **131, 215**
- Forebrain bundle, medial, effects of lesions on lateral hypothalamic self-stimulation, **133, 45**
- Forelimb movement, skilled, and activity of red n. neurons, **131, 383**
- Forepaw, tactile stimulation of, response of primary somatosensory cortical neurons, **132, 558**
- Fornix, stimulation, activation of mamillothalamic neurons, **122, 143**
- Freeze-etching study, of distribution of membrane-associated particles in nodes of Ranvier, **125, 197**
- Freeze-fracture examination of membrane specializations at neuromuscular junction and in non-junctional sarcolemma after denervation, **137, 197**
- Frontal association and columnar distribution of cortico-cortical fibers during development, **122, 393**
- Frontal decortication, a test of the interference hypothesis, **119, 233**
- Frontal lobes, and modulation of phasic activities in oculomotor system during paradoxical sleep, **120, 347**
- Fucose, tritiated, transneural transport of, **121, 343**
- Fucosyl glycoproteins
 axonal transport, in NAergic neurons, **130, 421**
 isolation by affinity chromatography, **138, 317**
 transport in septo-hippocampal pathway, **125, 182**
- Funicular trajectories, of descending brain stem pathways, **136, 159**
- Fusimotor axon, static
 a possible mode of action, **135, 351**
 stimulation of, factors affecting modulation in post-stimulus histograms, **134, 180**
- Fusimotor neurons, dynamic, in triceps surae, influence of Group II afferents and low threshold skin afferents, **132, 153**
- G
- GABA, see γ -Aminobutyric acid
- β -Galactosidases, substrate specificities, **122, 325**
- Ganglia, sympathetic
 evidence for substance P-containing fibers in, **132, 29**
 identification of SIF cells as chromaffin cells in, **128, 213**
- Ganglion cells, sympathetic, synaptic innervation, **128, 197**
- Gangliosides
 cerebral cortical, metabolism of in immature hypothyroidism, **128, 515**
 role in uptake and retrograde transport of cholera and tetanus toxin, **132, 273**
- Gap junctions, in inferior olivary n., **128, 374**
- Garfish olfactory nerve, fast axonal transport, **121, 215**
- Gas chromatographic—mass spectrometric assay of 5-HT, **133, 354**
- Gazing, and prefrontal neuronal activity, **126, 497**
- Generator potential, of sensory afferents to semicircular canal, **123, 41**
- Genetic hypertension, and increased adrenaline content of hypothalamic and medulla oblongata n., **135, 180**

- Genetic obesity, and hypothalamic and pituitary catecholamines, **131, 162**
- Genetic variation, in brain L-glutamate decarboxylase activity, **122, 59**
- Geniculate nucleus, lateral, see Lateral geniculate nucleus
- Giant synapse, squid, modulation of transmitter release by intracellular Na, **134, 367**
- Gigantocellular neurons, pontine, selective firing during movement and REM sleep, **128, 146**
- Gill-withdrawal reflex
- L7-elicited, in Aplysia, **134, 387**
 - suppression by branchial nerve stimulation in young Aplysia, **132, 553**
- Glabrous rapidly adapting units, response characteristics, dependence on stratum corneum, **126, 167**
- Glabrous skin
- development of mechanoreceptive neurons, **129, 213**
 - stimulus-response relations of high threshold mechanothermal fibers, **128, 547**
- Glia, clonal cell lines, substrate attached material synthesized by, **132, 337**
- Glial cells, cultured
- regulation of fatty acid synthesis, **129, 91**
 - role of NGF in neurite outgrowth stimulated by, **131, 373**
- Glial contributions to evoked cortical steady potential shifts, effect of barbiturate and procaine, **134, 479**
- Glial-enriched and -depleted populations, cerebellar, isolation, **127, 69**
- Glia-neuroblasts interaction, in tissue culture, **122, 313**
- Glioma cells, C6, increase in NGF content by adrenergic receptor activation, **137, 369**
- Glioma X neuroblastoma hybrid cells, influence of cations on electrical activity, **130, 495**
- Globus pallidus
- GABA and ACh, effect of haloperidol on turnover times, **132, 375**
 - 6-OHDA injection into, sex-dependent body weight loss, after, **128, 559**
- Glomus cells, catecholaminergic, of carotid body, **138, 555**
- Glucose
- depletion, effect on energetics of amino acid transport into brain slices, **131, 321**
 - increase in Purkinje and other large cerebellar cells by, **128, 385**
- Glucuronide conjugated 3-methoxy-4-hydroxyphenylglycol, **125, 333**
- Glutamate
- analogues, effects on cyclic nucleotide accumulation, **121, 182**
 - neurotoxic effects on area postrema, **120, 151**
- Glutamate decarboxylase
- cells containing, origin in hypothalamic n., **132, 95**
 - genetic variation in brain activity of, **122, 59**
 - in hypothalamic and substantia nigra n., **125, 109**
 - localization in olfactory bulb neurons, **126, 1**
- Glutamatergic corticostriatal path, **128, 369**
- Glutamic acid
- and aspartic acid levels in cochlear n., after auditory nerve lesion, **138, 111**
 - striatal levels, effect of frontal cortex ablation, **132, 370**
 - uptake, reduction after axotomy, **120, 379**
- Glutamic acid decarboxylase
- and choline acetyltransferase in fetal brain, **133, 172**
 - origin in substantia nigra, **135, 315**
- Glutamyltransferase activities, distribution in embryonic cerebral hemispheres, **128, 505**
- Glycine transport sites, cortical distribution, **122, 95**
- Glycogen, storage in brain, inhibition by metyrapone, **128, 193**
- Glycogen synthetase, in liver, circadian rhythm, **138, 575**
- Glycolates, psychomimetic, binding affinity and psychoactivity and anticholinergic potency, **124, 331**
- Glycoproteins
- axonal transport in NAergic neurons, **130, 421**
 - metabolism, cerebral cortical, in immature hypothyroidism, **128, 515**
 - modification by [³H]N-acetylgalactosamine, **121, 287**
 - of intrasynaptosomal mitochondria, **125, 386**
 - of nerve terminals, metabolism in brain, **130, 109**
 - of synaptosomal plasma membrane, **138, 317**
 - transport of septo-hippocampal pathway, **125, 182**
- Golgi and electron microscopic study, of caudate n. development, **133, 251**
- Golgi complex, in vitro effects of chlorpromazine, **137, 323**
- Golgi EM, evidence for visual information channeling in lamina ganglionaris, **130, 556**
- Golgi method of impregnation of whole brain, **126, 345**
- Golgi analysis, of caudate neurons after exposure to CO₂, **132, 455**
- Golgi study, of long axon neurons in parafascicular and parafascicular posterolateral n., **136, 543**
- Gonadectomy, effect on cytoplasmic brain and pituitary estrogen receptors, **129, 309**
- Gracile nucleus, corticofugal cells responding antidromically to stimulation of, **128, 39**
- Grafts, of fetal brain, monoaminergic reinnervation of transected spinal cord by, **129, 227**
- Granule cells
- cerebellar, maintenance and identification in culture, **130, 1**
 - dentate, afferents, potentiation of excitatory synaptic action of, **134, 551**
 - from Staggerer and Weaver mutants, in vitro behavior, **130, 13**
- Group II afferents
- depression of recurrent inhibition of extensor motoneurons, **120, 459**

- influence on dynamic fusimotor neurons in triceps surae, **132, 153**
 reflex actions evoked by electrical stimulation, **122, 551**
- Group Ia fibers, from masseter muscle, primary afferent depolarization produced by trigeminal cutaneous afferent stimulation, **134, 561**
- Growth hormone
 in plasma, effect of apomorphine and clonidine, **129, 379**
 secretion, with hypothalamic deafferentation, **127, 137**
- Gunn rat, cerebellum, impairment of DNA synthesis, **126, 295**
- Gustatory nerve, single unit analysis of changes in discharges, **121, 373**
- Guvacine, effect on CNS action of GABA, **136, 513**
- H
- Habenula, lateral, GABAergic afferents to, **130, 184**
- Habenular raphe afferents, shown by retrograde tracing, **122, 229**
- Habituation
 and retardation of habituation, of L₇ elicited gill withdrawal response in *Aplysia*, **134, 387**
 behavioral, activity of motoneurons, during (French), **127, 365**
- Hair cells, of lateral line organ, synapses of, **121, 173**
- Hallucinogenic drugs, behavior model for studying actions of, **132, 301**
- Haloperidol
 and clozapine, specificity of action on nigrostriatal GABA, **133, 382**
 causes increased striatal DA metabolism, **130, 374**
 effect on striatal and retinal DA turnover, **135, 374**
 interactions with amphetamine in striatum, **126, 117**
- Harmaline-induced tremor, and indoleaminergic innervation of inferior olive, **131, 23**
- Head
 angular acceleration, responses of medial brain stem neurons, **120, 564**
 movement of, and eye movements, **127, 360**
- Heat
 pain characteristics, constancy to changes in skin and body temperature, **131, 367**
 production and loss, hypothalamic control, effect of skin temperature, **120, 367**
- Heart
 atrio-ventricular and sino-atrial node regions, origins of vagal preganglionic fibers to, **130, 545**
 explants in culture, role of NGF in neurite outgrowth stimulated by, **131, 373**
- Herpes simplex virus, intra-axonal transport of, **136, 415**
- High frequency stimulation of dentate gyrus, and synaptic potentiation, **126, 361**
- Hindlimb, locomotor recovery after unilateral deafferentation, **123, 59**
- Hippocampus
 ACh in, increase after choline, **125, 383**
 activation, importance of NAergic bundle projections from locus coeruleus, **138, 75**
 basket cell, response decrement, **130, 354**
 CA1 cells in vitro, characteristics, **128, 53**
 calcium spikes in neurons, **135, 157**
 changes in Zn and Pb content after dithizone, **130, 369**
 differential efferent connections of brain stem to, **120, 540**
 dorsal, role of septal n. in ACh release, effect of atropine, **129, 237**
 efferent connections, **124, 197**
 electrical stimulation, **125, 37**
 electrical stimulation, effects on memory and cholinergic mechanisms, **133, 277**
 electrochemical stimulation, modulation of proestrous LH release, **128, 81**
 EEG, dissociation from behavioral correlates by septal and hippocampal electrical stimulation, **125, 37**
 electrophysiological concomitants of eating induced from, **121, 97**
 evoked responses to afferent stimulation, changes during conditioning, **127, 382**
 experimental reinnervation of, by sympathetic ganglia, **138, 259**
 function, and locomotor response to amphetamine, **126, 567**
 5-HT metabolism, and behavioral changes after desglycinamide lysine vasopressin, **120, 485**
- interneurons
 in inferior region, **124, 225**
 lesion-induced plasticity of Ca-dependent release of γ -aminobutyrate by, **131, 241**
 lesion, and brightness discrimination learning, **125, 277**
- neuronal development, **134, 429**
- neurons
 in dispersed cell culture, **126, 397**
 supersensitivity to acidic amino acids, after decommissuration, **119, 476**
- patterns in trains of neuronal spikes, **125, 65**
- protein pattern alterations in, as a function of training, **119, 427**
- pyramid cells, dendritic activity and inactivation response, **130, 89**
- pyramid cells, synthesis and transport of proteins in dendrites, **124, 237**
- responsiveness of neurons to stimulation of sensory pathways, **123, 241**
- rhythmical activity of units, under anesthesia, **134, 546**
- self-stimulation, monoamine involvement in, **136, 119**
- slices
 effect of cholinergic drugs on [³H]ACh release, **123, 311**

- release of [^3H]ACh from, 128, 285
- release of GABA after seizures, 138, 369
- to study dentate fascia-field CA3 relations in vitro, 135, 55
- thalamic projections of, 134, 1
- transplants
 - in anterior chamber of eye, cholinergic mechanisms of, 119, 107
 - in anterior chamber of eye, organization of, 119, 87
 - unit activity, effect of morphine and benzodiazepines, 126, 427
- Hippocampal fimbria, axonal regeneration along, 138, 259
- Histamine
 - afferents synthesizing, in amygdala and stria terminalis, 138, 285
 - cerebral turnover during stress, 129, 107
 - microelectrophoretic studies of central actions, 122, 269
 - sensitivity of rostral hypothalamic neurons, and thermoregulation, 127, 173
- Histaminergic agonists and antagonists, effects on stimulation of cAMP, 126, 387
- Histochemical evidence for a tuberofundibular cholinergic pathway, 129, 169
- Histochemical fluorescent study of changes in NAergic neurons after cerebral infarction, 132, 259
- Histogenesis, early, cortical, in primary olfactory cortex, 123, 27
- Histological analysis of olfactory and vomeronasal deafferentation, 126, 325
- Homovanillic acid in cisternal CSF, effects of tryptophan and sleep, 129, 371
- Horseradish peroxidase
 - axonal transport
 - in sympathetic nervous system, 120, 407
 - retrograde, 126, 149
 - retrograde
 - to lateral geniculate and lateral posterior n., 137, 233
 - to show brain stem projections to posterior vermis, 124, 135
 - to show cerebellar afferents from neurons in motor nuclei of cranial nerves, 137, 158
 - to show inferior olive projections to cerebellar n., 130, 405
 - to show motor projection patterns to *Xenopus* developing limb, 134, 197
 - to study pontine projection to cerebellar vermal visual area, 123, 209
 - sensitive staining method, 126, 530
 - to show reticulo-cuneate projections, 128, 341
 - bilateral movement, and demonstration of thalamocortical projections, 130, 538
 - Golgi-like labeling, characterization of isthmotectal pathway, 129, 197
 - intracellular injection, 132, 1
 - intracellular staining of spinocervical tract cells, 135, 1
 - labeled α -bungarotoxin, localization of ACh receptors at neuromuscular junction, 132, 423
 - NGF coupling product, localization after retrograde transport in adrenergic neurons, 130, 190
 - study
 - of climbing fiber system, 122, 197
 - of 5-HTergic afferents to dorsal raphe n., 119, 269
 - of limbic and sensory connections of inferior parietal lobule, 136, 393
 - of mossy fiber system, 122, 215
 - of origin of central projections to olfaction bulb, 136, 355
 - of salivatory neurons, 137, 145
 - of septal afferents to arcuate-median eminence region, 137, 150
 - technique
 - to identify cells of origin of tectopontine fibers, 130, 65
 - to show afferent neurons in carp telencephalon, 130, 142
 - to study cyprinid fish visual system, 130, 531
 - to study origins of vagal preganglionic fibers, 130, 545
 - to visualize afferent connections of n. raphe dorsalis, 137, 11
 - transport
 - enhancement, by selective lesions, 135, 11
 - slow, in toads, 128, 537
 - to show afferent projections to locus coeruleus, 119, 21
 - to show origins of primary afferent fibers in ventral roots, 126, 350
 - vesicular transport, from brain to blood, 124, 1
 - Huntingtons' chorea, and decrease in substance P in substantia nigra, 120, 387
 - Hydrolysis of triphosphoinositides, in developing nervous system, 137, 333
 - 6-Hydroxydopa,
 - hypothalamic injections and behavioral responses to L-DOPA, 132, 507
 - neonatal treatment, and sprouting of cerebellar NAergic terminals, 124, 385
 - 6-Hydroxydopamine
 - and central catecholamine level and post-decapitation convulsion, 122, 165
 - destruction of mesolimbic or nigrostriatal terminals, 122, 382
 - differential behavioral changes after intrastriatal application of, 119, 439
 - effect on 5-HT in superior cervical ganglia, 133, 354
 - hypothalamic injections, and response to L-DOPA, 132, 507
 - injection into globus pallidus and sex-dependent weight loss, 128, 559
 - lesions, of extrapyramidal and mesolimbic n., 123, 89
 - microinjections into nigrostriatal system, and learning deficits, 127, 384
 - 5-Hydroxyindoleacetic acid

- cerebral origin, in lumbar CSF, **122, 388**
 in cisternal CSF, effects of tryptophan and sleep, **129, 371**
- Hydroxylation, of tyrosine and tryptophan, age-related changes in effect of ECS, **131, 313**
- 5-Hydroxytryptamine
 accumulation by supraependymal nerve terminals, **134, 151**
 and sexual behavior, **127, 378**
 assay in superior cervical ganglia, **133, 354**
 cerebral, reduced, effect on learning, **127, 379**
 effect on brain stem thermoregulatory mechanisms, **134, 297**
 effect on units of cingulate cortex, **130, 253**
 induction of cAMP by, **127, 168**
 innervation
 changes with midbrain lesion, **127, 111**
 of forebrain, **130, 121**
 of NAergic neurons in locus coeruleus, **131, 197**
 in neuronal perikarya, in locus coeruleus and subcoeruleus, **134, 359**
 in superior cervical ganglia, effects of NGF and 6-OH-DOPA, **133, 354**
 levels, effect of lesions, **130, 121**
 metabolism
 in brain, daily variations, **123, 125; 123, 137**
 hippocampal, after desglycinamide lysine vasopressin, **120, 485**
 metabolism
 in *Aplysia californica*, **136, 77**
 neuronal responses to, role of baseline firing rate, **126, 580**
- neurons
 antidromically identified in midbrain raphe, collateral inhibition, **132, 186**
 ascending and descending, role in central control of pain sensitivity, **127, 381**
 ascending, effects of lesions on sleep-wakefulness cycle, **131, 287**
 in brain, de- and regeneration after 5,7-dihydroxytryptamine, **134, 317**
 receptors, neurogenic, inactivation, in allergic encephalomyelitis-induced paralysis, **125, 192**
- release
 from ependymal surface of caudate n. in encéphale isolé cat, **132, 575**
 from striatal slices after kainic acid injections, **135, 368**
 synthesis by myenteric plexus neurons in tissue culture, **128, 125**
 turnover, in serum and cerebrum, lack of correlation with serum and cerebral tryptophan, **123, 127**
 uptake, by cultured myenteric plexus, **128, 109**
- 5-Hydroxytryptaminergic
 afferents to dorsal raphe n., **119, 269**
 function, a model for the study of, **124, 271**
 pathway, role in mediating inhibition of amygdala neurons, **120, 85**
 raphe neurons, lesions, effects on aggressive behavior, **133, 167**
- terminals
 distribution in neostriatum and caudate n., **121, 311**
 in spinal cord, topographical distribution, **138, 393**
- Hyperactivity, amphetamine and apomorphine-induced, **123, 89**
- Hyperoxia, effect on brain cytochrome a₃ redox states, **128, 553**
- Hyperpolarization, of excitatory nerve terminals, by inhibitory nerve stimulation, **137, 365**
- Hypertension
 central, after medulla oblongata lesions, **127, 307**
 genetic, see Genetic hypertension
 renovascular, and NA level in brain stem and hypothalamus, **136, 376**
- Hyperthermia, PG-induced, mediation by brain sites, **120, 251**
- Hyperthyroidism
 alteration of brain ACh metabolism, **123, 188**
 and cell proliferation in external granular layer, **126, 31**
 effects on development of D-amino acid oxidase in cerebellum and brain stem, **138, 139**
- Hyperventilation, influence on efferent control of peripheral chemoreceptors, **124, 561**
- Hypoglycemia, effect on cerebral energy metabolism and EEG, **126, 263**
- Hypophysectomy, and corticotrophin in limbic system, **128, 575**
- Hypothalamus
 basal, catecholamine and LH-RH neurons in cultures of, **120, 393**
 catecholamine levels in genetic obesity, **131, 162**
 catecholamine metabolism and food intake regulation, **135, 325**
 cholinergic neurons, role in circadian rhythm of liver glycogen synthetase, **138, 575**
 control of thermoregulation, effect of skin temperature, **120, 367**
 deafferentation
 and GH, prolactin and thyrotropin secretion, **127, 137**
 for identification of catecholaminergic innervations of preoptic and hypothalamic n., **127, 127**
 estradiol receptor, conversion to "nuclear" form, **120, 580**
 female, dorsal inputs, and regulation of sexual behavior, **127, 296**
 injections of 6-OHDA, and behavioral responses to L-DOPA, **132, 507**
 islands, and failure of stalk-ME extract to suppress serum prolactin, **125, 170**
 lateral
 self-stimulation
 and cardiovascular responses, **129, 29**
 effects of medial forebrain bundle lesions, **133, 45**
 unit responses activated by tooth pulp stimulation, **134, 158**

- action, consequences, in vivo, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946,

- indoleaminergic innervation
 - convergence with direct spinal afferents, **131, 1**
 - relation to harmaline-induced tremor, **131, 23**
 - projection of cerebellar nuclear neurons to, **133, 156**
 - projections to cerebellar n. shown by HRP, **130, 405**
- Inferior region, a hippocampal interneuron in, **124, 225**
- Inferotemporal cortex, neuronal activity, **130, 229**
- Inflation of lung, see Lung inflation
- Inhibition
 - by Pb, of Ca uptake by brain mitochondria, **136, 185**
 - collateral, see Collateral inhibition
 - monosynaptic, and modulation of endogenous bursting rhythms, **125, 51**
 - of ACh release from synaptosomal preparations, action of collagen, **134, 113**
 - of GABA release by ruthenium red, in synaptosomal fractions, **126, 160**
 - of activity of locus coeruleus neurons by ethanol, **131, 174**
 - of brain ACh, in causing amnesia, **122, 568**
 - of 5,7-dihydroxytryptamine-induced muricide, **135, 383**
 - of dorsal horn neurons, by n. raphe magnus, **126, 441**
 - of estradiol binding by brain cell nuclei, in diabetes, **135, 135**
 - of medial preoptic neurons in female, **120, 342**
 - of predatory aggression by D- and L-amphetamine, **124, 565**
 - of protein synthesis, and memory impairment, **131, 184**
 - of rapid movement of axonal particles, **128, 227**
 - of stress mechanism, by mesencephalic raphe stimulation, **127, 385**
 - of tryptophan transport into brain, after Pb exposure, **132, 386**
 - postsynaptic, in spinal motoneurons, effect of intracellular cobalt ions, **134, 372**
 - presynaptic, of extensor monosynaptic reflex, **124, 109**
 - recurrent
 - influence of voluntary movement and posture, **124, 427**
 - of extensor motoneurons, depression of, by Group II afferents, **120, 459**
 - shock-induced, in lateral geniculate n., **137, 387**
- Inhibitory action, of neonatal estrogenization on lysine incorporation into limbic and paralimbic neuronal proteins, **127, 164**
- Inhibitory effects, of antiestrogens on induction of female sexual behavior by estradiol, **134, 455**
- Inhibitory influence, tonic, of supraspinal monoaminergic system on presynaptic inhibition, **124, 109**
- Inhibitory mechanisms
 - in nigrostriatal region, **127, 219**
 - synaptic, for selective blockade of nicotinic receptors on Renshaw cells by substance P, **137, 376**
- Inhibitory motoneurons, activity during behavioral habituation (French), **127, 365**
- Inhibitory nerve stimulation, and hyperpolarization of excitatory nerve terminals, **137, 365**
- Inhibitory PSPs, in dorsal spinocerebellar tract neurons, lack of recurrent depression from motor axon collaterals, **129, 158**
- Inhibitory role of dorsal inputs to preoptic area and hypothalamus, in regulation of female sexual behavior, **127, 296**
- Inhibitory synapses, in spinal cord, effects of 4-aminopyridine, **136, 387**
- Initial axon collaterals, of spinocervical tract cells, arborization, **135, 1**
- Innervation
 - bilateral, tectal, by regenerating optic nerve fibers, **128, 417**
 - catecholaminergic, of preoptic and hypothalamic n., identification by hypothalamic deafferentations, **127, 127**
 - DAergic, widespread, of neocortex, **130, 483**
 - 5-HTergic
 - alterations in neonate with midbrain raphe lesion, **127, 111**
 - of forebrain, **130, 121**
 - of NAergic neurons in n. locus coeruleus, **131, 197**
 - indoleaminergic, of inferior olive
 - convergence with direct spinal afferents, **131, 1**
 - relation to harmaline-induced tremor, **131, 23**
 - monoaminergic, central, of blood vessels in PVN, **136, 166**
 - of submandibular and sublingual glands, by salivatory neurons, **137, 145**
 - peripheral, cell death of spinal motoneurons, after, **125, 154**
 - synaptic, of sympathetic ganglion cells, **128, 197**
- Input resistance, of ocular motoneurons stained with Procion yellow, **135, 167**
- Insect
 - central synapses, presynaptic configurations in, **130, 25**
 - neuromuscular terminals, somatic, excitatory, a preparation enriched with, **120, 138**
- Inspiratory activity
 - central, and antidromic invasion latencies of sympathetic preganglionic neurons, **135, 162**
 - high frequency bursts, **132, 537**
- Instruction-selection theory, of learning in cerebral cortex, **127, 327**
- Insulin hypoglycemia, effect on cerebral energy metabolism and EEG, **126, 263**
- Intake of food, regulation, and hypothalamic catecholamine metabolism, **135, 325**
- Intensity discrimination, role of ventral lateral geniculate n. and posterior thalamus, **123, 261**

- Interconnections of carp respiratory motoneurons, 136, 261
- Interference hypothesis, test of, by frontal decortication, 119, 233
- Interhemispheric asymmetry, of EEG sleep patterns, 134, 581
- Interhemispheric cortical afferents, to prefrontal granular cortex, 132, 235
- Intermediary metabolites, brain, after tissue inactivation, 132, 149
- Intermediate brain filament protein and tubulin, comparison, 132, 167
- Intermediates, of Krebs's cycle, effect of substitution on energetics of amino acid transport into brain slices, 131, 321
- Internal capsule, involvement in an alternate pathway for thalamic projections of hippocampus, 134, 1
- Internal granular layer, cell death, effects of thyroid dysfunction, 120, 521
- Interneurons
dorsal horn
effects of centralis inferior stimulation, 126, 355
thoracic, responses to stimulation and algogenic substances, 124, 437
hippocampal, in inferior region, 124, 225
in spinal trigeminal n., influence of locus coeruleus, 125, 369
of hippocampal regions, lesion-induced plasticity of γ -aminobutyrate release, 131, 241
specific axo-axonal, in visual cortex, 136, 345
- Interpositus anterior nucleus, precerebellar afferents to, 122, 197; 122, 215
- Interpositus neuron, discharge in relation to voluntary movement, 121, 167
- Interstrain behavioral differences, and brain ACh turnover rates, 136, 475
- Intra-axonal organelles, effect of temperature on retrograde transport, 136, 215
- Intra-axonal transport
of herpes simplex virus, 136, 415
of HRP in sympathetic nervous system, 120, 407
of organelles, 136, 215
of polypeptide H, 136, 289
- Intracellular cobalt ions, effect on postsynaptic inhibition, 134, 372
- Intracellular injection
of HRP, 132, 1
pressure system for, 136, 141
- Intracellular recordings
from substantia gelatinosa Rolandi neurons, 136, 565
in olfactory epithelium, 123, 275
- Intracellular sodium, in giant synapse, modulation of transmitter release, 134, 367
- Intracellular staining, with HRP, of spinocervical tract cells, 135, 1
- Intracellular studies, of superior colliculus, 123, 170
- Intracerebral injection of ethanol, biosynthesis of phosphatidylethanolamines from, 124, 317
- Intracranial self-stimulation
derived from entorhinal cortex, 137, 188
of substantia nigra, role of ascending catecholamine projections, 131, 271
- Intrahemispheric cortical afferents, to prefrontal granular cortex, 132, 209
- Intralaminar nuclei, and short-latency EPSPs of pyramidal tract cells evoked by stimulation of striatum, 132, 547
- Intranigral application of substance P and an edoisin fragment, 126, 576
- Intrastriatal injections of kainic acid, 135, 368
- Intraventricular administration
of angiotensin II, direct neuronal stimulation, by, 126, 376
of behaviorally potent ACTH₄₋₉ analog, 126, 89; 131, 117
- Intravital dithizone treatment, and changes in Zn and Pb content of brain and hippocampus, 130, 309
- In utero administration, of morphine, effect on development of self-administration behavior, 132, 194
- Invertebrate neurons, action of diphenylhydantoin, 121, 245; 121, 259
- Inverted vision, unidirectionality in cortical neurons, 120, 164
- In vitro behavior, of granule cells from Staggerer and Weaver mutants, 130, 13
- In vitro effects of chlorpromazine on microtubules and Golgi complex, 137, 323
- In vitro hippocampal slices, dentate fascia-field CA3 relations, 135, 55
- In vivo formation of brain choline and ACh, 128, 580
- Inward currents in molluscan neurons, time course separation, 119, 487
- Ion exchange resin, used to implant [³H]proline, 124, 341
- Ionic determinants of excitability, in cultured dorsal root ganglion and spinal cord cells, 136, 445
- Ionophore, and structural alterations of peripheral nerve, 136, 1
- Iontophoresis
of methionine-enkephalin in locus coeruleus, 129, 366
of opiates to locus coeruleus, 122, 523
- Iontophoretic responses, in *Aplysia californica*, effects of penicillin, 136, 89
- Iris
effects of infection by DA- β -hydroxylase antibodies and F(ab')₂ fragments, 134, 173
implants, evaluation of regenerative capacity of central noradrenergic, DAergic and cholinergic neurons, using, 135, 87
midbrain implants, ultrastructural study, 138, 423
- Irradiation, microwave, inactivation of tissue, 132, 149
- Ischemia
cerebral
prolonged, and microflow and cortical oxy-

- gen pressure, 124, 158
 repeated, effect on metabolites and metabolic rate in cortex, 119, 480
 effect on uptake of 2-DG in cerebral capillaries, 120, 141
- Isoelectric focussing, resolution of multiple binding components, 130, 564
- Isolated cell nuclei, estimation of neuronal populations, 127, 279
- Isolated neuronal preparations, effect of D-amino-levalulinic acid, 126, 189
- Isolated single segments of leech, acquisition of swimming behavior, 131, 191
- Isolation
 effect on catecholamine concentration and turnover in brain, 131, 259
 in bulk, of brain neurons, maintenance and incorporation of radiolabeled substrates, 132, 107
 of cerebral neurons with partial retention of processes, 124, 69
- Isthmo-tectal pathway, characterization, using radioactive compounds and HRP labeling, 129, 197
- J
- Jumps, maximum-height, kinematics and muscular activity, 126, 563
- K
- Kainate, effects on cyclic nucleotide accumulation, 121, 182
- Kainic acid
 alters neurochemical development in fetal brain cell cultures, 138, 580
 destruction of striatal DA-sensitive adenylate cyclase, by, 130, 374
 intrastratial injections of, 135, 368
 striatal injections and structural changes, 129, 174
 used to cause striatal lesions, 127, 235
- Kindling stimulation, and depletion of DA in amygdala, 136, 381
- Kinematics, during maximum-height jumps, 126, 563
- Kinesthetic discrimination, after prefrontal lesions, 130, 163
- Krebs cycle intermediates, effects of substitution on energetics of amino acid transport into brain slices, 131, 321
- L
- L₇-elicited gill withdrawal response in Aplysia, 134, 387
- Labyrinth
 contribution to vestibular neuronal activity, 138, 99
 electrical stimulation, responses of medial brain stem neurons, 120, 564
- Labyrinthine input, macular, to contralateral lateral reticular n., 131, 147
- Labyrinthine stimulation, macular, crossed responses of lateral vestibular neurons, 131, 152
- Lactate dehydrogenase, distribution, in developing encephalon, 122, 485
- Lactating rat, activity of PVN units, 130, 505
- Laminae
 of olfactory tubercle, DA-sensitive adenylate cyclase in, 131, 303
 superficial, of superior colliculus, effects of neonatal deafferentation, 126, 19
- Lamina ganglionaris, visual information channeling in, 130, 556
- Laryngeal nerve, superior, stimulation, responses of dorsal respiratory group neurons, 135, 231
- Lateral geniculate body
 visual cortical cells disynaptically excited from, 137, 221
 visual cortical cells monosynaptically excited from, 137, 207
- Lateral geniculate cells
 changes after chronic monocular deafferentation, 127, 363
 selective loss after chronic monocular paralysis, 125, 257
- Lateral geniculate neurons, decreased peroxidase labeling after deafferentation, 120, 133
- Lateral geniculate nucleus
 binocular interactions, role of visual cortex, 120, 354
 percentage of relay cells, 131, 167
 retinal axons, lack of intralaminar sprouting, 126, 201
 retrograde transport of HRP to, 137, 233
 selective cell loss after binocular lid suture, 130, 81
 shock-induced inhibition, 137, 387
 ventral, receptive field properties, 132, 163
 X-, Y- and intermediate cells, 121, 151
 X-sustained and Y-transient neurons, effect of midbrain stimulation, 127, 153
- Lateral line organ, synapses on hair cells, 121, 173
- Lead content, of hippocampus, changes after dithi-zone, 130, 369
- Lead encephalopathy, significance of Pb inhibition of Ca uptake by brain mitochondria, 136, 185
- Lead-exposed neonate, inhibition of tryptophan transport into brain, 132, 386
- Lead inhibition of Ca uptake by brain mitochondria, 136, 185
- Learning
 deficits
 induced by cholinergic blockade of caudate n., 138, 190
 induced by nigrostriatal 6-OHDA injections, 127, 384
 effect of reduced cerebral 5-HT, 127, 379
 in cerebral cortex, instruction-selection theory, 127, 327
 in decorticate rabbits, 127, 366
 in T-maze, and tail pinch, 127, 385
 in T-maze, reversal, effects of ventral mesen-

- cephalic tegmentum lesion, 127, 383
- motor, and Purkinje cell activity, 128, 309
- of position, a paradigm, 134, 185
- role of brain NA and pituitary-adrenal axis, 127, 372
- somesthetic, limbic and prefrontal contributions, 132, 521
- Lectin receptors, associated with brain postsynaptic densities, 126, 154
- Leech, isolated segments, acquisition of swimming behavior, 131, 191
- Left eye, and right eye, distribution of afferents in visual cortex, 131, 103
- Lesions
 - cerebellar, neonatal, and sprouting of corticopontine fibers, 123, 164
 - conditioning, effect on axonal regeneration in sciatic nerve, 132, 443
 - cortical, neonatal, lack of recovery in collicular neurons, 120, 362
 - 5,7-dihydroxytryptamine-induced, 131, 287
 - entorhinal, ipsilateral, proliferation of contralateral afferents, 125, 11
 - in A10 DAergic area, behavioral effects, 124, 83
 - in amygdala or hippocampus, and brightness discrimination, 125, 277
 - in locus coeruleus, effect on cerebral blood vessels, 136, 431
 - in medulla oblongata, effect on central hypertension and n. tractus solitarii catecholamines, 127, 307
 - in midbrain path of ascending NAergic neurons, effects on food intake and body weight, 128, 293
 - nigrostriatal, unilateral, body weight and regulatory deficits after, 132, 467
 - of A10 DAergic mesencephalo-cortico-limbic group, behavioral effects, 127, 386
 - of ascending 5-HT pathways, effects on sleep-wakefulness cycle, 131, 287
 - of ascending NAergic bundles, unilateral, and rotational behavior, 138, 487
 - of auditory nerve, and cochlear n. aspartic and glutamic acid levels, 138, 111
 - of auditory cortex, effects on temporal summation, 136, 559
 - of dorsal NAergic bundle, and locus coeruleus self-stimulation, 133, 37
 - of dorsal raphe and brain stem, effect on tryptophan hydroxylase in hypothalamic and limbic n., 130, 121
 - of VIIIth nerve in vestibulo-cerebellectomized cat, compensation of nystagmus, after, 135, 192
 - of 5-HTergic raphe neurons, effects on aggression (French), 133, 167
 - of medial forebrain bundle components effects on lateral hypothalamic self-stimulation, 133, 45
 - of medial preoptic area, effects on male mating behavior, 120, 158
 - of midbrain raphe in neonate, alterations in 5-HTergic innervation, 127, 111
 - of locus coeruleus, effects on cerebral monoamines, sleep-wakefulness and response to amphetamine, 124, 473
 - of posterior neocortex, effects on visual discrimination, 122, 15
 - of spinal cord, and sensitivities to touch stimuli, 134, 529
 - of stria terminalis, and facilitation of amygdaloid kindling, 122, 137
 - of superior colliculus, effect on visual orientation behavior, 127, 356
 - of suprachiasmatic n., and sleep-wakefulness rhythms, 122, 33
 - of thalamus, unilateral, and prevention of induced asymmetries in caudate neuronal firing rates, 131, 215
 - of ventral mesencephalic tegmentum, effects on behavior in T-maze, 127, 383
 - partial, inferior temporal, or lateral striate, and pattern discrimination thresholds, 120, 209
 - plasticity of γ -aminobutyrate release from hippocampal interneurons induced by, 131, 241
 - posterior midline cortical, and operant responding, 125, 356
 - prefrontal, and kinesthetic discrimination, 130, 163
 - pulvinar, and abnormal eye movements during visual discrimination training, 136, 189
 - selective, and enhancement of HRP transport, 135, 11
 - septal, effect on ACh release from hippocampal slices, 128, 285
 - striatal, by kainic acid, neurochemical characteristics, 127, 235
- Leucine, and proline, differential incorporation into neurons, 132, 485
- Licking behavior, air and current, effects of tongue denervation, 127, 369
- Lid suture
 - binocular, and selective cell loss from lateral geniculate n., 130, 81
 - effect on retinal ganglion cells in *Macaca mulatta*, 122, 437
 - myopia, after, 124, 154
- Ligation, of sciatic nerve, NA synthesis contributes to catecholamine accumulation, after, 136, 174
- Light
 - continuous, failure to inhibit compression of retinotectal projection, 128, 153
 - deprivation, and visual deprivation syndrome in *Macaca*, 129, 37
 - microscopy
 - of axonal transport of organelles, 136, 197
 - of NAergic terminals in dentate gyrus, 120, 327
- Light reflex, pupillary, cerebellar control, 128, 69
- Light-stimulated release of taurine, from retinal rod, 135, 186
- Limb areas of sensory motor cortex, projections to spinal cord, 135, 153
- Limb, developing, of *Xenopus*, motor projection

- patterns to, 134, 197
- Limbic connections, of inferior parietal lobule, 136, 393
- Limbic contributions to somesthetic learning, 132, 521
- Limbic neurons
- incorporation of lysine into proteins, inhibitory effect of neonatal estrogenization, 127, 164
 - responses to induced changes in blood gases, 132, 43
- Limbic system, after hypophysectomy, corticotropin in, 128, 575
- Lipid synthesis, by oligodendroglial fraction in culture, 134, 377
- Liperoxidation, in brain tissue, 136, 11
- Liquid chromatographic monitoring, of CSF metabolites, 131, 345
- Liver glycogen synthetase, circadian rhythm, 138, 575
- Liver proteins, lysine incorporation, increased by footshock, 120, 317
- Locomotor recovery, after unilateral hindlimb deafferentation, 123, 59
- Locomotor response, to amphetamine, developmental changes in, and hippocampal function, 126, 567
- Locomotion, spinal, phasic gain control of reflexes from dorsum of paw, 132, 121
- Locus coeruleus
- afferent projections to, 119, 21
 - a new major projection from, 132, 85
 - ascending projection, autoradiographic study, 127, 23
 - ascending projections of, axonal transport in NAergic neurons, 127, 1
 - dorsal NAergic bundle projections from, and neocortical or hippocampal activation, 138, 75
 - 5-HT-containing neuronal perikarya, 134, 359
 - 5-HTergic innervation of NAergic neurons in, 131, 197
 - hypothalamic system, axoplasmic transport of NA, 120, 303
 - influence on spinal trigeminal n. interneurons, 125, 369
 - iontophoresis of methionine-enkephalin, 129, 366
 - iontophoretic application of opiates, 122, 523
- lesions
- effects on cerebral monoamines, sleep-wakefulness and response to amphetamine, 124, 473
 - effect on physiological responses of cerebral blood vessels, 136, 431
- neurons
- antidromically identified, inputs to, 135, 217
 - excitation by substance P and related peptides, 136, 178
 - inhibition of activity by ethanol, 131, 174
 - NA-mediated collateral inhibition, 136, 570
 - NAergic system arising from, 125, 1
 - self-stimulation from, effect of dorsal NAergic bundle lesions, 133, 37
- Long axon neurons, in parafascicular and parafascicular posterolateral n., a Golgi study, 136, 543
- Longitudinal fasciculus, descending, medial, vestibular recordings, 125, 23
- Long-term memory, effects of hippocampal electrical stimulation, 133, 277
- Lordosis reflex
- effects of spinal cord transection, 123, 75
 - facilitation by electrical stimulation of lateral vestibular n., 134, 333
- Low threshold skin afferents, influence on dynamic fusimotor neurons in triceps surae, 132, 153
- Lumbar CSF, cerebral origin of 5-HIAA in, 122, 388
- Lumbar motoneurons, persistent negative resistance in, 120, 173
- Lumbar segment of spinal cord, reflex organization, 124, 415
- Luminance, of stimulus, and locus of spectral neutral point in opponent cells, 119, 465
- Lung inflation, responses of dorsal respiratory group neurons in medulla, 135, 231
- Luteinizing hormone
- brain sites stimulatory to release, effects of estrogenic and electrical stimuli, 125, 175
 - electrochemically stimulated release, after surgical interruption of lateral hypothalamic connections, 131, 335
 - in male rat serum, effects of degeneration and regeneration of brain 5-HT neurons, 134, 317
 - proestrous surge, modulation by electrochemical stimulation of amygdala and hippocampus, 128, 81
- Luteinizing hormone-releasing hormone
- microiontophoretically applied, effects on septal afferents to arcuate-median eminence region, 137, 154
- neurons
- fetal
 - immunocytological study (French), 128, 249
 - ultrastructural study, 137, 175
 - in primary cultures of basal hypothalamic cells, 120, 393
 - preoptico-amygdaloid pathway, ventral, 124, 538
- Lymphocytes, and astrocytes, myelin basic protein causes proliferative in vitro, 132, 580
- Lysergic acid diethylamide
- behavioral effects, a model for the study of, 132, 301
 - duration of action and onset, and duration of tolerance, 132, 315
 - reduction of stimulation-produced analgesia, 122, 367
- Lysine, incorporation into brain and liver proteins, increased by footshock, 120, 317
- Lysine, incorporation into limbic and paralimbic proteins, inhibitory effect of neonatal estrogenization, 127, 164

Lysosomal properties, during thyroxine-induced lateral motor column neurogenesis, **132, 407**

M

Macaca mulatta

effect of lid suture on retinal ganglion cells, **122, 437**

projections of pretectum, **127, 197**

visual deprivation syndrome, **129, 37**

Macular labyrinthine input, to contralateral lateral reticular n., **131, 147**

Macular labyrinthine stimulation, crossed responses of lateral vestibular neurons, **131, 152**

Magnesium-ATPase activity, of olfactory bulb, cortex, cerebellum, hypothalamus and posterior neocortex, **128, 170**

Magnesium ions, effect on spinal neuron responses to excitatory amino acids and ACh, **130, 364**

Mammalian brain, a morphine-like factor in, **136, 523**

Mammalian nerve terminals, afterdischarges, and presynaptic penicillin, **138, 59**

Mammillothalamic neurons
activated antidromically, **122, 143**

activated by stimulation of fornix, **122, 143**

Manduca sexta, metamorphosis, and cholinergic development of deafferented antennal lobes, **119, 389**

Masseter muscle, group Ia fibers, primary afferent depolarization produced by trigeminal cutaneous stimulation, **134, 561**

Mass spectrometric-gas chromatographic assay of 5-HT, **133, 354**

Mast cells, increase in neonatal tissues injected with NGF, **133, 358**

Mating behavior, male, effect of medial preoptic area lesions, **120, 158**

Maze

T, alternation behavior, spatial discrimination and reversal learning, effects of ventral mesencephalic tegmentum lesion, **127, 383**

Y, underwater, lack of acquisition after DA-denervation, **134, 95**

Mechanoreceptive neurons, innervating glabrous skin, development, **129, 213**

Mechanothermal fibers, high-threshold, innervating glabrous skin, **128, 547**

Median eminence

-arcuate region, see Arcuate-median eminence region

changes in catecholamine turnover during estrous cycle, **120, 113**

direct neuronal connections from lower brain stem, **136, 339**

female, stimulation, effect on medial preoptic n. activity, **120, 342**

projections from PVN, **137, 1**

Medulla

amino acid incorporation after spinal cord hemisection, **122, 475**

dorsal respiratory group neurons, **135, 231**

lower, autoradiographic localization of opiate

receptors, **124, 53**

Medulla oblongata

lesions, central hypertension and n. tractus solitarii catecholamines, **127, 307**

nuclei, increased adrenaline content in genetic hypertension, **135, 180**

Medullary brain stem afferents, to abducens n., **123, 229**

Medullary neurons, repetitively firing, responsive to carotid sinus nerve stimulation and NA infusion, **122, 556**

Medullary raphe area, electrical stimulation, cardiovascular responses, **128, 141**

Medullary raphe neurons, response to peripheral stimulation and systemic opiates, **123, 363**

Melanotropic peptides, in brain and pars intermedia, heterogeneity, **130, 169**

Membrane

action of diazepam, model of, **133, 315**

brain, receptor binding of neurotensin, **130, 299**

excitable, studies of, **137, 197**

nictitating, see Nictitating membrane

periaxonal, of Schwann cell, particle rosettes in, **130, 135**

permeation, action of NGF, **124, 121**

potassium-dependent potentials in Necturus vestibular system, **136, 366**

resistance, in spinal motoneurons, **128, 569**

specializations, at neuromuscular junction and in non-junctional sarcolemma after denervation, **137, 197**

Membrane-associated particles

distribution in Ranvier nodes in Sternarchus electric organ, **125, 197**

of presynaptic active zone in spinal cord, **130, 393**

Membrane fraction of cerebral cortex, factors affecting GABA binding, **128, 182**

Membrane-linked proteins, at CNS synapses, **132, 172**

Memory

impairment, and cycloheximide dose and inhibition of protein synthesis, **131, 184**

long-term, effects of hippocampal electrical stimulation and inbreeding, **133, 277**

3-Mercaptopropionic acid, seizures induced by, **135, 337**

Mescaline, neuronal responses, role of baseline firing rate, **126, 580**

Mesencephalic raphe, stimulation, and inhibition of stress mechanism, **127, 385**

Mesencephalic reticular formation, rostral, eye movement-related unit activity, **130, 239**

Mesencephalic stimulation, aversive and appetitive effects of, **130, 521**

Mesencephalic structures, role in angiotensin II-induced thirst, **126, 225**

Mesencephalic tegmentum, ventral, lesion, effects on T-maze behavior, **127, 383**

Mesencephalo-cortico-limbic group, behavioral effects of lesion, **127, 386**

Mesenteric artery, administration of algogenic

- substances via, 124, 437
- Mesenteric ganglion, inferior, HRP transport in afferent fibers and identification of cells of origin in dorsal root ganglia, 126, 149
- Mesolimbic DA system, excitatory action on septal neurons, 129, 353
- Mesolimbic nucleus, discrete 6-OHDA lesions, 123, 89
- Mesolimbic terminals, DA-containing, specificity of 6-OHDA destruction, 122, 382
- Metabolism, changes after amphetamine, 121, 196
- Metabolic rate, cortical, effect of repeated cerebral ischemia, 119, 480
- Metabolites
- cortical, effect of repeated cerebral ischemia, 119, 480
 - labile, intermediary, in brain, after tissue inactivation, 132, 149
 - of CSF, liquid chromatographic monitoring, 131, 345
- Metamorphosis, of *Manduca*, cholinergic development of deafferented antennal lobes, 119, 389
- Methionine enkephalin, see Enkephalin, methionine
- Methionine sulfoxide, induction of convulsions and storage of brain glycogen, 128, 193
- 3-Methoxy-4-hydroxyphenylglycol, in brain CSF and plasma, 125, 333
- Methyl-n-butylketone-produced neuropathy, changes in fast axoplasmic transport, 133, 107
- α -Methylparatyrosine, paradoxical sleep and brain catecholamines, 135, 123
- Metrapone, inhibition of convulsions and storage of brain glycogen, 128, 193
- Microassay, of 5-HT terminals in spinal cord, 138, 393
- Microdissection, of 5-HT terminals in spinal cord, 138, 393
- Microelectrophoresis, study of central action of histamine, 122, 269
- Microfilaments assembly, in sympathetic neurons, stimulation, 124, 41
- Microflow, and cortical O₂ pressure during cerebral ischemia, 124, 158
- Microimplantation of [³H]proline, on ion exchange resin, 124, 341
- Microinjection of TRH into brain stem, 126, 105
- Microiontophoretically applied LH-RH, effects on septal afferents to arcuate-median eminence region, 137, 154
- Microiontophoretic effects of substance P, on medial amygdala and putamen neurons, 135, 174
- Microscope, differential-interference, for studies of CNS demyelination, 124, 140
- Microscopy, electron, see Electron microscopy
- Microscopy, light, see Light microscopy
- Microstimulation, of brachium pontis, motor effects, 126, 557
- Microtubules
- in vitro effects of chlorpromazine, 137, 323
 - in vitro, preformed, effects of NGF, 129, 265
 - nuclear, stimulation, in sympathetic neurons, 124, 41
- Microvesicles, two sorts of, in neurohypophysis, 123, 159
- Microvessels versus whole brain homogenate, in study of enzyme activity, 138, 561
- Microwave irradiation
- alteration of blood-brain barrier system, 126, 281
 - and single auditory unit responses, 126, 370
 - inactivation of tissue, 132, 149
- Midbrain
- amino acid incorporation after spinal cord hemisection, 122, 475
 - iris implants, ultrastructural study, 138, 423
 - path of ascending NA neurons, effects of lesions on food intake and body weight, 128, 293
 - single unit recording during shock-elicited fighting, 120, 469
 - stimulation
 - effect on X-sustained and Y-transient lateral geniculate neurons, 127, 153
 - self-, from adjacent regions, differential effects of morphine and D-amphetamine, 136, 103
 - thermal, physiological responses, 128, 542
 - thermosensitive neurons, 128, 461
 - unit activity, during classical conditioning, 134, 73
- Midbrain raphe
- antidromically identified 5-HTergic neurons, collateral inhibition, 132, 186
 - lesion in neonate
 - alterations in 5-HTergic innervation, 127, 111
 - neurophysiological aspects of sleep, 127, 99
- Midpontine pretrigeminal cat, conditioning of vertical eye movements, 124, 99
- Mitochondria
- brain, Ca uptake by, inhibition by Pb, 136, 185
 - in developing brain, effect of oligomycin on respiration, 120, 373
 - intrasyntosomal, glycoproteins, 125, 386
- Mitral cells, of olfactory bulb, projection patterns, 129, 152
- Model
- behavioral
 - for studying actions of hallucinogenic drugs, 132, 301
 - for studying actions of LSD, 132, 315
 - for positioning learning in crayfish claw, 134, 185
 - see also under Paradigm
- Molecular layer of piriform cortex, cellular events induced by olfactory bulb ablation, 134, 13
- Molluscan nervous system, modulation of electrical activity and cyclic nucleotide metabolism by a peptide-containing nervous extract, 136, 307
- Molluscan neurons
- ionic mechanism of Ba²⁺-induced potential waves, 123, 384
 - stimulated with AC, modulation of repetitive action potentials, 122, 361

- time course separation of two inward currents, 119, 487
- Monoamine oxidase
brain, development of multiple forms in vivo and in vitro, 128, 187
distribution in developing telencephalon, 122, 485
in developing retina, 135, 305
- Monoamines
cerebral, effect of locus coeruleus lesions, 124, 473
dendritic, in brain, 120, 553
enzymes synthesizing, localization, 126, 455
fluorescence, localization in stomatogastric nervous system, 129, 13
involvement in hippocampal self-stimulation, 136, 119
levels in brain, influence of p-chloroamphetamine, 123, 347
role in clinical depression and mood regulation, 127, 373
- Monoaminergic implication in sexual behavior, 127, 377
- Monoaminergic inputs to motoneurons, anatomical study, 122, 445
- Monoaminergic mediation of antinociceptive effect of vaginal stimulation, 137, 67
- Monoaminergic innervation, central, of blood vessels in PVN, 136, 166
- Monoaminergic reinnervation, of transected spinal cord by homologous fetal brain grafts, 129, 227
- Monoaminergic system, supraspinal, tonic inhibitory influence on presynaptic inhibition of extensor monosynaptic reflex, 124, 109
- Monocular deafferentation, and changes of lateral geniculate cells, 127, 363
- Monocular deprivation
and binocular deprivation, two perimetry methods, 127, 366
and detection of pattern in stationary visual noise, 127, 365
- Monocular engram, unilateral storage in day-old chick, 124, 263
- Monocular exposure to temporal contrasts, effect on ocular dominance, 134, 568
- Monocular paralysis, selective loss of lateral geniculate cells, 125, 257
- Monolayer culture, of cerebellar granule cells, 130, 1
- Monosynaptic excitation
of trochlear motoneurons, 121, 157
of visual cortical cells from lateral geniculate body, 137, 207
- Monosynaptic EPSPs, in spinal motoneurons, 128, 569
- Monosynaptic inhibition, see under Inhibition
- Monosynaptic reflex, extensor, influence of supraspinal monoaminergic system on presynaptic inhibition, 124, 109
- Mood, regulation, role of monoamines, 127, 373
- Morphine
analgesia
and PGE₂ and cAMP, 128, 275
at coincident periaqueductal central gray loci, 124, 283
attenuation by intra-amygdaloid DA injection, 130, 156
and D-amphetamine, effects on self-stimulation from adjacent regions in midbrain, 136, 103
and distribution of GABA in thalamus, 124, 373
and responses of medial thalamic neurons, 122, 49
antagonism, absence of PGE₂-stimulated cAMP accumulation, 120, 263
effect on stimulation of trigeminal terminals, 124, 367
effect on unit activity of amygdala and hippocampus, 126, 427
-induced rotation, species differences, persistence of withdrawal-induced rotation and antagonism by naloxone, 123, 180
in utero administration, effect on development of self-administration behavior, 132, 194
-like factor in mammalian brain, 136, 523
self-administration behavior, effect of in utero morphine, 132, 194
- Morphine-specific locus of action, periaqueductal gray, as, 124, 283
- Morphometric analysis, of membrane-associated particles of presynaptic active zone, 130, 393
- Mossy fiber system, electrophysiological and HRP studies, 122, 215
- Motor activity, and exploration, and raised brain GABA, 131, 180
- Motor axon collaterals, lack of recurrent depression from, of Ia IPSPs in dorsal spinocerebellar tract, 129, 158
- Motor column, lateral
embryonic, autoradiographic study of formation, 132, 197
lysosomal properties during thyroxine-induced neurogenesis, 132, 407
- Motor effects, caused by microstimulation of brachium pontis, 126, 557
- Motor learning
and Purkinje cell activity, 128, 309
associative, role of cerebellar and cortical NA, 134, 513
- Motor mechanisms, influence of benzodiazepines, 127, 384
- Motoneurons
activity during behavioral habituation (French), 127, 365
anatomical study of monoaminergic inputs, 122, 445
extensor, recurrent inhibition by Group II afferents, 120, 459
innervating muscle, in dystrophy, retrograde transport of peroxidase, 119, 454
involved in two centrally generated motor patterns by two different spike initiating sites, 138, 347
isolated, bidirectional transport of ⁴⁵Ca²⁺, 129, 45

- lumbar, a persistent negative resistance in, 120, 173
- ocular, conduction velocity, input resistance and size, 135, 167
- reflex control during imposed dactylopodite movements, 130, 348
- regenerating
- path and rate of growth, 125, 213
 - protein synthesis in, 125, 227
- respiratory, identification, firing characteristics and interconnections, 136, 261
- spinal
- axons of, supraspinal input velocity and conduction velocity, 120, 179
 - cell death after peripheral innervation, 125, 154
 - direct synaptic interconnections via recurrent axon collaterals, 132, 1
 - electrotonic coupling between, 138, 197
 - intracellular cobalt ions and postsynaptic inhibition, 134, 372
 - membrane resistance, monosynaptic EPSPs and epileptogenic action of penicillin, 128, 569
 - trochlear, monosynaptic excitation, 121, 157
- Motor nuclei, of cranial nerves, cerebellar afferents from neurons, 137, 158
- Motor output after decerebration
- during horizontal rotations, 120, 17
 - during sinusoidal linear accelerations, 120, 1
 - during vertical rotations, 120, 35
 - to deafferented forelimb extensors, 122, 150
- Motor patterns, centrally generated by two different spike initiating sites, 138, 347
- Motor performance, DA levels and number of DA cells, correlations, 134, 83
- Motor projection patterns, to *Xenopus* developing limb, 134, 197
- Motor units
- fast twitch, of flexors
 - classification by fatiguability, 134, 35
 - speed-force relations and recruitment order, 134, 47 - fatiguability and recruitment threshold, 125, 91
- Movement
- imposed, of dactylopodite, and reflex control of motoneuron, 130, 343
 - skilled, of forelimb, and activity of red n. neurons, 131, 383
 - voluntary, influence on recurrent inhibition, 124, 427
- Mucosa, olfactory, odorant removal from, 128, 158
- Müller cell, depolarization, 121, 162
- Muricide, 5,7-dihydroxytryptamine-induced, 135, 383
- Muscarinic ACh receptors
- competitive binding studies with agonists and antagonists, 134, 167
 - distribution in Alzheimer's dementia, 138, 385
- Muscarinic agonists, effect on ACh release from hippocampal slices, 128, 285
- Muscarinic antagonists, effect on ACh release from hippocampal slices, 128, 285
- Muscarinic excitatory response, slow, postsynaptic potentiation by tetraethylammonium chloride, 137, 181
- Muscle
- acetylcholinesterase, effects of batrachotoxin and 6-aminonicotinamide on neural regulation, 130, 101
 - afferents, Group II
 - influence on dynamic fusimotor neurons in triceps surae, 132, 153
 - reflex actions evoked by electrical stimulation, 122, 551 - cells, cultured, neurotrophic effects on electrical properties, 128, 243
 - clonal cell lines, synthesis of substrate-attached material, 132, 337
 - facial, facio-facial reflex, 119, 459
 - fibers, skeletal, diazepam blockade of repetitive action potentials, 133, 315
 - input, and cutaneous input, convergence onto spinothalamic tract neurons, 124, 555
 - masseter, see Masseter muscle
 - soleus, skeletofusimotor (B) unit of, 129, 341
 - spindle
 - afferents, activity during scratching, 129, 192
 - primary endings, time course recovery of initial burst, 121, 358
 - sensory endings, affinity of zinc iodide-osmium stain, 128, 527
- Muscular activity, during maximum height jumps, 126, 563
- Mutant, neurological, Wolfgram proteins in CNS, 133, 29
- Myelinated fibers, of phrenic nerve in Wallerian degeneration, 130, 47
- Myelinated nerve, axoplasmic flow, 124, 393
- Myelination of iris tissue implanted into midbrain, ultrastructure, 138, 423
- Myelin
- in tissue culture, monitoring by basic protein radioimmunoassay, 120, 193
 - of brain, development, subfractionation and comparison with myelin from other species, 138, 17
 - of Quaking mutant
 - defective protein incorporation, 120, 507
 - differentiation of synthesis from incorporation of basic proteins, 120, 517
- Myelin basic protein, and proliferation of astrocytes and lymphocytes in vitro, 132, 580
- Myelin carbonic anhydrase, quantitation, 138, 17
- Myelin encephalitogenic protein, detection of antibodies, 129, 121
- Myelinotoxicity of CSF, in vivo test, 120, 103
- Myelin proteins, factors affecting electrophoretic analysis, 126, 131
- Myelin-related fraction (SN4), isolated from forebrain, characterization, 138, 29
- Myenteric plexus
- cultured, neuronal 5-HT uptake, 128, 109

- neurons, in situ and in culture, 5-HT synthesis, 128, 125
- Myofibers, developing skeletal, elimination of nerve terminals from endplates, 134, 279
- Myoneural junction, choline O-acetyltransferase at, 119, 155
- Myopia, after lid suture in Tupaia, 124, 154
- N
- NADH fluorescence photography, in analyzing cerebral cortex redox state, 119, 357
- Naja naja siamensis*, [125 I] α -toxin, to show nicotinic receptors, 131, 350
- Naloxone
- and responses of medial thalamic neurons, 122, 49
 - antagonism of acupuncture analgesia, 121, 368
 - antagonism of morphine-induced rotation, 123, 180
 - effect on excitation of dorsal neurons by cutaneous stimuli, 138, 185
 - reduces analgesia induced by raphe n. stimulation, 120, 221
- Necturus maculosus*, vestibular system, K-dependent membrane potentials, 136, 366
- Negative neuronal feedback, see Neuronal feedback, negative
- Negative resistance, persistent, in lumbar motoneurons, 120, 173
- Nembutal, treatment of ventromedial hypothalamus, effects on feeding and sexual behavior, 126, 519
- Neocortex
- activation, importance of dorsal NAergic bundle projections from locus coeruleus, 138, 75
 - catecholamines, distribution and ontogenetic development, 124, 576
 - electrophysiological concomitants of eating, 121, 97
 - localization of penicillin during focal epilepsy, 125, 293
 - posterior, lesions, effects on visual discrimination, 122, 15
 - primary, somatosensory, orientation detectors, 129, 61
 - slices, epileptogenesis, 127, 191
 - widespread DAergic innervation, 130, 483
- Neonatal androgenization, effects on α -aminoisobutyric transport into brain, 132, 287
- Neonatal deafferentation, effect on superficial laminae of superior colliculus, 126, 19
- Neonatal estrogenization, inhibitory effect on lysine incorporation into limbic and paralimbic neuronal proteins, 127, 164
- Neonatal hyperthyroidism, and changes in ACh metabolism in brain, 123, 188
- Neonatal tissues, increase of mast cells after NGF injection, 133, 358
- Neonate
- brain tissues, testosterone metabolites recovered from, 128, 176
 - cerebellar lesion, and sprouting of corticopontine fibers, 123, 164
 - destruction of postganglionic sympathetic neurons, 136, 455
 - hypothalamic injections of PG, pyrogen and NA, effect on thermoregulation, 128, 473
 - lead-exposed, inhibition of tryptophan transport into brain, 132, 386
 - midbrain raphe lesion
 - alterations in 5-HTergic innervation, 127, 111
 - neurophysiological aspects of sleep, 127, 99 - spinal trigeminal n., axoaxonic synaptogenesis, 138, 534
- Neostriatum
- blood flow, decreased by D-amphetamine or substantia nigra stimulation, 135, 77
 - connections of rostral, area, 126, 211
 - distribution of 5-HTergic terminals, 121, 311
 - projections to substantia nigra, of substance P-containing neurons, 122, 541
- Nerve
- activity in electric organ, oscillation of ACh, 125, 123
 - clonal cell lines, substrate attached material synthesized by, 132, 337
 - cell nucleus, cAMP and ultrastructural organization, 124, 41
 - myelinated and unmyelinated, axoplasmic, 124, 393
 - peripheral, stable, long-term recordings, 128, 21
 - peripheral, structural changes induced by Ca ionophore, 136, 1
 - supraependymal, role on ependyma, 125, 362
- terminals
- brain, localization of DA- β -hydroxylase, 120, 549
 - excitatory, hyperpolarization by inhibitory nerve stimulation, 137, 365
 - glycoproteins, metabolism in brain, 130, 109
 - mammalian, presynaptic origin of penicillin afterdischarges, 138, 59
 - NAergic, locus coeruleus projection as main source in ventral and dorsal spinal cord columns, 132, 85
 - of olfactory nerve, polypeptides deposited, 121, 215
 - elimination from endplates of developing myofibers, 134, 279
 - supraependymal, selective accumulation of 5-HT, 134, 151
- Nerve growth factor
- action on membrane permeation, 124, 121
 - C6 glioma cell content, increased by β -adrenergic activation, 137, 369
 - effect on 5-HT in superior cervical ganglia, 133, 354
 - effect on in vitro microtubules, protective action against vinblastine, 129, 265
 - HRP coupling product, localization after transport in adrenergic neurons, 130, 190

- injected into neonatal tissue, increases mast cells, **133, 358**
 quantitative bioassay for activity, **133, 350**
 -responsive pheochromocytoma cells, release, storage and uptake of catecholamines, **129, 247**
 retrograde transport, effect on adrenergic neurons, **134, 213**
 role in neurite outgrowth stimulation, **131, 373**
 selective induction of tyrosine hydroxylase and DA- β -hydroxylase, **133, 291**
 stimulation and maintenance of phenylethanolamine-N-methyltransferase, **138, 309**
 uptake and transport, role of gangliosides, **132, 273**
 Nervous extract, polypeptide-containing, effect on electrical activity and cyclic nucleotide metabolism in molluscan nerve, **136, 307**
 Nervous system
 developing, hydrolysis of triphosphoinositides, **137, 333**
 identification of TRH, **126, 196**
 molluscan, phosphorylation of protein substrate, **125, 325** see also under Molluscan nervous system
 sexual differentiation of neurotransmitter enzymes, **132, 176**
 stomatogastric, monoamine fluorescence, **129, 13**
 Neural cell lines, cloned, specificity of adhesion, **126, 475** see also under Cell
 Neural mechanisms, of corneal blinking reflex, **125, 265**
 Neural regulation, of muscle AChE, effect of batrachotoxin and 6-aminonicotinamide, **130, 101**
 Neural retina, entry of taurine, **128, 497**
 Neurite outgrowth stimulation, by glial cells and cultured heart explants, role of NGF, **131, 373**
 Neuroleptic drugs
 brain binding sites in vitro, **130, 176**
 effects on DA-sensitive adenylate cyclases, **121, 71**
 Neurological mutants
 transmitter enzymes, **124, 171**
 Wolfgram proteins in CNS, **133, 29**
 Neuromuscular junctions
 excitatory, action of aspartate, **126, 176**
 localization of ACh receptors, **132, 423**
 membrane specializations after denervation, **137, 197**
 Neuromuscular terminals, somatic, excitatory, a preparation enriched with, **120, 138**
 Neuromuscular transmission, development in culture in presence of cholinergic substances and TTX, **119, 141**
 Neuronal activity
 prefrontal, during gazing at light spot, **126, 497**
 relationship to gross movement-related cortical potentials, **132, 362**
 Neuronal GABA transport system, cis-3-aminocyclohexanecarboxylic acid as a substrate for, **138, 169**
 Neuronal cell lines, derivation and characteristics, **135, 25**
 Neuronal cells, cultured, regulation of fatty acid synthesis, **129, 91**
 Neuronal circuitry, in basal septum and preoptic area, **133, 95**
 Neuronal death, in development of somatotopic projections of *Xenopus* ventral horn, **134, 145**
 Neuronal feedback, negative, from forebrain, controlling midbrain raphe unit activity, evidence against, **119, 291**
 Neuronal organization, of fastigio-trochlear pathway, **131, 362**
 Neuronal perikarya, 5-HT-containing, in locus coeruleus and subcoeruleus, **134, 359**
 Neuronal populations, cerebellar, estimated from isolated cell nuclei, **127, 279**
 Neuronal spikes, intervals, trains, temporal patterns, **125, 65**
 Neuronal spike trains, in substantia nigra, cell types and interactions, **136, 243**
 Neuronal stimulation, direct, by intraventricular angiotensin II, **126, 376**
 Neuronal transport, blockade by colchicine, **136, 31**
 Neurons
 cerebral, isolation with partial retention of processes, **124, 69**
 containing substance P, projections from neostriatum to substantia nigra, **122, 541**
 crustacean, synapses, **121, 43**
 facial, synaptic activation of facial afferents, **123, 378**
 in Aplysia, identification, **121, 1**
 isolated, of *Planorbarius corneus*, **121, 131**
 medullary, repetitively firing, responsive to carotid sinus nerve stimulation and NA infusion, **122, 556**
 molluscan
 ionic mechanism of Ba²⁺ square shaped potential waves, **123, 384**
 time course separation of two inward currents, **119, 487**
 of olfactory bulb, glutamate decarboxylase localization, **126, 1**
 of substantia nigra and ventral tegmental area, action of Baclofen, **134, 577**
 preparation from brain, **124, 347**
 sensory motor and sympathetic, isolated, transport of ⁴⁵Ca²⁺, **129, 45**
 spiny, convergence of excitatory synaptic inputs, **124, 403**
 visual, in anterior thalamus, **127, 283**
 Neuropathy, methyl n-butylketone-induced, and changes in axoplasmic transport, **133, 107**
 Neurophysin
 -containing autonomic pathway, arising in PVN, **128, 346**
 ontogeny in pituitary gland, **129, 275**
 Neurotensin
 CNS effects of, **128, 485**
 receptor binding in brain membranes, **130, 299**
 regional distribution in brain, **126, 584**

- Neurotransmission, central, DA, expressed in behavioral parameters, 127, 325
- Neurotransmitters
 and response suppression, 127, 377
 enzymes, sexual differentiation of, 132, 176
 of avian visual pathway, 119, 417
 -sensitive adenylate cyclase, in hypothalamus, 138, 125
 spinal cord or CNS, screening technique, 137, 37
 uptake, development in regions in brain, 119, 403
- Neurotrophic effects
 of spinal cord explant medium, on cultured muscle, 128, 243
 on sample distribution, of electrical properties of cultured muscle, 126, 172
- Neuroblastoma cells, ecto-ATPase activity, 122, 313
- Neuroblastoma X glioma cells, effect of cations on electrical activity, 130, 495
- Neurochemical correlates, of estrogen action on female sexual behavior, 134, 467
- Neurochemical development, of cultured fetal brain cells, changed by kainic acid, 138, 580
- Neurodepressing hormone, release from crustacean sinus gland, 128, 93
- Neurofilament proteins, mammalian, structural homologies, 134, 287
- Neurogenesis
 prenatal, in septal region, 129, 147
 thyroxine-induced, and lysosomal properties, 132, 407
- Neuroblast-glia interaction, in tissue culture, 122, 313
- Neuroglial relations, recapitulation in dorsal root ganglia cultures, 122, 344
- Neurohypophyseal peptides, attenuation of picrotoxin-induced amnesia by, 134, 139
- Neurohypophysis, two sorts of microvesicles in, 123, 159
- Nicotinic acetylcholine receptor, distribution in brain, 134, 161
- Nicotinic cholinergic receptors, brain, shown by Naja α -tonin, 131, 350
- Nicotinic cholinergic stimulation, release of NA from pheochromocytoma cells, 138, 521
- Nicotinic receptors
 in *Drosophila*, shown by α -bungarotoxin, 130, 551
 on Renshaw cells, synaptic inhibitory mechanism for selective blockade of, by substance P, 137, 376
- Nictitating membrane, conditioning to tone during immobilization, 137, 127
- Nigral projections, branching, to thalamus and superior colliculus, 137, 361
- Nigrostriatal system
 GABA in, specificity of haloperidol and clozapine action, 133, 382
 DA and picrotoxin effect on striatal ACh, 126, 382
 lesions, unilateral, body weight and regulatory deficits, 132, 467
 mechanisms of excitation and inhibition, 127, 219
 microinjections of 6-OHDA, and specificity of learning deficits, 127, 384
 terminals, DA-containing, specificity of 6-OHDA destruction, 122, 382
- Nigrotectal projections, autoradiographic study, 135, 147
- Nigrotectal relationships, possible role in turning behavior, 130, 383
- Nissl staining, of entorhinal cortex sections, 128, 354
- Nociceptors, cutaneous, polymodal, thermal sensitization, 127, 358
- Noise, stationary, visual detection of pattern in, after monocular deprivation, 127, 365
- Non-parametric technique, in study of trains of neuronal spike intervals, 125, 65
- Noradrenaline
 axoplasmic transport in locus coeruleus-hypothalamus system, 120, 303
 collateral inhibition of locus coeruleus neurons mediated by, 136, 570
 concentration in brain stem and hypothalamus, and renovascular hypertension, 136, 376
 cortical and cerebellar, role in associative motor learning, 134, 513
 depletion in forebrain, effects on response suppression, 126, 185
 depletion, stress-induced, protection against by 2-DG, 127, 179
 distribution in subcortical areas, 126, 53
 hypothalamic injections in neonate, effect on thermoregulation, 128, 473
 in brain and pituitary-adrenal axis, role in learning, 127, 372
 infusion, medullary neurons responsive to, 122, 556
 injection into neocortex and hippocampus, 121, 97
 modulation of uptake by synaptosomes, 121, 113
 neuronal responses, role of baseline firing rate, 126, 580
 release, from pheochromocytoma cells, 138, 521
 role in suckling- and estrogen-induced prolactin release, 133, 305
 synthesis, contributes to catecholamine accumulation after ligation of sciatic nerve, 136, 174
- Noradrenergic bundle
 ascending
 lesions and rotational behavior, 138, 487
 dorsal
 lesions fail to disrupt self-stimulation from locus coeruleus, 133, 37
 projections from locus coeruleus, importance in neocortical or hippocampal activation, 138, 75
 role in behavior control, 127, 382
- Noradrenergic fibers, and β -adrenoreceptors, in pre-

- and postsynaptic regions, 135, 347
- Noradrenergic neurons
 - ascending, effects of lesions on food intake and body weight, 128, 293
 - brain, axonal transport of fucosyl glycoproteins, 130, 421
 - central
 - axonal transport in, 127, 1
 - regenerative capacity, 135, 87
 - changes after cerebral infarction, 132, 259
 - in n. locus coeruleus, 5-HT innervation, 131, 197
 - α -Noradrenergic receptor binding, brain, distribution, 138, 151
 - Noradrenergic system, arising from locus coeruleus, and cortical development, 125, 1
 - Noradrenergic terminals
 - cerebellar, sprouting, after neonatal 6-OHDA, 124, 385
 - in cerebral cortex, 133, 197
 - in dentate gyrus, microscope study, 120, 327
 - locus coeruleus as main source, in spinal cord columns, 132, 85
 - Nose, odor stimulation of, and slow potentials in olfactory bulb, 128, 429
 - Noxious stimuli, activation of dorsal horn neurons, effect of substance P, 128, 164
 - Nuclear binding, of estrogen receptor, in neonatal brain, after steroid injections, 119, 375
 - Nuclear diameter, estimation, 133, 376
 - "Nuclear form" of hypothalamic estradiol receptor, 120, 580
 - Nuclei
 - cell, isolated, estimations of neuronal populations, 127, 279
 - split, correction for, in nuclear counts, 133, 376
 - Nucleoside derivatives, axonal release and transfer in entorhinal-hippocampal system, 134, 347
 - Nucleotide, cyclic, accumulation in cerebellum, 121, 182
 - Nucleus accumbens
 - DA in, 122, 177
 - dopaminergic mechanisms and behavior, 127, 375
 - effects of haloperidol on turnover times of GABA and ACh, 132, 375
 - efferent projections, 130, 217
 - local application of apomorphine, effect on reserpine rigidity, 133, 386
 - Nucleus accumbens septi-tuberculum olfactorium, lack of DAergic-cholinergic link in, 135, 255
 - Nystagmus, compensation after VIIIth nerve lesion in vestibulocerebellectomized cats, 135, 192

O

 - Obesity, genetic, hypothalamic and pituitary catecholamine levels, 131, 162
 - Obex region, ascending thalamic projections from, 138, 529
 - Octopamine, normal occurrence in CNS, 122, 281
 - Ocular dominance
 - columns, projection into visual field, 122, 336
 - during competitive development in visual deprivation, 136, 277
 - effect of monocular exposure to temporal contrasts, 134, 568
 - in striate cortex, organization, 134, 225
 - Ocular enucleation, and sleep-wakefulness rhythms, 122, 33
 - Ocular motoneurons, conduction velocity, input resistance and size, 135, 167
 - Oculomotor nucleus
 - development, 138, 217
 - evidence for sensorimotor links from pretectum, 127, 197
 - Oculomotor reflexes, retention in blind cave-dwelling crayfish, 134, 191
 - Oculomotor system, modulation of phasic activities, in paradoxical sleep, 120, 347
 - Odorant removal, from olfactory mucosa, 128, 158
 - Odorant responses, of nose, and slow potentials in olfactory tract, 135, 287
 - Odor-induced patterns of deoxyglucose consumption, in olfactory bulb, 124, 147
 - Odor-stimulation, of nose, and slow potentials in olfactory bulb, 128, 429
 - Oestradiol, see also under Estradiol
 - effect on hypothalamic tyrosine hydroxylase activity, 120, 188
 - Oestrogen, see also under Estrogen
 - concentrating cells, in brain and pituitary, localization, 123, 357
 - receptors
 - cytoplasmic, sex differences in brain and pituitary distribution, effect of gonadectomy and neonatal androgens, 129, 309
 - nuclear binding in neonatal brain after steroids, 119, 375
 - Oestrous cycle, and hypothalamic RNA fluctuations, 119, 471
 - Olfactory bulb
 - ablation, and cellular events in piriform cortex, 134, 13
 - HRP study of origin of central projections to, 136, 355
 - mitral and tufted cells, axonal projection patterns, 129, 152
 - neurons
 - alternating responses to repetitive lateral olfactory tract stimulation, 133, 150
 - glutamate decarboxylase localization, 126, 1
 - odor-induced patterns of deoxyglucose consumption, 124, 147
 - reciprocal synapses, questioning of evidence for, 128, 1
 - slow potentials in, 128, 429
 - transmitter histochemistry, 126, 455
 - Olfactory deafferentation, histological and behavioral analyses, 126, 325
 - Olfactory epithelium, intracellular recordings, 123, 275
 - Olfactory input
 - distribution, in mediodorsal n., 138, 229

- to thalamus, ventroposteromedial projection, 125, 166
- Olfactory mucosa, odorant removal from, 128, 158
- Olfactory nerve
 electrical stimulation, and slow potentials in olfactory bulb, 128, 429
 fast axonal transport, 121, 215
- Olfactory pathway, primary, denervation, 132, 11
- Olfactory receptors, early destruction, effect on brain Mg-ATPase and Na-K-ATPase activity and growth of olfactory and non-olfactory brain structures, 128, 170
- Olfactory receptor units, mammalian preparation, 133, 144
- Olfactory responses, time course, 132, 247
- Olfactory structures, brain, effect of early destruction of olfactory receptors, 128, 170
- Olfactory system, damage to, 121, 121
- Olfactory tract, lateral, repetitive stimulation, alternating responses of olfactory bulb neurons, 133, 150
- Olfactory tubercle, laminae, DA-sensitive adenylate cyclase in, 131, 303
- Oligodendrocytes
 encephalitogenic effects of preparations of, 120, 269
 preparation from brain, 124, 347
- Oligodendroglial fraction, cultured, lipid synthesis, 134, 377
- Oligomycin, effects on respiration in developing brain mitochondria, 120, 373
- Olive, inferior, see Inferior olive
- Operant conditioning
 discriminative, of vertical eye movements in midpontine pretrigeminal cat, 124, 99
 of short-latency components evoked by electrical stimulation of optic radiation fibers, 123, 373
 single unit, and precentral neuronal evoked activity, 124, 550
- Operant responding, with posterior midline cortical lesions, 125, 356
- Opiate antagonist, naloxone, reduces analgesia induced by raphe n. stimulation, 120, 221
- Opiate depression, selective, of sensory evoked synaptic networks in dorsal horn areas of spinal cord cultures, 133, 162
- Opiate receptors
 binding in pituitary gland, 124, 178
 localization in brain stem, 129, 1
 localization in spinal cord and lower medulla, 124, 53
 localization in telencephalon, 134, 393
- Opiates
 iontophoretic application to locus coeruleus, 122, 523
 systemic, response of medullary raphe n. neurons, 123, 363
- Opioid peptides, differentiation by radioimmunoassay and radioreceptor assay, 135, 358
- Opponent cells, locus of spectral neutral point, 119, 465
- Optically detectable axonal particles, rapid movement, inhibited by colchicine and vinblastine, 128, 227
- Optic chiasm collaterals, afferent to SCN, 137, 351
- Optic nerve
 antidromic stimulation, 121, 162
 effect of temperature on regenerative rate, 128, 405
 regenerating
 axonal transport of putrescine, spermidine and spermine, 130, 433
 bilateral tectal innervation by, 128, 417
- Optic radiation fibers, electrical stimulation, conditioning of short-latency components evoked by, 123, 373
- Optic tectum, role in visually mediated behaviors, 128, 393
- Organelles, axonal transport, cinemicrographic and computer analyses, 136, 197
- Organelles, intra-axonal, effect of temperature on rapid retrograde transport, 136, 215
- Orientation behavior, visual, effect of superior colliculus lesions, 127, 356
- Orientation detectors, in primary somatosensory neocortex, 129, 61
- Oscillation of ACh in Torpedo electric organ, 125, 123
- Osmotic opening of blood-brain barrier without brain edema, 136, 23
- Ouabain, binding in brain, effect of ethanol, 129, 183
- Ovulation, electrochemically stimulated, after surgical interruption of lateral hypothalamic connections, 131, 335
- Oxotremorine, used to study brain DA, GABA and ACh interactions, 135, 107
- Oxygen
 and increase in Purkinje and other large cerebellar cells, 128, 385
 pressure, cortical, during and after cerebral ischemia, 124, 158
 uptake, cerebral, catecholamine-mediated increase during stress, 119, 223
- P
- Pain characteristics (heat) constancy to changes in temperature, 131, 367
- Pain sensitivity, central control, role of 5-HT neurons, 127, 381
- Pallido-nigral pathway, substance P-containing fibers, 119, 447
- Papio papio*, connections of latero-dorsal n., 138, 1
- Parabrachialis lateralis n., discharge patterns of neurons during sleep and waking, 134, 59
- Paracervical ganglion, histochemical and biochemical characterization, 132, 393
- Paradigm for position learning in crayfish claw, 134, 185
- Paradoxical sleep
 and brain catecholamines after α -methylparatyrosine, 135, 123
 and modulation of phasic activities in oculomotor system, 120, 347

- Parafascicular n., and parafascicular posterolateral n., long axon neurons, **136, 543**
- Paralimbic neuron proteins, inhibitory effect of neonatal estrogen on [^3H]lysine incorporation, **127, 164**
- Paralysis
chronic, monocular, see Monocular paralysis
induced by allergic encephalomyelitis, **125, 192**
- Paraventricular n.
activity of neurons in cycling and lactating rats, **130, 505**
blood vessels, central monoaminergic innervation, **136, 166**
neurophysin-containing automatic pathway arising in, **128, 346**
projections to zona externa, **137, 1**
- Parietal lobule
inferior
afferents to, shown by retrograde transport, **123, 197**
limbic and sensory connections, **136, 393**
- Parkinsons' disease, and distribution of Na-independent GABA binding, **127, 269**
- Pars intermedia, heterogeneity of melanotropic peptides, **130, 169**
- Particle clusters, in axolemma of sciatic nerve, **130, 135**
- Particle rosettes, in periaxonal Schwann cell membrane of sciatic nerve, **130, 135**
- Particles, membrane-associated, of spinal cord presynaptic active zone, **130, 393**
- Pattern discrimination thresholds, after partial inferior temporal or lateral striate lesions, **120, 209**
- Pattern generators, central, for swimming in dogfish, **127, 291**
- Paw, dorsum, phasic gain control of reflexes during spinal locomotion, **132, 121**
- Peduncle, superior cerebellar, efferent connections, **133, 237**
- Penicillin
afterdischarges, presynaptic origin at nerve terminals, **138, 59**
effects on iontophoretic responses in Aplysia, **136, 89**
epileptogenic action, in spinal motoneurons, **128, 569**
localization in neocortex during focal epilepsy, **125, 293**
- Peptides
enzymatically stable, penetration through blood-CSF barrier, **121, 81**
melanotropic, in pars intermedia and brain, heterogeneity, **130, 169**
neurohypophyseal, attenuation of puromycin amnesia, **134, 139**
opioid, see Opioid peptides
- Perception, of visual pattern and form, after superior colliculus ablation, **127, 355**
- Periaqueductal central gray
as a morphine-specific locus of action, **124, 283**
loci, morphine-induced and stimulation produced analgesia at, **124, 283**
- Periaxonal Schwann cell membrane, particle rosettes, **130, 135**
- Perikarya, neuronal, in locus coeruleus and subcoeruleus, **134, 359**
- Perimetry methods, applied to monocularly- and binocularly-deprived cats, **127, 366**
- Peripheral auditory adaptation, site of occurrence, **123, 176**
- Peripheral control, of central pattern generators for swimming, **127, 291**
- Peripheral nerves
stable, long-term recordings, **128, 21**
structural changes by calcium ionophore, **136, 1**
sympathetic, retrograde transport and selective trans-synaptic migration of tetanus toxin, **122, 459**
- Peripheral nervous system
developing, hydrolysis of triphosphoinositides, **137, 333**
sexual differentiation of neurotransmitter enzymes, **132, 176**
- Peripheral stimulation, response of medullary raphe neurons, **123, 363**
- Periventricular catecholamine bundle, dorsal, role in stimulation-produced analgesia, **130, 335**
- Permeability of blood-brain barrier, after portocaval anastomosis, **138, 550**
- Peroxidase
histochemistry, of pulvinar n. and prestriate cortex connections, **134, 249**
labelling, of lateral geniculate neurons, decreases after deafferentation, **120, 133**
retrograde transport in dystrophic motor neurons, **119, 454**
- Petrosal ganglia, search for autonomic ganglion cells, **124, 29**
- Phasic activities, in oculomotor system, modulation during paradoxical sleep, **120, 347**
- Phasic gain control, of reflexes from paw dorsum during spinal locomotion, **132, 121**
- Phenylethanolamine N-methyltransferase
location and characterization, **119, 199**
stimulation in superior cervical ganglia by NGF, **138, 309**
- Phenylethylamine, direct postsynaptic DA receptor stimulating action, **127, 317**
- Pheochromocytoma cells
ascorbic acid transport, **136, 131**
in a bioassay for NGF activity, **133, 350**
NA release by nicotinic cholinergic stimulation, **138, 521**
responsive to NGF, catecholamine uptake, release and storage, **129, 247**
- Phosphatidylethanolamines, biosynthesis from ethanolamine, **124, 317**
- Phospholipase A inhibitor, failure to inhibit β -bungarotoxin phospholipase A, **120, 577**
- Phosphorylation
cAMP-stimulated, of protein substrate, **125, 325**
of brain proteins, antagonistic action of diphenylhydantoin and Ca, **134, 125**
- Photoreceptor

- caudal, submitted to conditioning paradigm, activity of, **124, 449**
 synaptogenesis, and localization of concanavalin A binding sites, **119, 57**
- Phrenic nerve, myelinated fibers, Wallerian degeneration, **130, 47**
- Physostigmine infusion, and arousal during normal sleep, **122, 562**
- Picrotoxin, effect on striatal ACh and DA nigrostriatal system, **126, 382**
- Pigment epithelium, entry of taurine, **128, 497**
- Pineal
 circadian rhythm of tryptophan hydroxylase, **138, 364**
 progesterone metabolism, **125, 313**
- Piperidine, intraventricular, uptake and metabolism, and effects on sleep and wakefulness, **134, 501**
- Pituitary-adrenal axis
 and brain NA, role in learning, **127, 372**
 role in footshock-induced increase of lysine incorporation into proteins, **120, 317**
- Pituitary gland
 catecholamine levels in genetic obesity, **131, 162**
 cytoplasmic estrogen receptors, sex difference in distribution, **129, 309**
 cytosols, corticosteroid binding, **130, 564**
 distribution of endorphins, **124, 523**
 localization of estrogen-concentrating cells, **123, 357**
 ontogeny of neurophysin, **129, 275**
 opiate receptor binding, **124, 178**
- Planorbarius corneus*, isolated neurons, **121, 131**
- Polyacrylamide gel-based isoelectric focussing, **130, 564**
- Polymodal receptors, in dog testis, **136, 553**
- Polymodal nociceptors, cutaneous, thermal sensitization, **127, 358**
- Polypeptide H, intra-axonal transport, **136, 289**
- Polypeptides, deposition, in axon and nerve terminals, **121, 215**
- Polyribosome aggregation, in visual cortex, affected by visual deprivation, **119, 73**
- Pons
 amino acid incorporation after spinal cord hemisection, **122, 475**
 gigantocellular neurons, selective firing during movement and REM sleep, **128, 146**
 projection to cerebellar vermal visual area, HRP study, **123, 209**
- Ponto-geniculo-occipital waves, reversible blockade and changes in thalamic unit activity, **137, 305**
- Populations
 of neurons in cerebellum, estimations from isolated cell nuclei, **127, 279**
 response characteristics in anterior motorsensory cerebral cortex, **137, 277**
- Porphylin precursor, effect on isolated neuronal preparation, **126, 189**
- Portocaval anastomosis, permeability of blood-brain barrier, after, **138, 550**
- Position learning, in crayfish claw, a paradigm for, **134, 185**
- Postganglionic sympathetic neurons, destruction, effect on development of choline acetyltransferase and survival of preganglionic neurons, **136, 455**
- Post-impulse depression, effect on background firing, **126, 243**
- Post-mortem changes, of brain choline and ACh, **128, 580**
- Postnatal changes, in rate of high-frequency bursts of inspiratory activity, **132, 537**
- Postnatal development
 of caudate n., Golgi and EM study, **133, 251**
 of CNS S-100, **123, 331**
- Postnatal growth, of olfactory bulbs and cerebellum, effect of early destruction of olfactory receptors, **128, 170**
- Post-stimulus histograms, on static fusimotor stimulation, **134, 180**
- Postsynaptic and presynaptic regions of brain, β -adrenoreceptors and NA fibers, **135, 347**
- Postsynaptic densities, and lectin receptors, **126, 154**
- Postsynaptic DA receptors, striatal, changes in sensitivity, **136, 219**
- Postsynaptic inhibition, in spinal motoneurons, effect of cobalt, **134, 372**
- Postsynaptic potentials
 in afferent nerve fibers of posterior semicircular canal, **135, 67**
 incrementing, on pyramidal tract cells, evoked by stimulation of n. centralis lateralis, **132, 541**
- Postsynaptic potentiation, of slow muscarinic excitatory response, by tetraethylammonium chloride, **137, 381**
- Post-tetanic spontaneous spike activity, in sympathetic neurons exposed to low K, **123, 287**
- Posture, influence on recurrent inhibition, **124, 427**
- Potassium chloride, injection into neocortex and hippocampus, **121, 97**
- Potassium dependence of membrane potentials in *Necturus* vestibular system, **136, 366**
- Potassium
 extracellular concentration
 in cerebral cortex, ceiling of stimulus-induced rises, **120, 231**
 kinetics of changes during hypoxia and anoxia in cerebral cortex, **123, 113**
 low concentration, post-tetanic spontaneous spike activity in sympathetic neurons exposed to, **123, 287**
 -stimulated release of β -alanine and GABA, **121, 179**
- Potentials
 evoked
 in somatosensory cortex, multiple loci, **124, 162**
 in visual deprivation, distribution and temporal response characteristics, **130, 572**

- gross movement-related, cortical, and neuronal activity, **132, 362**
- postsynaptic, see Postsynaptic potentials
- slow, in olfactory bulb, **128, 429**
- shifts, steady evoked, cortical, effect of barbiturate and procaine on glial and neuronal contributions, **134, 479**
- waves, square-shaped, Ba^{2+} -induced, in molluscan neurons, **123, 384**
- Potential, of excitatory synaptic action, of commissural, associational and entorhinal afferents to dentate granule cells, **134, 551**
- Precentral neurons, evoked activity, and single unit operant conditioning, **124, 550**
- Precerebellar afferents, to n. interpositus anterior, **122, 197; 122, 215**
- Predatory aggression, inhibition by D- and L-amphetamine, **124, 565**
- Prefrontal contributions to somesthetic learning, **132, 521**
- Preganglionic cholinergic neurons, survival, effect of destruction of postganglionic sympathetic neurons, **136, 455**
- Preganglionic fibers, vagal, to sino-atrial and atrioventricular node regions in heart, origins, **130, 545**
- Pregnancy, effects of stress on catecholamines, **121, 385**
- Pregnant Mare's Serum Gonadotropin, treatment and precocious puberty and synaptogenesis in arcuate n., **129, 375**
- Prenatal development, of sensorimotor cortical projections, **138, 538**
- Prenatal neurogenesis, in septal region, **129, 147**
- Preoptic area
- dorsal inputs and regulation of sexual behavior, **127, 296**
 - identification of catecholaminergic innervations, **127, 127**
 - medial
 - lesion, effects on mating behavior, **120, 158**
 - neuronal activity after median eminence stimulation, **120, 342**
 - ultrastructure of, **122, 415**
 - neuronal circuitry, **133, 95**
 - sex differences in dendritic patterns, **126, 63**
- Preoptico-amygdaloid LH-RH pathway, ventral, **124, 538**
- Prepositus hypoglossi n., electrical stimulation, **121, 157**
- Pressor responses to central injections of angiotensin II and carbachol, **124, 305**
- Pressure system for intra- and extracellular ejections of picoliter volumes, **136, 141**
- Presynaptic active zone, in spinal cord, membrane-associated particles, **130, 393**
- Presynaptic and postsynaptic areas of brain, NA fibers and β -adrenoreceptors, **135, 347**
- Presynaptic and postsynaptic mechanisms, involved in rotation, reciprocity, **129, 385**
- Presynaptic configurations, two types in insect central synapses, **130, 25**
- Presynaptic DA receptors, striatal, changes in sensitivity, **136, 319**
- Presynaptic inhibition, of an extensor monosynaptic reflex, influence of a supraspinal monoaminergic system, **124, 109**
- Presynaptic nerve endings, evidence for tetanus toxin binding, **121, 379**
- Presynaptic origin, of penicillin afterdischarges, at nerve terminals, **138, 59**
- Pretectal n., organization of neurons with visual responses, **127, 355**
- Pretectum, autoradiographic study of projections and sensorimotor links to thalamus and oculomotor n., **127, 197**
- Primary afferent fibers, origins in spinal ventral roots, **126, 350**
- Primary auditory cortex, enhancement of visual responses after destruction of cochlear receptors, **129, 162**
- Primary field A1, of auditory cortex, binaural columns, **138, 241**
- Primary somatosensory neocortex, orientation detectors, **129, 61**
- Procaine, effect on glial and neuronal contributions to evoked cortical steady potential shifts, **135, 479**
- Procion yellow, ocular motoneurons stained with, **135, 167**
- Progesterone metabolism, in pineal, brain stem, thalamus and corpus callosum, **125, 313**
- Projection patterns of olfactory bulb mitral and tufted cells, **129, 152**
- Projections, retinal, direct, ipsilateral, in Carassius, **124, 533**
- Prolactin
- effects of degeneration and regeneration of brain 5-HT neurons, **134, 317**
 - in serum and CSF, **132, 477**
 - in serum of rats with hypothalamic islands, not suppressed by stalk-ME extract, **125, 170**
 - preferential increase in DNA turnover, **122, 177**
 - release, forebrain pathways concerned with, **119, 211**
 - secretion, and hypothalamic deafferentation, **127, 137**
 - suckling- and estrogen-induced release, role of NA, **133, 305**
- Proliferation
- astrocytic, biochemical correlates in mutant Staggerer, **128, 389**
 - of cells, effect of reserpine, **129, 283; 129, 299**
 - of entorhinal efferents in dentate gyrus, **125, 11**
 - of lymphocytes and astrocytes in vitro, caused by myelin basic protein, **132, 580**
- Proline
- and leucine, incorporation into dorsal column neurons, **132, 485**
 - labeled protein, reutilization of precursor after axonal transport, **122, 243**
 - microimplantation on ion exchange resin, **124, 341**
 - transneuronal transport, **121, 343**

- transneuronal transport in visual system, **129**, 346
- Pronase, effect on choroid plexus transport, **134**, 573
- Proestrous surge of LH, modulation by stimulation of amygdala and hippocampus, **128**, 81
- Prostaglandin
 cAMP, and morphine analgesia, **128**, 275
 neonatal hypothalamic injections, effect on thermoregulation, **128**, 473
 -induced hyperthermia, mediation by sites in brain, **120**, 251
 stimulation of cAMP by, absence of morphine antagonism, **120**, 263
- Protein
 14-3-2
 localization in brain, **122**, 582
 preparation and properties, **124**, 497
 subunit structure, **124**, 509
 and behavioral plasticity, **136**, 227
 basic
 differentiation of synthesis from incorporation, in myelin of Quaking mutant, **120**, 517
 radioimmunoassay, **120**, 193
 brain filament, subunits, anomalous electrophoretic properties, **133**, 341
 incorporation of [³H]lysine, effect of neonatal estrogenization, **127**, 164
 intermediate brain filament, and tubulin, comparison, **132**, 167
 low molecular weight, from *Aplysia*, transport and processing, **129**, 75
 myelin encephalitogenic, detection of antibodies, **129**, 121
 myelin, factors affecting electrophoretic analysis, **126**, 131
 pattern, alterations in hippocampal and cortical cells with training, **119**, 427
 release from axons during fast axonal transport, **125**, 141
 S-100, brain levels after protein restrictions, **129**, 187
 substrate, in molluscan nervous system, phosphorylation, **125**, 325
 synthesis
 brain, cell-free, after ethanol withdrawal, **126**, 509
 inhibition and cycloheximide dose, close correlation with memory impairment, **131**, 184
 in regenerating motor neurons, **125**, 227
- Proteins
 brain and liver, increase of lysine incorporation by footshock, **120**, 317
 brain, antagonistic action of diphenylhydantoin and Ca on level of phosphorylation, **134**, 125
 defective incorporation in myelin of Quaking mutant, **120**, 507
 mammalian neurofilament, structural homologies, **134**, 287
 membrane-linked, at CNS synapses, **132**, 172
 newly formed, synthesis and transport in dendrites of hippocampal pyramid cells, **124**, 237
 rapidly transported in isolated nervous system, slab gel analysis, **124**, 191
 transported in retinal ganglion cells, evidence for a 5th (very slow) group, **136**, 289
 Proteolytic enzymes, in experimental allergic encephalomyelitis, **123**, 147
Pseudomys scripta, visual cortex, **130**, 197
 Psychoactive potency of psychomimetic glycolates, and their binding affinities, **124**, 331
 Psychomimetic glycolates, relationship of binding affinity to psychoactive and anticholinergic potency, **124**, 331
 Psychomotor stimulant drugs, potentiation of brain reward mechanisms, **127**, 383
 Puberty, precocious, in PMSG-treated immature female rats, **129**, 375
 Pulmonary stretch receptor reflex, antidromic invasion latencies of sympathetic preganglionic neurons related to, **135**, 162
 Pulvinar and lateral posterior n., eye movements evoked by stimulation, **124**, 361
 Pulvinar n.
 and prestriate cortex, connections between, **134**, 249
 lesions and abnormal eye movements during visual discrimination training, **136**, 189
 Pulvinar terminals, in visual areas 17 and 18, distribution, **137**, 343
 Pupillary light reflex, cerebellar control, **128**, 69
 Purkinje cells
 activity during motor learning, **128**, 309
 β -adrenoreceptors on, **128**, 532
 increase in final numbers by oxygen and glucose, **128**, 385
 Puromycin-induced amnesia, attenuation by neurohypophyseal peptides, **134**, 139
 Putamen, neurons, microiontophoretic effects of substance P, **135**, 174
 Putrescine, axonal transport in regenerating optic nerves, **130**, 433
 Pyramid cells
 dendritic activity, and electrophysiological properties of inactivation response, **130**, 89
 spines along apical shaft, effect of hypothyroidism, **126**, 547
 synthesis and transport of proteins in dendrites, **124**, 237
 Pyramidal tract cells
 short-latency EPSPs
 and incrementing PSPs by n. centralis lateralis stimulation, **132**, 541
 evoked by striatal stimulation, **132**, 547
 Pyrogen, hypothalamic injections in neonate, effect on thermoregulation, **128**, 473
- Q
- Quaking mutant
 defective incorporation of proteins in myelin, **120**, 507

- differentiation of synthesis from incorporation of basic proteins in myelin, **120**, 517
- Quipazine, regional differences in sensitivity of striatal cholinergic neurons, **136**, 487
- R**
- Radioautographic localization
 of Ca in cholinergic axon terminals, **121**, 348
 of estrogen-concentrating cells in brain and pituitary, **123**, 357
- Radioimmunoassay
 of basic protein, to monitor myelin, **120**, 193
 to recognize new brain differentiation antigens, **133**, 139
- Radiolabeled substrates, incorporation into isolated neurons, **132**, 107
- Radioreceptor assay, differentiation of opioid peptides, **135**, 358
- Rana esculenta*, cerebellar neurons, visual input, **127**, 362
- Ranid frogs, obex region, ascending thalamic projections from, **138**, 529
- Ranvier nodes, in electric organ, distribution of membrane-associated particles, **125**, 197
- Raphe nucleus
 of midbrain and habenula, shown by retrograde tracing, **122**, 229
 centralis inferior, stimulation, effects on dorsal horn interneurons, **126**, 355
 circadian variations of tryptophan-5-hydroxylase, **123**, 125
 dorsal, afferent connections, **136**, 11
 dorsal and median, response of striatal cells to stimulation of, **122**, 357
 dorsal
 5-HTergic afferents to, **119**, 269
 stimulation, inhibition of amygdala neurons, **120**, 85
 5-HTergic neurons, lesions, effects on interspecific aggression (French), **133**, 167
 lesions, in neonate
 biochemical changes in 5-HTergic innervation, **127**, 111
 neurophysiological aspects of sleep, **127**, 99
 magnus, inhibition of dorsal horn neurons, **126**, 441
 medullary, response of neurons to peripheral stimulation and systemic opiates, **123**, 363
 medullary, stimulation, cardiovascular responses, **128**, 141
 midbrain, antidromically identified 5-HTergic neurons, collateral inhibition, **132**, 186
 role in regulation of adrenal tyrosine hydroxylase, **122**, 183
 stimulation
 analgesia produced by, reduced by naloxone, **120**, 221
 mesencephalic, inhibition of stress mechanism, **127**, 385
- Rapid eye movement sleep
 selective firing of pontine gigantocellular neurons, **128**, 146
- specific neuronal activity, and relationship to breathing, **120**, 197
 time-dependent induction during normal sleep, **122**, 562
- Reception, of focussed ultrasound, effects on skin and deep receptor structures, **135**, 265
- Receptive field, of X-, Y- and intermediate cells in lateral geniculate n., **121**, 151
- Receptive field classes, of cells in striate cortex, **133**, 1
- Receptive field properties, of ventral lateral geniculate n., **132**, 163
- Receptor
 ACh, see under Acetylcholine, Muscarinic and Nicotonic
 adrenergic, see under Adrenergic
 angiotensin II, distribution in brain, **122**, 299
 binding
 α -Nalergic, in brain, regional distribution, **138**, 151
 of GABA in brain, stereospecificity and structure-activity requirements, **124**, 185
 of neurotensin, in brain membranes, **130**, 299
 of opiates, in pituitary gland, **124**, 178
 block, in superior cervical ganglion, and dissociation of α -bungarotoxin binding, **129**, 165
 α -bungarotoxin, two types in retina, **138**, 29
 cochlear, destruction, and enhancement of visual responses on primary auditory cortex, **129**, 162
 corticosterone and dexamethasone, in brain, ontogeny, **134**, 445
 cytoplasmic, estrogen, in brain and pituitary, sex difference in distribution, **129**, 309
 dopamine, see under Dopamine
 5-hydroxytryptamine, see under 5-Hydroxytryptamine
 lectin, see under Lectin
 muscarinic, see under Muscarinic and Acetylcholine
 nicotinic, see under Nicotinic and Acetylcholine
 opiate, see under Opiate
 polymodal, in dog testis, **136**, 553
 structures
 effects of focused ultrasound, **135**, 265; **135**, 279
 units, olfactory, mammalian preparation, **133**, 144
- Reciprocal synapses, of olfactory bulb, questioning the evidence, **128**, 1
- Reciprocal thalamocortical connections, **130**, 538
- Recording
 extra- and intracellular, from substantia gelatinosa Rolandii, **136**, 565
 single unit, in midbrain during shock-elicited fighting, **120**, 469
 stable, long-term, from peripheral nerves, **128**, 21
- Recruitment

- order, of fast twitch motor units of flexors, 134, 47
- threshold, of motor units, 125, 91
- Recurrent axon collaterals, evidence for direct synaptic connections between spinal α -motoneurons, via, 132, 1
- Recurrent depression, of Ia IPSPs in dorsal spinocerebellar tract neurons, lack of, from motor axon collaterals, 129, 158
- Recurrent inhibition
 - influence of voluntary movement and of posture, 124, 427
 - of extensor motoneurons, depression by group II afferents, 120, 459
- Recovery, behavioral, see Behavioral recovery
- Red nucleus neurons, activity, and a skilled forelimb movement, 131, 383
- Redox state
 - of brain cytochrome a_{a3} , effects of hyperoxia and cortical stimulation, 128, 553
 - of in vivo cerebral cortex, two-dimensional analysis, 119, 357
- Reeler mutant, failure to show spontaneous alternation, 124, 168
- Reflex
 - corneal blinking, neural mechanisms, 125, 265
 - facio-facial, in facial muscles, electrophysiological evidence, 119, 459
 - female, sexual, influence of p-chloroamphetamine, 123, 347
 - from dorsum of paw during spinal locomotion, phasic gain control, 132, 121
 - gill-withdrawal, see Gill withdrawal reflex
 - long, spinal, reversal of sign, dependent on phase of step cycle, 128, 447
 - lordosis, facilitation by lateral vestibular stimulation, 134, 333
 - monosynaptic, extensor, presynaptic inhibition, influence of supraspinal monoaminergic system, 124, 109
 - oculomotor, retention in blind cave-dwelling crayfish, 134, 191
 - pulmonary stretch receptor, see under Pulmonary
 - pupillary, light, cerebellar control, 128, 69
- Reflex actions, evoked by stimulation of group II afferents, 122, 551
- Reflex activity, of PVN units in cycling and lactating rats, 130, 505
- Reflex control, of crayfish claw motor neuron during imposed dactylopodite movements, 130, 348
- Reflex organization, of spinal cord thoracic and lumbar segments, 124, 415
- Refraction, of eye, and behavior, relation between, 127, 360
- Regeneration
 - axonal, see Axonal regeneration
 - delayed, of retino-diencephalic projections, 125, 149
 - of brain 5-HT neurons after 5,7-dihydroxytryptamine, 134, 317
 - of motor neurons
 - path and rate of growth, 125, 213
 - protein synthesis, 125, 227
 - of optic nerve
 - bilateral tectal innervation by, 128, 417
 - effect of temperature, 128, 405
 - transport of putrescine, spermidine and spermine, 130, 433
 - retinal, electroretinogram, 136, 148
- Regenerative capacity, of central DAergic, NAergic and cholinergic neurons, 135, 87
- Regulation, of food intake, and hypothalamic catecholamine metabolism, 135, 325
- Regulatory deficits, and body weight after nigrostriatal lesions, 132, 467
- Reinnervation
 - experimental, of hippocampus by sympathetic ganglia, 138, 259
 - monoaminergic, of transected spinal cord, by fetal brain grafts, 129, 227
 - of iris tissue implanted into midbrain, 138, 423
- Relay cells, percentage in lateral geniculate n., 131, 167
- Renal sympathetic nerve activity, depressant action of posterior lobe of cerebellum, 133, 371
- Renovascular hypertension, and changes in NA concentration in brain stem and hypothalamic nuclei, 136, 376
- Renshaw cells, nicotinic receptors, a possible synaptic inhibitory mechanism for selective blockade by substance P, 137, 376
- Repeated stimulation, see under Stimulation
- Repetitive action potentials, modulation in AC-stimulated neurons, 122, 361
- Representation, of cochlea, within anterior auditory field, 130, 447
- Reserpine
 - biochemical study of effect on cell proliferation in developing brain, 129, 283
 - effect on cell proliferation, quantitative histological study, 129, 299
 - effect on development of tyrosine hydroxylase activity, 122, 503
 - induction of rigidity, effect of application of apomorphine to corpus striatum, and n. accumbens, 133, 386
 - induction of saccadic eye movements, 127, 362
 - pretreatment with, 129, 379
- Resin, ion-exchange, microimplantation of [^3H]-proline on, 124, 342
- Resistance
 - membrane, in spinal motoneurons, 128, 569
 - persistent, negative, in lumbar motoneurons, 120, 173
- Respiration
 - effects of met-enkephalin applied to ventral surface of brain stem, 138, 585
 - in developing mitochondria, effects of oligomycin, 120, 373
 - mediation by brain stem, identification of TRH-sensitive sites, 126, 105
- Respiratory cycle, activity modulation in n. of the solitary tract, 133, 81
- Respiratory group neurons, dorsal, spinal projec-

- tions, responses to lung inflation and superior laryngeal nerve stimulation, **135, 231**
- Respiratory motor neurons, identification, firing characteristics and interconnections, **136, 261**
- Response
- alternating, of olfactory bulb neurons to repeated stimulation of lateral olfactory tract, **133, 150**
 - characteristics, of glabrous rapidly-adapting units, dependence on stratum corneum, **126, 167**
 - crossed, of lateral vestibular neurons to macular labyrinthine stimulation, **131, 152**
 - decrement, in a hippocampal basket cell, **130, 354**
 - suppression
 - and neurotransmitters, **127, 377**
 - effect of forebrain NA depletion, **126, 185**
- Resting potential, of organ-cultured skeletal muscle, effects of tissue extracts, **119, 133**
- Retardation, of habituation, in *L7s* elicited gill withdrawal response, **134, 387**
- Reticular formation
- brain stem, and control of dorsal spinocerebellar tract activity, **129, 361**
 - rostral mesencephalic, eye movement-related activity, **130, 239**
- Reticular influences, on lateral posterior thalamic neurons, **131, 55**
- Reticular nucleus, lateral, macular labyrinthine input to contralateral reticular n., **131, 147**
- Reticulo-cuneate projections, shown by HRP, **128, 341**
- Reticulo-olivo-cerebellar circuits, organization, **137, 253**
- Retina
- cholinergic system, **138, 469**
 - developing, monoamine oxidase, **135, 305**
 - DA sensitivity during aging, **138, 565**
 - DA turnover, effect of haloperidol and sulpiride, **135, 374**
 - ganglion cells, differential response to moving stimuli, **122, 157**
 - evidence for a 5th (very slow) group of transported proteins, **136, 289**
 - histological and physiological studies, **119, 327**
 - effect of lid suture, **122, 437**
 - three-group classification, **119, 327**
 - isolated, spreading depression, **120, 67**
 - localization of concanavalin A binding sites during photoreceptor synaptogenesis, **119, 57**
 - neural, entry of taurine, **128, 497**
 - stimulated release of β -alanine from, **120, 447**
 - synaptic layers, two types of α -bungarotoxin receptor, **138, 29**
 - whole mounts for differential-interference microscopy, **124, 140**
- Retinal adaptation, various levels, and maintained activity of single neurons in visual cortex, **124, 251**
- Retinal amacrine, swelling in response to Ω -amino acids, **125, 161**
- Retinal axons, in lateral geniculate n., lack of intralaminar sprouting, **126, 201**
- Retinal inputs, onto visual cortical cells, convergence, **137, 207; 137, 221**
- Retinal projections
- direct, ipsilateral, in *Carassius*, **124, 533**
 - to tectum devoid of degenerating debris, immediate compression, **133, 367**
- Retinal regeneration, electroretinogram during, **136, 148**
- Retinal rod outer segments, light-stimulated release of taurine, **135, 186**
- Retinodiencephalic connections, formation from *Xenopus* compound eye, **125, 345**
- Retinodiencephalic projections, delayed regeneration, **125, 149**
- Retinohypothalamic projection
- developing, structural features, **132, 141**
 - electrophysiological evidence for the existence in female rats, **120, 336**
- Retinopulvinar projection, **134, 237**
- Retinotectal projection
- failure of continuous light to inhibit compression of, **128, 153**
 - mapping of development by autoradiography, **127, 55**
- Retinotopic organization, in thalamic reticular n., **138, 407**
- Retrograde axonal transport
- analysis of efferent connections of septal area, **119, 1**
 - and localization of NGF-HRP coupling product in adrenergic neurons, **130, 190**
 - and transsynaptic migration of tetanus toxin, **122, 459**
 - in peripheral sympathetic nerves, **122, 459**
 - of HRP, **124, 135**
 - of HRP
 - for determining motor projection patterns to developing limb, **134, 197**
 - in study of pontine projection to cerebellar vermal visual area, **123, 209**
 - to lateral geniculate n., and lateral posterior n., **137, 233**
 - used to show cerebellar afferents from motor nuclei of cranial nerves, **137, 158**
 - of NGF, effect on morphology of adrenergic neurons, **134, 213**
 - of peroxidase in motoneurons in dystrophy, **119, 454**
 - to show afferents to inferior parietal lobule, **123, 197**
 - to show projections from inferior olive to cerebellar nuclei, **130, 405**
- Retrograde horseradish peroxidase method, to identify tectal afferent neurons, **130, 142**
- Retrograde movement, of radioactive compounds in isthmo-tectal path, **129, 197**
- Reversal learning, in T maze, effects of ventral mesencephalic tegmentum lesion, **127, 383**
- Reversal of sign, of long spinal reflexes, dependent on phase of step cycle, **128, 447**
- Reward mechanisms of brain, potentiation by psy-

- chomotor stimulant drugs, 127, 383
- Rhythmic activity, of hippocampal units, 134, 546
- Rhythm
- resetting effects, fluctuations in sensitivity during step cycle, 133, 190
 - sleep and activity, circadian patterns, 131, 129
- Ribose nucleic acid
- hypothalamic, changes during estrous cycle, 119, 471
 - quantitative cytochemistry, in axotomized rubral neurons, 130, 469
- Rigidity, reserpine-induced, effect of apomorphine applied to corpus striatum and n. accumbens, 133, 386
- Rod sensitivity, in central vision, 119, 345
- Rosettes, of particles in Schwann cell membrane, 130, 135
- Rotation
- after substance P and eleoisois fragment intranigral application, 126, 576
 - morphine-induced, species differences, persistence of withdrawal-induced rotation and antagonism by naloxone, 123, 180
 - of eye, unilateral, physiological and behavioral consequences, 127, 364
 - reciprocity of pre- and postsynaptic mechanisms, 129, 385
- Rotational behavior
- by intranigral substance P and an eleoisois fragment, 126, 576
 - by unilateral lesions of ascending NAergic bundles, 138, 487
- Rotational model, quantitative, for studying 5-HT-ergic function, 124, 271
- Rubral neurons, axotomized, quantitative cytochemistry of RNA, 130, 469
- Ruthenium red, inhibition of Ca-dependent GABA release from synaptosomal fractions, 126, 160
- S
- Saccades
- and unit activity in brain stem, 127, 361
 - elicited by cortical stimulation, effect of collicular ablation, 122, 154
- Saccadic eye movements, reserpine-induced, and vestibulo-oculomotor neuron activity, 127, 362
- Sacral cord, lower, dorsal root potentials evoked by ventral root stimulation, 137, 356
- Saimiri sciureus*, inferior olivary n., gap junctions, 128, 374
- Salivatory neurons, innervate submandibular and sublingual glands, 137, 145
- Sarcolemma, non-junctional, membrane specializations after denervation, 137, 197
- Schwann cell membrane, particles rosettes, 130, 135
- Sciatic nerve
- ligation, NA synthesis contributes to catecholamine accumulation, 136, 174
 - particle rosettes in cell membrane, and particle clusters in axolemma, 130, 135
 - regeneration, effect of conditioning lesion and dibutyryl cAMP, 132, 443
 - transport of tyrosine hydroxylase, 121, 77
- Scratching, and activity of muscle spindle afferents, 129, 192
- Second order vestibular nerve activity, contribution of contralateral labyrinth, 138, 99
- Secretory nerve, submandibular, responses to taste stimuli, 130, 152
- Segments of leech, isolated, acquisition of swimming behavior, 131, 191
- Seizures
- experimental, ultrastructure of brain and blood-brain barrier, 127, 251
 - induced by 3-mercaptopropionic acid, 135, 337
- Selective cell loss, in lateral geniculate n., after binocular lid suture, 130, 81
- Self-administration, of morphine, effect of in utero administration of morphine on development of, 132, 194
- Self-stimulation
- concurrent, of forebrain and brain stem, effects of D-amphetamine, 137, 109
 - from locus coeruleus, not disrupted by dorsal NAergic bundle lesions, 133, 37
 - from midbrain, differential effects of morphine and D-amphetamine, 136, 103
 - hippocampal, monoamine involvement, 136, 119
 - intracranial
 - from entorhinal cortex, 137, 188
 - of substantia nigra, role of ascending catecholaminergic projections, 131, 271
 - lateral hypothalamic
 - and cardiovascular response, 129, 29
 - effects of medial forebrain bundle lesions, 133, 45
- Semicircular canal
- interactions with utricle from electrical stimulation of vestibular nerve, 125, 23
 - posterior, PSPs recorded from afferent nerve fibers, 135, 67
 - sensory afferents to, adaptive distortions in generator potential, 123, 41
- Senescence
- and partial deafferentation of neurons in dentate gyrus, 134, 541
 - of brain, dihydropteridine reductase and tyrosine hydroxylase, 132, 569
 - transport of glycoproteins in septo-hippocampal pathway, 125, 182
- Sensory afferents, to semicircular canal, adaptive distortions in generator potential, 123, 41
- Sensory connections, of parietal lobule, 136, 393
- Sensory discrimination performance to electrical cutaneous stimuli, 136, 360
- Sensory endings, of muscle spindle, affinity of Zn iodide-osmium stain, 128, 527
- Sensory evoked synaptic networks, in dorsal horn regions of spinal cord cultures, selective opiate depression, 133, 162
- Sensory mechanisms, are they affected by benzo-

- diazapines, 127, 384
- Sensory nerve
- colchicine block of cholinesterase transport, 130, 579
 - endings, of carotid body, axonal transport of labeled material, 124, 9
 - isolated, axonal transport of $^{45}\text{Ca}^{2+}$, 129, 45
- Sensory thalamic nuclei, projection areas, and succinate dehydrogenase activity in telencephalon, 124, 357
- Septal afferents
- to arcuate-ME region
 - effects of microiontophoretically applied LRF, 137, 154
 - electrophysiological and HRP studies, 137, 150
- Septal area
- efferent connections, 119, 1
 - lesions, see Lesions, septal
 - neurons, excitatory action of mesolimbic DA neurons, 129, 353
 - prenatal neurogenesis, 129, 147
 - role in ACh release from cerebral cortex and dorsal hippocampus, and the effect of atropine, 129, 237
 - specific uptake of a behaviorally potent ACTH analog, 131, 117
- Septal system, cholinergic, release and transfer of adenosine derivatives, 121, 353
- Septo-hippocampal pathway, transport of glycoproteins, 125, 182
- Septum
- basal, neuronal circuitry, 133, 95
 - electrical stimulation, 125, 37
- Serotonin, see 5-Hydroxytryptamine
- Serum
- and CSF, prolactin levels, 132, 477
 - LH, FSH and PRL, effects of de- and regeneration of 5-HT neurons, 134, 317
 - tryptophan levels, circadian variations, lack of correlation with 5-HT turnover, 123, 137
- Sex-dependent body weight loss after 6-OHDA injection into globus pallidus, 128, 559
- Sex differentiation
- in distribution of cytoplasmic estrogen receptors in brain and pituitary, 129, 309
 - in preoptic dendritic patterns, 126, 63
 - of neurotransmitter enzymes, 132, 176
- Sexual reflexes, female, influence of p-chloroamphetamine, 123, 347
- Shock
- ECS, effect on brain hydroxylation of tyrosine and tryptophan, 131, 313
 - induced aggression
 - and single unit recording from midbrain, 120, 469
 - involvement of amygdaloid n. in control, 127, 369
 - induced inhibition in lateral geniculate n., 137, 387
- Short-latency acoustic response of vertex, 137, 291
- Short-latency components, operant conditioning evoked by electrical stimulation of optic radiation fibers, 123, 373
- Short-latency excitatory postsynaptic potentials of pyramidal tract cells
- evoked by stimulation of n. centralis lateralis, 132, 541
 - evoked by stimulation of striatum, 132, 547
- Short-latency response, differentiated, increase after conditioning in inferior colliculus neurons, 130, 315
- Silver degeneration, in anatomical study of monoaminergic inputs, 122, 445
- Silver intensification method, for cobalt-filled neurons, 138, 359
- Simultaneous contrast, visual neurophysiology of, 127, 359
- Single unit responses, auditory, to weak, pulsed microwaves, 126, 370
- Sino-atrial and atrio-ventricular node regions of heart, origins of vagal preganglionic fibers to, 130, 545
- Sinus gland, crustacean, release of a neurodepressing hormone from, 128, 93
- Skeletal muscle
- cultured, passive electrical properties, 126, 172
 - fibers
 - blockade of repetitive action potentials by diazepam, 133, 315
 - developing, elimination of nerve terminals from endplates, 134, 279
 - multiply innervated, elimination of synapses, 138, 353
 - organ-cultured, effects of tissue extracts on resting action potentials, 119, 133
- Skeletofusimotor (β) unit, in soleus muscle, histochemistry and physiology, 129, 341
- Skilled forelimb movement, and activity of red n. neurons, 131, 383
- Skin
- afferents, low-threshold, influence on fusimotor neurons, 132, 153
 - effects of focussed ultrasound, 135, 265
 - glabrous
 - development of mechanoreceptive neurons, 129, 213
 - stimulus-response relations of high-threshold mechanothermal fibers, 128, 547
 - temperature
 - changes, and constancy of heat pain characteristics, 131, 367
 - effect on hypothalamic control of heat loss and production, 120, 367
- Slab gel analysis, of rapidly transported proteins in isolated nervous system, 124, 191
- Sleep
- active, cerebral activation and relations to behavior, 124, 544
 - and tryptophan, similar effects on cisternal CSF 5-HIAA and HVA, 124, 371
 - and wakefulness
 - and discharge patterns of n. parabrachialis lateralis neurons, 134, 59
 - effect of intraventricular piperidine, 134, 501

- arousal by physostigmine infusion, 122, 562
- desynchronized, 121, 59
- during food deprivation and restitution, 124, 457
- in neonate with midbrain raphe lesions, neurophysiological aspects, 127, 99
- paradoxical, and brain catecholamines after α -methylparatyrosine, 135, 123
- patterns, EEG, interhemispheric asymmetry in dolphins, 134, 581
- rapid eye movement
 - and selective firing of pontine gigantocellular neurons, 128, 146
 - time dependent induction during normal sleep, 122, 562
 - unexpected disruptions, 131, 129
- Sleep—wakefulness
 - effect of locus coeruleus lesions, 124, 473
 - rhythm
 - analysis after SCN lesions and ocular enucleation, 122, 33
 - circadian patterns, 131, 129
 - effects of lesions of ascending 5-HT pathways, 131, 287
 - recorded by miniature telemetry, automatic analysis, 132, 562
- Slices
 - of brain, energetics of amino acid incorporation, 131, 321
 - of cerebral hemisphere, stimulation of cAMP, effect of histaminergic agonists and antagonists, 126, 387
 - of cortex, electrically induced release of DA, 130, 483
 - of hippocampus
 - dentate fascia—field CA3 relations in vitro, 135, 55
 - striatum, and cortex, effect of cholinergic drugs on ACh release, 123, 311
 - of spinal cord and cerebral cortex, compartmentation of amino acid metabolism, 127, 302
 - of striatum, release of DA, 5-HT, ACh and GABA, 135, 368
- Slow muscarinic excitatory response, postsynaptic potentiation by tetraethylammonium chloride, 137, 381
- Slow muscle, retrograde transport of peroxidase in motor neurons, 119, 454
- Slow potentials in olfactory bulb, in response to odor stimulation of nose and electrical stimulation of olfactory nerve, 128, 429
- Small intensely fluorescent cells in sympathetic ganglion, identification as chromaffin cells, 128, 213
- SN4, see Myelin related fraction
- SI neurons, see Cortex, primary somatosensory
- Sodium
 - channels, voltage-dependent, comparative pharmacology, 135, 37
 - deficiency, and changes in gustatory nerve discharges, 121, 373
 - intracellular, in squid giant synapse, modulation of transmitter release, 134, 367
 - K-ATPase activity of olfactory bulb cortex, cerebellum, hypothalamus and posterior neocortex, effect of destruction of olfactory receptors, 128, 170
- Soleus muscle, skeletofusimotor (β) unit, histochemistry, and physiology, 129, 341
- Solitary nuclei, medial, innervation of stomach, 122, 125
- Solitary tract, see Tractus solitarius
- Somatosensory area SI, dual origin of fibers projecting to, from neocortex, 132, 159
- Somatosensory neocortex, primary, orientation detectors, 129, 61
- Somatosensory pathways, axonal transport of adenosine, 122, 132
- Somatostatin
 - effect on Ca transport in cortical synaptosomes, 123, 193
 - like immunoreactivity, of synaptic terminals in brain, 137, 181
 - regional distribution in brain, 126, 584
 - subcellular distribution in brain, 126, 309
- Somatotopic organization, in corticotectal projection of somatic sensory cortex, 133, 223
- Somatotopic projections, of *Xenopus* ventral horn, neuronal death in development, 134, 145
- Somesthetic learning, limbic and prefrontal contributions, 132, 521
- Spatial discrimination, in T maze, effects of ventral tegmentum lesion, 127, 383
- Spectral neutral point, locus, in opponent cells, 119, 465
- Spectrophotometry, flameless, atomic absorption, 130, 369
- Speed—force relations of fast twitch motor units of flexors, 134, 47
- Spermidine, transport in optic nerves, 130, 433
- Spermine, transport in optic nerves, 130, 433
- Spikes
 - activity, post-tetanic, spontaneous, in sympathetic neurons exposed to K, 123, 287
 - Ca, in hippocampal neurons, 135, 157
 - initiating sites, 138, 347
 - trains, neuronal, in substantia nigra, cell types and interactions, 136, 243
- Spinal afferents
 - direct, in areas projecting to cerebellar anterior lobe, 131, 1
 - terminal excitability, and GABA, 130, 360
- Spinal cat, response of thoracic dorsal horn interneurons to cutaneous stimulation and algogenic substances, 124, 437
- Spinal cord
 - cells, ionic determinants of excitability, 136, 445
 - cultures, sensory evoked synaptic networks, 133, 162
 - developing, choline acetyltransferase, 127, 159
 - dorsal horn neurons, inhibition by n. raphe magnus, 126, 441
 - effect of Ca on slices, 121, 179
 - explants, medium from, neurotrophic effects

- on electrical properties of cultured muscle cells, 128, 243
- extracts, effects on resting and action potentials of organ-cultured skeletal muscle, 119, 133
- excitatory and inhibitory synapses, effects of 4-aminopyridine, 136, 387
- hemisection, amino acid incorporation in medulla, pons, midbrain and cortex, 122, 475
- lesions, and sensitivity to tactile stimuli, 134, 529
- localization of opiate receptors, 124, 53
- neurons, ultrastructural localization of substance P, 122, 534
- presynaptic active zone, morphometric analysis of membrane-associated particles, 130, 393
- projections from limb areas of sensory motor cortex to, 135, 153
- reflex organization of thoracic and lumbar segments, 124, 415
- screening technique for neurotransmitters, 137, 37
- slices, compartmentation of amino acid metabolism, 127, 302
- TRH in, 122, 578
- topographical distribution of 5-HT terminals, 138, 393
- transection
 - during development, behavioral effects, 125, 241
 - effect on development of cholinergic and adrenergic sympathetic neurons, 134, 269
 - effects on lordosis reflex, 123, 75
 - monoaminergic reinnervation by fetal brain grafts, 129, 227
 - ventral and dorsal columns, projection from locus coeruleus as main source of NAergic terminals, 132, 85
- Spinal ganglion cells, embryonic, in vitro effects of chlorpromazine, 137, 323
- Spinal locomotion, and phasic gain control of reflexes from paw dorsum, 132, 121
- Spinal motoneurons
 - axons, velocity of conduction and of supra-spinal input, 120, 179
 - cell death after peripheral innervation, 125, 154
 - direct synaptic interconnections via recurrent axon collaterals, 132, 1
 - effects of intracellular cobalt on postsynaptic inhibition, 134, 372
 - electrotonic coupling, 138, 197
 - membrane resistance, monosynaptic EPSPs and epileptogenic action of penicillin, 128, 569
- Spinal neurons
 - responding to afferents in cardiac nerve, viscerosomatic convergence, 137, 164
 - responses to excitatory amino acids and ACh, effect of Mg^{2+} , 130, 364
- Spinal projections
 - from vestibular n., 122, 351
 - of dorsal horn respiratory group neurons in medulla, 135, 231
- Spinal reflexes, long, reversal of sign, dependent on
 - step cycle phase, 128, 447
- Spinal trigeminal nucleus, of neonate, axoaxonic synaptogenesis, 138, 534
- Spinal ventral roots, see Ventral roots
- Spinocerebellar neurons, 130, 146
- Spinocerebellar tract
 - dorsal
 - Ia IPSPs, lack of recurrent depression from motor axon collaterals, 129, 158
 - regulation of activity by brain stem reticular formation, 129, 361
- Spinocervical tract cells, arborization of initial axon collaterals, 135, 1
- Spinofacial path, electrophysiology, 138, 545
- Spinoreticular neurons, somatosensory properties, 120, 49
- Spinothalamic tract, convergence of muscle and cutaneous input, 124, 555
- Spines, along pyramidal neurons, effect of hypothyroidism, 126, 547
- Spiny neurons, caudate
 - convergence of excitatory synaptic inputs, 124, 403
 - dual excitatory inputs from substantia nigra stimulation, 138, 271
- Spiroperidol, demonstration of DAergic receptors, 136, 578
- Split nuclei, correction for in nuclear counts, 133, 376
- Spontaneous activity of PVN units in cycling and lactating rats, 130, 505
- Spontaneous elimination, of nerve terminals from endplates of developing skeletal myofibers, 134, 279
- Spontaneous firing patterns, of forebrain neurons, 131, 215
- Spontaneous spike activity, post-tetanic, in sympathetic neurons exposed to low K, 123, 287
- Spreading depression, in isolated retina, 120, 67
- S-100 protein
 - brain levels after protein restriction, 129, 187
 - in CNS during postnatal development, 123, 331
- Sprouting
 - intralaminar, lack, in retinal axons in lateral geniculate n., 126, 201
 - of corticopontine fibers, after neonatal cerebellar lesion, 123, 164
 - of NAergic terminals, after neonatal 6-OHDA, 124, 385
- Square-shaped potential waves, Ba-induced, ionic mechanisms, 123, 384
- Squid giant synapse, modulation of transmitter release by intracellular Na, 134, 367
- Staggerer mutant
 - astrocytic proliferation, biochemical correlates, 128, 389
 - in vitro behavior of granule cells, 130, 13
 - transmitter enzymes, 124, 171
- Staining
 - intracellular, with HRP, of spinocervical tract cells, 135, 1
 - method for axonally transported HRP, 126, 530

- zinc iodide–osmium, affinity for sensory endings of muscle spindles, 128, 527
- Stalk-median eminence extract, failure to suppress serum PRL in rats with hypothalamic islands, 125, 170
- Static fusimotor axons
 - mode of action, 135, 35
 - stimulation, and post-stimulus histograms, 134, 180
- Step cycle
 - and changes in sensitivity to rhythm resetting effects, 133, 190
 - phase, and reversal of sign of long spinal reflexes, 128, 447
- Stereotyped behavior patterns, induced by amphetamine and apomorphine after 6-OHDA lesions, 123, 89
- Sternarchus, electric organ, distribution of membrane-associated particles in Ranvier nodes, 125, 197
- Stimulation
 - afferent, changes in hippocampal-evoked responses during conditioning, 127, 382
 - cervical sympathetic, and blood flow, 129, 129
 - cortical, effect on brain cytochrome-a₃ redox states, 128, 553
 - cutaneous
 - electrical, sensory discrimination performance, 136, 360
 - responses of thoracic dorsal horn interneurons, 124, 437
 - effect on modulation of endogenous bursting rhythms, 125, 51
 - electrical
 - and localized estrogenic, effects on LH release, 125, 175
 - of hippocampus, effects on memory and cholinergic mechanisms, 133, 277
 - of lateral vestibular n., 134, 333
 - of olfactory nerve, and slow potentials in olfactory bulb, 128, 429
 - of substantia nigra, decrease in nigrostriatal blood flow, 135, 77
 - electrochemical, of LH release and ovulation, 131, 335
 - high-frequency, of dentate gyrus, long-lasting synaptic potentiation, 126, 361
 - kindling, see Kindling stimulation
 - macular labyrinthine, crossed responses of lateral vestibular neurons, 131, 152
 - mesencephalic and hypothalamic, aversive and appetitive effects, 130, 521
 - neuronal, by intraventricular angiotensin II, 126, 376
 - odor, and slow potentials in olfactory bulb, 128, 429
 - of branchial nerve, evokes suppression of gill withdrawal reflex, 132, 553
 - of centralis inferior n., effects on dorsal horn interneurons, 126, 355
 - of inhibitory nerves, and hyperpolarization of excitatory nerve terminals, 137, 365
 - of mesencephalic raphe n., and inhibition of stress mechanism, 127, 385
 - of midbrain, differential effect on X and Y neurons in lateral geniculate n., 127, 153
 - of neurite outgrowth by cultured glial cells and heart explants, role of NGF, 131, 373
 - of self, see Self-stimulation
 - of static fusimotor axons, post-stimulus histograms, 134, 180
 - of striatum, short-latency EPSPs of pyramidal tract cells, 132, 547
 - of superior laryngeal nerve, responses of dorsal respiratory group neurons, 135, 231
 - of tooth pulp, lateral hypothalamic unit responses, 134, 158
 - of trigeminal cutaneous afferents, 134, 561
 - of ventral roots in lower sacral cord, and dorsal root potential, 137, 356
 - produced analgesia
 - at coincident periaqueductal central gray loci, 124, 283
 - role of dorsal periventricular catecholamine bundle, 130, 335
 - repeated
 - extracellular unit responses applied to time course of olfactory responses, 132, 247
 - of lateral olfactory tract, alternating responses of olfactory bulb neurons, 133, 150
 - tactile
 - of forepaw, response of primary somatosensory cortical neurons, 132, 558
 - sensitivities after spinal cord lesions, 134, 529
 - taste, responses of submandibular secretory nerve, 130, 152
 - thermal, of midbrain, physiological responses, 128, 542
 - vaginal, see Vaginal stimulation
- Stimuli, complex visual, units of superior colliculus responding to, 127, 358
- Stimulus luminance, and locus of spectral neutral point in opponent cells, 119, 465
- Stimulus–response relations, in high threshold mechanothermal fibers, 128, 547
- Stomatogastric nervous system, monoamine fluorescence, 129, 13
- Stratum corneum, dependence of response characteristics of glabrous skin rapidly adapting units, 126, 167
- Stress
 - and cerebral histamine turnover, 129, 107
 - immobilization, and catecholamine-mediated increase in cerebral O₂ uptake, 119, 223
 - induced brain NA depletion, protection against, after 2-DG, 127, 179
 - mechanism, inhibition by mesencephalic raphe stimulation, 127, 385
- Stretch receptor reflex, pulmonary, see under Pulmonary
- Stria medullaris, pathway containing GABAergic afferents to lateral habenula, 130, 184
- Stria terminalis

- bed n., histamine synthesizing afferents, **138, 285**
- distribution of choline acetyltransferase and AChE, **120, 435**
- lesions, facilitation of amygdaloid kindling, **122, 137**
- Striatonigral pathway
 - neurons, presence of substance P and GABA, **136, 371**
 - substance P-containing fibers, **119, 447**
 - substance P in, **125, 305**
- Striatum
 - ACh levels, effect of picrotoxin, **126, 382**
 - GABA binding, **136, 501**
 - amphetamine-haloperidol interactions, **126, 117**
 - and substantia nigra, relation between GABA and DA, **134, 353**
 - cholinergic neurons, differences in sensitivity to DAergic drugs and quipazine, **136, 487**
 - circadian variations in tryptophan hydroxylase, **123, 125**
 - DA metabolism, effects of haloperidol and apomorphine, **130, 374**
 - DA-sensitive adenylate cyclase, destruction by kainic acid, **130, 374**
 - DA turnover, effect of haloperidol and sulpiride, **135, 374**
 - glutamic acid, effect of frontal cortex ablation, **132, 370**
 - head, connection with thalamus by cholinergic fiber tract, **126, 487**
 - injections of kainic acid, **135, 368**
 - lesions
 - partial lateral, pattern discrimination thresholds, **120, 209**
 - with kainic acid, neurochemical characteristics, **127, 235**
 - pre- and postsynaptic DA receptors, changes in sensitivity, **136, 319**
 - response of cells to stimulation of dorsal and median raphe, **122, 357**
 - slices
 - effect of cholinergic drugs on ACh release, **123, 311**
 - release of DA, 5-HT, ACh, and GABA, **135, 368**
 - stimulation and short-latency EPSPs of pyramidal tract cells, **132, 547**
 - structural changes after kainic acid injections, **129, 174**
 - tyramine level, effects of D-amphetamine and antipsychotic drugs, **126, 181**
- Structural changes, of peripheral nerve, induced by Ca ionophore, **136, 1**
- Subcellular distribution, of glutamyltransferase activities, in embryonic cerebral hemispheres, **128, 505**
- Subcellular fractions of molluscan nervous system, phosphorylation of protein substrate, **125, 325**
- Subcoeruleus, 5-HT-containing neuronal perikarya, **134, 359**
- Subcortical areas, NA distribution, **126, 53**
- Subcortical vision, **127, 357**
- Sublingual gland, innervation by salivatory neurons, **137, 145**
- Submandibular gland, innervation by salivatory neurons, **137, 145**
- Submandibular secretory nerve, responses to taste stimuli, **130, 152**
- Substance P
 - and GABA, presence in separate striatonigral neurons, **136, 371**
 - and related peptides, excitation of locus coeruleus neurons, **136, 178**
 - containing fibers, in sympathetic ganglia, **132, 29**
 - containing neurons
 - in striatonigral and pallidonigral pathways, **119, 447**
 - projections from neostriatum to substantia nigra, **122, 541**
 - content in substantia nigra, decrease in Huntington's chorea, **120, 387**
 - effect of dorsal horn neurons activated by noxious stimuli, **128, 164**
 - in striatonigral tract, **125, 305**
 - intranigral application, and rotatory behavior, **126, 576**
 - localization in spinal cord neurons, **122, 534**
 - microiontophoretic effects in medial amygdala and putamen, **135, 174**
 - origin in substantia nigra, **135, 315**
 - synaptic inhibitory mechanism for selective blockade of nicotinic receptors on Renshaw cells, **137, 376**
- Substantia gelatinosa Rolandi, extra- and intracellular recordings, **136, 565**
- Substantia nigra
 - activity of neurons during feeding, **133, 267**
 - and striatum, relation between GABA and DA, **134, 353**
 - content of substance P, decrease in Huntington's chorea, **120, 387**
 - effect of haloperidol on turnover times of GABA and ACh, **132, 375**
 - GAD and GABA, **125, 109**
 - intracranial self-stimulation, role of ascending catecholaminergic projections, **131, 271**
 - localization of DA-stimulated adenylate cyclase, **136, 45**
 - metabolism of DA after antidromic activation, **120, 184**
 - neuronal spike trains, cell types and interactions, **136, 243**
 - neurons, action of baclofen, **134, 577**
 - origin of substance P and glutamic acid decarboxylase, **135, 315**
 - projections of substance P-containing neurons from neostriatum, **122, 541**
 - stimulation
 - and decrease in nigrostriatal blood flow, **135, 77**
 - dual excitatory inputs to caudate spiny neurons, **138, 271**
- Substrate attached material, synthesized by nerve,

- glia and muscle, 132, 337
- Substrate specificities, of two genetically distinct brain β -galactosidases, 122, 325
- Succinate dehydrogenase activity, in telencephalon, coincides with sensory thalamic n. projection areas, 124, 357
- Suckling-induced release of PRL, role of NA, 133, 305
- Sulpiride, effect on striatal and retinal DA turnover, 135, 374
- Superior cervical ganglion, receptor block, and dissociation of α -bungarotoxin binding, 129, 165
- Superior colliculus, see under Colliculus superior
- effects of neonatal deafferentation on superficial laminae, 126, 19
- Suprachiasmatic nucleus
- lesions, and sleep-wakefulness rhythms, 122, 33
 - optic chiasm collaterals afferent to, 137, 351
 - responses of neurons to putative transmitters, 120, 167
- Supraependymal nerve
- role on ependyma, 125, 362
 - terminals, selective accumulation of 5-HT by, 134, 151
- Supraoptic nucleus neurons, effect of baro- and chemoreceptor activation, 126, 551
- Supraspinal input, of spinal motoneuron axons, velocity, 120, 179
- Supraspinal monoaminergic system, tonic inhibitory influence on presynaptic inhibition of an extensor monosynaptic reflex, 124, 109
- Suprasylvian visual area, lateral, role in behavioral recovery from visual cortex damage, 138, 445
- Suspension culture, see under Culture
- Suture, of lid, see under Lid
- SV-40 virus, and transformation of fetal brain cells, 122, 191
- Swelling of retinal amacrine in response to Ω -amino acids, 125, 161
- Swimming
- acquisition in chronically isolated single segments of leech, 131, 191
 - peripheral control of central pattern generators in dogfish, 127, 291
- Sympathectomy, increased catecholamine fluorescence, 128, 361
- Sympathetic cardiac afferents, anatomical and physiological characterization, 131, 89
- Sympathetic cardiac fibers, and cells of origin, anatomy and electrophysiology, 131, 73
- Sympathetic ganglia
- aged, changes in enzymes synthesizing catecholamines and ACh, 136, 465
 - and adrenal medulla, induction of tyrosine hydroxylase and DA- β -hydroxylase by NGF, 133, 291
 - effect of reserpine on development of tyrosine hydroxylase activity, 122, 503
 - identification of SIF cells as chromaffin cells, 128, 213
 - reinnervation of hippocampus, 138, 259
 - slow muscarinic excitatory response in cells, 137, 381
 - substance P-containing fibers, 132, 29
 - sympathetic innervation of cells, 128, 197
- Sympathetic nervous system, intra-axonal transport of HRP, 120, 407
- Sympathetic neurons
- activity, renal depressant action of posterior lobe of cerebellum, 133, 371
 - cholinergic and adrenergic, development, effect of spinal cord transection, 134, 269
 - degeneration, after DA- β -hydroxylase antiserum, 136, 67
 - development, target organ regulation, 123, 301
 - exposed to low K concentration, post-tetanic spontaneous spike activity, 123, 287
 - isolated, bidirectional axonal transport of $^{45}\text{Ca}^{2+}$, 129, 45
 - peripheral, trans-synaptic migration of tetanus toxin after retrograde axonal transport, 122, 459
 - postganglionic, see under Postganglionic
 - preganglionic
 - discharge patterns related to end-tidal CO_2 , 122, 255
 - effects of post-impulse depression on background firing, 126, 243
 - temporal patterns of antidromic invasion latencies, 135, 162
 - stimulation of nuclear microtubules and microfilaments assembly, 124, 41
- Sympathetic outflow, differential responses evoked by chemoreceptor activation, 138, 159
- Synaptic action, excitatory, see under Excitatory
- Synaptic activation of facial afferents on facial neurons, 123, 378
- Synaptic inhibition for selective blockade of nicotinic receptors on Renshaw cells by substance P, 137, 376
- Synaptic innervation, of sympathetic ganglion cells, 128, 197
- Synaptic inputs
- excitatory, to caudate spiny neurons, convergence, 124, 403
 - of lateral posterior thalamic neurons, 131, 39
- Synaptic interconnections, direct, between spinal α -motoneurons via the recurrent axon collaterals, 132, 1
- Synaptic layers, retinal, two types of receptors for α -bungarotoxin, 138, 29
- Synaptic mechanisms, action of diphenylhydantoin, 121, 259
- Synaptic networks, sensory evoked, selective opiate depression, 133, 162
- Synaptic organization, of superior colliculus in dark-reared rabbit, 134, 417
- Synaptic patterns, development in ventrobasal complex, 135, 197
- Synaptic permeability, active, to Ca, facilitated by cAMP, 127, 168
- Synaptic potentiation, long-lasting, in dentate gyrus after high-frequency stimulation, 126, 361

- Synaptic rearrangement, in ventrobasal complex after partial cortical deafferentation, **125, 351**
- Synaptic terminals with somatostatin-like immunoreactivity, **137, 181**
- Synaptic vesicles
 fraction, content, uptake and metabolism of amino acids, **138, 295**
 induction of electron density by Ca, **121, 173**
 uptake of catecholamines, energy utilization, **136, 59**
- Synapses
 afferent and efferent, Ca-induced electron density in vesicles, **121, 173**
 central, insect, two types of presynaptic configurations, **130, 25**
 elimination, in multiply innervated skeletal muscle fibers, **138, 353**
 excitatory and inhibitory, in spinal cord, effects of 4-aminopyridine on transmission, **136, 387**
 giant, of squid, modulation of transmitter release by intracellular Na, **134, 367**
 in adrenal medullary grafts, EM evidence, **120, 533**
 in CNS, membrane-linked proteins, **132, 172**
 on crustacean neurons, lacking cell bodies, **121, 43**
 reciprocal, of olfactory bulb, evidence, **128, 1**
- Synaptogenesis
 axoaxonic, in neonatal spinal trigeminal n., **138, 534**
 in arcuate n. of PMSG-treated immature female rat, **129, 375**
 of photoreceptors, localization of concanavalin A binding sites, **119, 57**
- Synaptoid contacts, in adrenal medullary grafts, EM evidence, **120, 533**
- Synaptosomal fractions, Ca-dependent GABA release, inhibited by ruthenium red, **126, 160**
- Synaptosomal plasma membrane glycoproteins, **138, 317**
- Synaptosomal preparations, ACh release, action of collagenase on inhibition, **134, 113**
- Synaptosomal uptake studies, of 5-HTergic afferents to dorsal raphe n., **119, 269**
- Synaptosomes
 cortical, effect of somatostatin on Ca transport, **123, 193**
 DA-mediated release of TRH-like material, **138, 571**
 uptake of NA, **121, 113**
- T
- Tactile stimulation
 of forepaw, response of primary somatosensory cortical neurons, **132, 558**
 sensitivity after spinal cord lesions, **134, 529**
- Tadpoles, developing retinotectal pathway, **127, 55**
- Tail pinch, and T maze learning, **127, 385**
- Target organ regulation, of sympathetic neuron development, **123, 301**
- Taste neurons, of tractus solitarius n., odorant responses, **135, 287**
- Taste responses, in facial lobe, **130, 287**
- Taste stimuli, response of submandibular secretory nerve, **130, 152**
- Taurine
 effects on experimental focal epilepsy, **136, 535**
 entry into neural retina and pigment epithelium, **128, 497**
 light-stimulated release from retinal rod outer segments, **135, 186**
 uptake studies in vitro, **136, 535**
- Tectal ablation, unilateral and bilateral, and visual function, **137, 267**
- Tectal afferent neurons, in telencephalon, **130, 142**
- Tectal innervation, bilateral, by regenerating optic nerve fibers, **128, 417**
- Tectopontine fibers, identification of cells of origin in superior colliculus, **130, 65**
- Tectum
 devoid of degenerating debris, immediate "compression" of retinal projection to, **133, 367**
 new ipsilateral visual units, **136, 351**
- Tegmental area, ventral, action of Baclofen on neurons, **134, 577**
- Telemetry, miniature, to record sleep-waking cycle, **132, 562**
- Telencephalon
 autoradiographic localization of opiate receptors, **134, 393**
 succinate dehydrogenase activity and sensory thalamic projection areas, **124, 357**
 tectal afferent neurons, **130, 142**
- Temperature
 effect on rate of optic nerve regeneration, **128, 405**
 effect on retrograde transport of visible intraxonal organelles, **136, 215**
 mediation by brain stem, TRH-sensitive sites, **126, 105**
 skin and body, constancy of heat pain characteristics to changes, **131, 367**
 skin, effect on hypothalamic control of heat loss and production, **120, 367**
- Temporal contrasts, monocular exposure to, effect on ocular dominance, **134, 568**
- Temporal gyrus, cortico-cortical connections, **136, 547**
- Temporal lesion, inferior, partial, and pattern discrimination thresholds, **120, 209**
- Temporal neurons, inferior, visual activation, **131, 227**
- Temporal patterns, of antidromic invasion latencies of sympathetic preganglionic neurons, **135, 162**
- Temporal response characteristics, of evoked potentials in visually deprived cat, **130, 572**
- Temporal summation, effects of auditory cortex lesions, **136, 559**
- Tendon organ afferent axons, in decerebrate cat, crossed reflexes evoked by selective activation, **127, 323**
- Terminals

- catecholaminergic, in developing cerebellum, 132, 355
- excitability, of spinal afferent, and GABA, 130, 360
- excitatory, hyperpolarization by inhibitory nerve stimulation, 137, 365
- 5-HTergic, in spinal cord, topographical distribution, 138, 393
- NAergic, in cerebral cortex, 133, 197
- synaptic, see Synaptic terminals
- Testis, polymodal receptors, 136, 553
- Testosterone
 - binding specificity in normal and mutant cerebellum, 128, 263
 - implants in midbrain vocal areas of capons, 122, 378
 - metabolites, effect of androstatriene-3,17-dione and CI-628, 128, 176
- Tetanus toxin
 - binding at presynaptic nerve endings, 121, 379
 - retrograde axonal transport, 126, 211
 - transynaptic migration after retrograde transport, comparison with NGF, 122, 459
 - uptake and retrograde transport, role of gangliosides, 132, 273
- Tetraethylammonium chloride, postsynaptic potentiation of slow muscarinic response, 137, 381
- Tetrodotoxin
 - effect on development of neuromuscular transmission in culture, 119, 141
 - resistant divalent action potentials, in Aplysia, 133, 177
- Thalamocortical connections, reciprocal, demonstration, 130, 538
- Thalamus
 - anterior, visual neurons, 127, 283
 - ascending projections from obex region, 138, 529
 - branching nigral projections, 137, 361
 - centralis inferior n., stimulation, effects on dorsal horn interneurons, 126, 355
 - connection with head of striatum by cholinergic fiber tract, 126, 487
 - intralaminar and juxtalaminar, effects of vagal volleys, 130, 271
 - intralaminar nuclei, short-latency EPSPs of pyramidal tract cells evoked by stimulation of striatum, 132, 547
 - lateral posterior n.
 - ascending projection, 131, 39
 - neurons
 - reticular influences, 131, 55
 - synaptic inputs and ascending projections, 131, 39
 - retrograde transport of HRP, 137, 233
 - laterodorsal nucleus, connections in Papio, 138, 1
 - lesions, unilateral, and prevention of induced asymmetries in caudate neuronal firing rate, 131, 215
 - medial, responses of neurons to morphine and naloxone, 122, 49
 - mediodorsal nucleus
 - distribution of olfactory input, 138, 229
 - origin of afferent supply, 135, 11
 - projections from orbitofrontal cortex, 131, 356
 - role in suppression of attack behavior by prefrontal cortex, 127, 185
 - morphine alters the distribution of GABA, 124, 373
 - olfactory input, ventro-postero-medial projection, 125, 166
 - posterior, role in intensity discrimination, 123, 261
 - progesterone metabolism, 125, 313
 - projections from hippocampus, alternate pathway involving internal capsule, 134, 1
 - reticular nucleus, retinotopic organization, 138, 407
 - sensorimotor links to, from pretectum, 127, 197
 - sensory, projection areas, and succinate dehydrogenase activity in telencephalon, 124, 357
 - unit activity, modifications concomitant with reversible blockade of ponto-geniculo-occipital waves, 137, 305
 - ventral lateral nucleus
 - visual receptive field, 138, 175
 - visual unit responses, 138, 180
- Thermal sensitization, of cutaneous polymodal nociceptors, 127, 358
- Thermal stimulation, of midbrain, physiological responses, 128, 542
- Thermoreceptive afferents, role in behavioral reaction times, 138, 329
- Thermoregulation
 - involvement of DA and histamine sensitive rostral hypothalamic neurons, 127, 173
 - mechanisms in brain stem, 5-HTergic influences, 134, 297
 - neonatal, effect of hypothalamic injections of PG, pyrogen and NA, 128, 473
- Thermosensitive midbrain neurons, 128, 461
- Thiamine deficiency and loss of indoleamine axons of cerebellum, 138, 380
- Thirst, angiotensin-induced, role of mesencephalic structures, 126, 225
- Thoracic dorsal horn interneurons, responses to cutaneous stimulation and algogenic substances, 124, 437
- Thoracic segment of spinal cord, reflex organization, 124, 415
- Thyroid gland
 - and cell proliferation in external granular layer, 126, 31
 - dysfunction, effect on development of cerebellum, 120, 521
- Thyrotropin-releasing hormone
 - identification in hypothalamic and extrahypothalamic loci, 126, 196
 - in spinal cord, 122, 578
 - like material, DA-mediated release from synaptosomes, 138, 571

- sensitive sites in brain stem, identification by microinjection, **126**, 105
- subcellular distribution in brain and hypothalamus, **120**, 423
- Thyrotropin, secretion after hypothalamic deafferentation, **127**, 137
- Thyroxine-induced neurogenesis, lysosomal properties, **132**, 407
- Tissue culture
 - monitoring of myelin, **120**, 193
 - neuroblast-glia interaction shown by ectoenzymes, **122**, 313
 - organotypic, of myenteric plexus, **128**, 109; **128**, 125
- Tissue inactivation, by microwave irradiation, **132**, 149
- T-maze
 - learning and tail pinch, **127**, 385
 - spontaneous alternation behavior, spatial discrimination and reversal learning, effects of ventral mesencephalic tegmentum lesion, **127**, 383
- Tone, conditioning to, of nictitating membrane, **137**, 127
- Tongue, denervation, effects on air- and current-licking behavior, **127**, 369
- Tonic inhibitory influence of a supraspinal monoaminergic system on presynaptic inhibition, **124**, 109
- Tooth pulp
 - extirpations, degenerative changes in primary trigeminal axons and n. caudalis neurons, **132**, 347
 - stimulation, and unit responses in lateral hypothalamic area, **134**, 158
- Topometric ultrastructural analysis of NAergic axon terminals in cerebral cortex, **133**, 197
- Torpedo
 - electric lobe, AChE-positive electromotoneurons, **124**, 352
 - electric organ, oscillation of ACh, **125**, 123
 - nerve electroplaque junction, localization of Ca in cholinergic axon terminals, **121**, 348
- Toxin
 - cholera and tetanus, role of gangliosides in uptake and transport, **132**, 273
 - of *Naja naja siamensis*, to identify nicotinic receptors, **131**, 350
- Tractus solitarius nucleus
 - catecholamines after medulla oblongata lesions, **127**, 307
 - neuronal activity with cardiac rhythm, **133**, 65; **133**, 81
 - odorant responses in taste neurons, **135**, 287
- Training, and protein pattern alterations in hippocampal and cortical cells, **119**, 427
- Trains of neuronal spike intervals, temporal patterns in hippocampus, **125**, 65
- Transaction
 - of developing spinal cord, behavioral effects, **125**, 241
 - of spinal cord
 - effect on development of cholinergic and adrenergic sympathetic neurons, **134**, 269
 - effects on lordosis reflex, **123**, 75
 - monoaminergic reinnervation by fetal brain grafts, **129**, 227
- Transmission
 - in cuneate n., caudate influence, **120**, 559
 - in spinal cord, effects of 4-aminopyridine, **136**, 387
- Transmitter enzymes, in Weaver and Staggerer mutants, **124**, 171
- Transmitter histochemistry, of olfactory bulb, **126**, 455
- Transmitters
 - putative, responses of neurons in SCN, **120**, 167
 - release, modulation by intracellular Na in squid giant synapse, **134**, 367
 - specific enzymes, tryptophan and tyrosine hydroxylase, localization, **131**, 197
- Transneuronal transport
 - of fucose and proline, **121**, 343
 - of proline in visual system, **129**, 346
- Transport
 - in choroid plexus, effect of Pronase, **134**, 573
 - of amino acid into brain slices, effects of glucose depletion and substitution of Krebs' cycle intermediates, **131**, 321
 - of ascorbic acid, by pheochromocytoma cells, **136**, 131
 - of HRP, see under HRP
 - retrograde, see under Retrograde
- Trans-synaptic migration, selective, of tetanus toxin after axonal transport, **122**, 459
- Tremor, harmaline-induced, and indoleaminergic innervation of inferior olive, **131**, 23
- Triceps surae, dynamic fusimotor neurons, influence of Group II muscle and low threshold skin afferents, **132**, 153
- Trigeminal axons, primary, degenerative changes after tooth pulp extirpations, **132**, 347
- Trigeminal cutaneous afferents, stimulation produces primary afferent depolarization in Group Ia fibers from masseter muscle, **134**, 561
- Trigeminal depressor response, **119**, 305
- Trigeminal nucleus
 - spinal
 - in neonate, axoaxonic synapses, **138**, 534
 - interneurons, influence of locus coeruleus, **125**, 369
- Trigeminal system, novel vasodepressor response originating from, **119**, 305
- Trigeminal terminals, differential effect of morphine on stimulation of, **124**, 367
- Triphosphoinositides, hydrolysis in developing nervous system, **137**, 333
- Trochlear motoneurons, monosynaptic excitation, **121**, 157
- Trochlear nerve, cell and fiber composition, **125**, 340
- Tryptamine, effects on conditioned avoidance response, **122**, 162
- Tryptophan

- and sleep, similar effects on cisternal CSF 5-HIAA and HVA, **129, 371**
 hydroxylation in brain, age-related changes in effect of ECS, **131, 313**
 inhibition of transport into brain of Pb-exposed neonate, **132, 386**
 serum and cerebral levels, lack of correlation with 5-HT turnover, **123, 137**
- Tryptophan hydroxylase**
 circadian rhythm in pineal, **138, 364**
 circadian variations in raphe n. and striatum, **123, 125**
 effect of lesions on levels, **130, 121**
 immunocytochemical localization, **131, 197**
 in developing brain, **131, 379**
- Tubercle, olfactory**
 lack of a DAergic-cholinergic link, **135, 255**
 laminae, DA-sensitive adenylate cyclase, **131, 303**
- Tuberoinfundibular cholinergic pathway, evidence, 129, 169**
- Tubulin**
 and intermediate brain filament protein, comparison, **132, 167**
 in developing brain, decrease in levels and rates of secretion, **121, 327**
- Tufted cells, of olfactory bulb, projection patterns, 129, 152**
- Tumors, N-ethyl-N-nitrosourea-induced, neurochemistry of cell lines, 130, 387**
- Tupaia, odor-induced patterns of deoxyglucose consumption in olfactory bulb, 124, 147**
- Turning behavior, role of nigroreticular relationships, 130, 383**
- Tyramine, striatal, effects of D-amphetamine and antipsychotic drugs, 126, 181**
- Tyrosine**
 hydroxylation in brain, age-related changes in the effect of ECS, **131, 313**
 immunocytochemical localization, **131, 197**
- Tyrosine hydroxylase**
 activity in sympathetic ganglia, effect of reserpine, **122, 503**
 adrenal, regulation of, **122, 183**
 and dihydropteridine reductase activities in brain, during development and senescence, **132, 569**
 and DA- β -hydroxylase, selective induction by NGF, **133, 291**
 axonal transport, **121, 77**
 hypothalamic, effect of EB on activity, **120, 188**
- U**
- Ulex europus*, lectin specific for L-fucose, 138, 317**
- Ultrasound, focused**
 effect on receptor structures, **135, 279**
 effects on skin and deep receptor structures, **135, 265**
- Ultrastructural evidence for central monoaminergic innervation of PVN blood vessels, 136, 166**
- Ultrastructural study, of fetal LH-RH-containing neurons, 137, 175**
- Undernutrition**
 effect on cell formation in brain, **123, 13**
 effect on cell generation in brain, **138, 511**
- Underwater Y-maze, lack of acquisition in DA-denervated animals, 134, 95**
- Unidirectionality, in cortical neurons, preservation in inverted vision, 120, 164**
- Unmyelinated nerve, axoplasmic flow, 124, 393**
- Units**
 activity
 midbrain, during classical conditioning, **134, 73**
 of amygdala and hippocampus, effects of morphine and benzodiazepines, **126, 427**
 related to eye-movement, in rostral mesencephalic reticular formation, **130, 239**
 related to saccades, in brain stem, **127, 361**
 thalamic, modifications and reversible blockade of ponto-geniculo-occipital waves, **137, 305**
 hippocampal, rhythmic activity, **134, 546**
 intralaminar and juxtalaminae thalamic, effects of vagal volleys, **130, 271**
 of cingulate cortex, effects of vagal volleys and 5-HT, **130, 253**
 of superior colliculus, responding to complex visual stimuli, **127, 358**
 olfactory receptor, see Olfactory receptor units
 recording, in midbrain during shock-elicited fighting, **120, 469**
 responses
 extracellular, to repeated stimulation, and time course of olfactory responses, **132, 247**
 lateral hypothalamic, activated by tooth pulp stimulation, **134, 158**
- Uptake of Ca by brain mitochondria, inhibition by Pb, 136, 185**
- Uptake studies in vitro, of taurine, 136, 535**
- Uterine growth, effect of antiestrogen after EB, 133, 119**
- Utricle, interactions with semicircular canal from electrical stimulation of vestibular nerve, 125, 23**
- V**
- Vagal axon ultrastructure, action of DMS, 120, 287**
- Vagal dorsal motor nuclei, innervation of stomach, 122, 125**
- Vagal preganglionic fibers to sino-atrial and atrio-ventricular node regions in heart, origins, 130, 545**
- Vagal volleys**
 effects on units of cingulate cortex, **130, 253**
 effects on units of intralaminar and juxtalaminae thalamic n., **130, 271**
- Vaginal stimulation**
 monoaminergic mediation of antinociceptive effect, **137, 67**
 neurophysiological and behavioral studies of

- antinociceptive effect, 137, 85
- Vasoactive intestinal polypeptide in CSF, 124, 581
- Vasodepressor response from trigeminal system, 119, 305
- Vasopressin, and changes in behavior and hippocampal 5-HT metabolism, 120, 485
- Velocity of conduction, see Conduction velocity
- Ventral column, of spinal cord, projection from locus coeruleus as main source of NAergic terminals, 132, 85
- Ventral horn, of *Xenopus*, neuronal death in development of somatotopic projections, 134, 145
- Ventral lateral geniculate nucleus
receptive field properties, 132, 163
role in intensity discrimination, 123, 261
- Ventral mesencephalic tegmentum, lesion, effects on behavior and learning in T-maze, 127, 383
- Ventral roots
lower sacral cord, stimulation, dorsal root potentials, 137, 356
spinal, origins of primary afferent fibers, 126, 350
- Ventrobasal complex
EM study of development of synaptic patterns, 135, 197
synaptic rearrangement after partial cortical deafferentation, 125, 351
- Ventroposteromedial projection of olfactory input to thalamus, 125, 166
- Vermal visual area, cerebellar, pontine projection to, HRP study, 123, 209
- Vermis, posterior, brain stem projections to lobule VII, 124, 135
- Vertex, short-latency acoustic response, interpretation by study of single neurons in brain stem, 137, 291
- Vertical eye movements
operant discriminative conditioning in mid-pontine pretrigeminal cat, 124, 99
related unit activity, in rostral mesencephalic reticular formation, 130, 239
- Vesicular transport, of HRP from brain to blood, 124, 1
- Vestibular nerve, electrical stimulation of branches, 125, 23
- Vestibular nucleus
afferents
and activity of forelimb extensor muscles after decerebration, 120, 1
conduction times and background discharge, 122, 545
to abducens n., 123, 229
lateral, crossed neuronal responses to macular stimulation, 131, 152
lateral, facilitation of lordosis reflex by electrical stimulation, 134, 333
neuronal activity, second-order, contribution of contralateral labyrinth, 138, 99
new long spinal projection from, 122, 351
stimulation, of decerebrate cat, 122, 150
superior, functional organization, 132, 65
- Vestibular system, of *Necturus*, K-dependence of membrane potentials, 136, 366
- Vestibulo-cerebellectomy, compensation of nystagmus after VIIIth nerve lesion in, 135, 192
- Vestibulo-oculomotor neurons, activity during saccadic eye movements, 127, 362
- Vibratome sections, identical, of entorhinal cortex, 128, 354
- Vinblastine
inhibition of rapid movement of optically detectable axonal particles, 128, 227
protective action against, by NGF, 129, 265
- Virus, herpes simplex, see herpes simplex virus
- Viscerosomatic convergence onto spinal neurons responding to afferent fibers in cardiac nerve, 137, 164
- Vision
inverted, preservation of unidirectionality in cortical neurons, 120, 164
subcortical, 127, 357
- Visual activation, of inferior temporal neurons, contribution of corpus callosum and anterior commissure, 131, 227
- Visual areas 17 and 18, distribution of pulvinar terminals, 137, 343
- Visual cortex, see Cortex, visual
- Visual deprivation
conditions for ocular dominance, 136, 277
distribution and temporal response characteristics of evoked potentials, 130, 572
effects on polyribosome aggregation in visual cortex, 119, 73
in *Macaca mulatta*, 129, 37
- Visual discrimination
during eyelid closure, 128, 329
effects of posterior neocortical lesions, 122, 15
training, and abnormal eye movements caused by pulvinar lesions, 136, 189
- Visual fields
in n. ventralis lateralis, size and characteristics, 138, 175
projection of ocular dominance columns into, 122, 336
- Visual form perception after superior colliculus ablation, 127, 355
- Visual function
of occipito-temporal cortex, 127, 367
with unilateral and bilateral tectal ablation, 137, 267
- Visual information channelling, in crayfish lamina ganglionaris, 130, 556
- Visual input to cerebellar neurons of *Rana esculenta* and *Bufo bufo*, 127, 362
- Visualization, simultaneous, of NAergic fibers and β -adrenoreceptors, 135, 347
- Visually-mediated behaviors, role of optic tectum, 128, 393
- Visual neurons
in anterior thalamus, 127, 283
new, ipsilateral, in tectum, 136, 351
- Visual noise, stationary, detection of pattern after monocular deprivation, 127, 365
- Visual orientation behavior, effect of superior colliculus ablation, 127, 356
- Visual responses

- in n. ventralis, effect of cryogenic blockade of visual and motor cortices, 138, 180
- of neurons in pretectal n., functional organization, 127, 355
- on primary auditory cortex, enhanced after destruction of cochlear receptors, 129, 162
- Visual simultaneous contrast, neurophysiology, 127, 359
- Visual stimuli, complex, units of superior colliculus responding to, 127, 358
- Visual system
 - avian
 - putative neurotransmitters, 119, 417
 - transneuronal transport of fucose and proline, 121, 343
 - axonal transport of adenosine, 122, 132
 - bidirectional axonal transport of $^{45}\text{Ca}^{2+}$, 129, 45
 - HRP transport, 126, 530
 - of cyprinid fish, HRP study, 130, 531
 - transneuronal transport of proline, 129, 346
- Vocal areas in capon midbrain, effects of testosterone implants, 122, 378
- Voltage-dependent Na channels, comparative pharmacology, 135, 37
- Voluntary movement
 - and interpositus neuron discharge, 121, 167
 - influence on recurrent inhibition, 124, 427
- Vomeranasa deafferentation, histological and behavioral analyses, 126, 325
- W
- Waking and sleep
 - discharge patterns of n. parabrachialis lateralis neurons, 134, 59
 - effects of intraventricular piperidine, 134, 501
- Wallerian degeneration, early course in phrenic nerve myelinated fibers, 130, 47
- Waves
 - ponto-geniculo-occipital, reversible blockade and modifications of thalamic unit activity, 137, 305
 - square-shaped potential, Ba-induced, 123, 384
- Weaver mutant
 - climbing fiber system, 129, 141
 - in vitro behavior of granule cells, 130, 13
 - transmitter enzymes, 124, 171
- Weight loss, sex-dependent after 6-OHDA injections into globus pallidus, 128, 559
- Wheat germ agglutinin, uptake and transport, role of gangliosides, 132, 273
- Wholemount preparations, silver intensification method for cobalt-filled neurons, 138, 359
- Wolfram proteins in CNS of neurological mutants, 133, 29
- X
- X cells, in lateral geniculate n., 121, 151
 - effect of midbrain stimulation, 127, 153
- Xenopus
 - compound eyes, formation of retinodiencephalic connections, 125, 345
 - motor projections to developing limb, 134, 197
 - ventral horn, neuronal death in development of somatotopic projections, 134, 145
- Y
- Y cells, in lateral geniculate n., 121, 151
 - effect of midbrain stimulation, 127, 153
- Y-maze, underwater, lack of acquisition in DA-denervated animals, 134, 95
- Z
- Zinc content of brain and hippocampus, changes after dithizone, 130, 369
- Zinc iodide-osmium stain, affinity for sensory endings of muscle spindles, 128, 527
- Zona externa, projections from PVN, 137, 1

Now Available!

Abstracts of the Third European Neuroscience Meeting, Rome, Italy, September 11-14, 1979

Sponsored by the European Neuroscience Association

(Neuroscience Letters Supplement, 3 (1979) S1-S380)

1979 392 pages US \$29.25/£13.75

Recording the proceedings of the Third European Neuroscience Meeting held in Rome, this collection of abstracts represents the most up-to-date and authoritative definition of the 'state of the art' of European neuroscience today. Covering major aspects of the field, the interdisciplinary approach to the subject ensures that this publication will be of paramount importance to anyone wishing to keep abreast of developments in the area.

The following contents reflect the broad scope of the collection:

Abstracts

Audition
Axoplasmic transport
Central autonomic control
Development, regeneration and trophic factors
Drives and motivation
Epilepsy
Experimental and clinical neurology
Information processing
Limbic system
Membrane biophysics
Memory and learning
Motor system I: Spinal-cord and proprioceptors
Motor system II: Oculomotor control
Motor system III: Higher motor centres
Motor system IV: Cerebellum
Neuroanatomical tracing
Neurochemistry
Neurocytology
Neurobiology of aging
Neuroendocrinology
Neuro-immunology
Neurological basis of addiction
Neuropeptides I
Neuropeptides II: Endorphins and enkephalins
Neuropsychology
Neuro-toxicology
Neurotransmitters I: Amino acids
Neurotransmitters II: Monoamines
 a. Morphology and distribution
Neurotransmitters II: Monoamines
 b. Uptake, synthesis and release
Neurotransmitters II: Monoamines
 c. Behavioural pharmacology
Neurotransmitters III: Receptors

 a. Biophysics
Neurotransmitters III: Receptors
 b. Biochemistry
Pain
Sleep and biological rhythms
Somatosensory
Vestibular system
Visual system I: Retina
Visual system II: Neurophysiology
Visual system III: Development
Visual system IV: Behaviour and psychology

Symposia

Formation and maintenance of neuronal connections
Negative feed back by inhibition from axon collaterals
Regulation of neurotransmitter receptor sensitivity
Sleep

Communications workshops

Anatomy and physiology of intrinsic retinal circuits
Central actions of neuropeptides
Growth and trophic factors
Mechanism and humoral control of epilepsy
Neuronal tracing methods and their combination
Neurotransmitter release: Properties and control
Oculomotor control mechanisms
Properties of receptive fields in the visual system
Receptors for neurotransmitters:
 Characterization, localization and function
Reorganization of neuronal circuits
Author index

To receive your copy of this unique publication, up till now only available to subscribers of NEUROSCIENCE LETTERS, send your order to:
Elsevier/North-Holland Scientific Publishers Ltd. P.O. Box 85, Limerick, Ireland.

NEUROSCIENCE LETTERS

Publication Schedule and Subscription Information:

1980 Volumes 15 - 20 in 18 issues. Subscription Price: US \$ 348.000 including postage

Except in the U.S.A. and Canada orders should be sent to the above address.

In the U.S.A. and Canada orders should be sent to:

JOURNAL INFORMATION CENTER

Elsevier's Science Division, 52 Vanderbilt Ave., New York 10017

ELSEVIER/NORTH-HOLLAND BIOMEDICAL PRESS

The US \$ price is definitive. £ prices are subject to exchange rate fluctuations.

5467 BMP

COPYRIGHT © 1980 BY ELSEVIER/NORTH-HOLLAND BIOMEDICAL PRESS, AMSTERDAM
PRINTED IN THE NETHERLANDS

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without permission in writing from the publisher.

